Status	Finished
Started	Tuesday, 15 September 2026, 3:15 PM
Completed	Tuesday, 15 September 2026, 3:31 PM
Duration	16 mins 22 secs
Grade	**9.00** out of 15.00 (**60**%)

Question **1**

Complete

Mark 0.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 3

b. Code 1, Code 2

c. Code 2, Code 3

Question **2**

Complete

Mark 0.00 out of 1.00

```
if(x=-1):
    print("present")
else:
    print("absent")
```

- a. Runtime Error
- b. compilation error
- c. absent
- d. present

Question **3**

Complete

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if  1-1:
    print("python")
else:
    print("0 is false")
```

- a. Error
- b. 0 is false
- c. python

Question **4**

Complete

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

- a. **Iteration**
- b. **None of the above**
- c. **orientation**
- d. **indentation**

Question **5**

Complete

Mark 0.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

a. if x is lesser then 0,x will be 0 after this code executes

b. x will always equal 0 after this code executes for any value of x

c. if x is greater than 2, x will equal 0 after this code executes

d. if x is greater than 2, the value in x will be doubled after this code executes

Question **6**

Complete

Mark 0.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

a. None

b. pass

c. Empty

d. Jump

Question **7**

Complete

Mark 1.00 out of 1.00

What should be the value of num1 and num2 to get the output as "1"?

```
if((num1/num2==5) and (num1+num2)>5):
    print("1")
elif((num1-num2)<=1 or (num1%num2)==0):
    print("2")
else:
    print("3")
```

a. num1=11, num2=2

b. num1=5, num2=1

c. num1=0, num2=5

d. num1=-10,num2=2

Question **8**

Complete

Mark 0.00 out of 1.00

Number of elif in a program is dependent on the _____

a. All the Above

b. **number of conditions to be checked**

c. **number of variables in a program**

d. **number of loops in a program**

Question **9**

Complete

Mark 1.00 out of 1.00

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

a. Python is easy!

b. Error

c. NO OUTPUT

Question **10**

Complete

Mark 0.00 out of 1.00

Python supports _____ types of control structures.

a. 1

b. 3

c. 2

d. 4

Question **11**

Complete

Mark 1.00 out of 1.00

Write the output of the following code :

```
x="Joy"
if(x=="John"):
    print("Aero")
elif(x=="Joy"):
    pass
else:
    print("REC")
print("REC-AERO")
```

a. All the Above

b. REC-AERO

c. REC
REC-AERO

d. Aero
REC
REC-Aero

Question **12**

Complete

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

a. Yes

b. No

Question **13**

Complete

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

- a. 15
- b. 30
- c. 35
- d. 45

Question **14**

Complete

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. Finds the product of two numbers
- b. Finds the sum of two numbers
- c. Finds the quotient on dividing two numbers
- d. Finds the remainder on dividing two numbers

Question **15**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
a = 25
if a > 15:
    print("Hi")
if a <= 30:
    print("Hello")
else:
    print("Know Program")
```

a. Hi
Know Program

b. Hi
Hello

c. Hello
Know Program

d. Hello