

```
In [2]: bool('zero')
```

```
Out[2]: True
```

```
In [1]: # last
```

```
In [5]: complex(10)
```

```
Out[5]: (10+0j)
```

```
In [6]: complex(10,20)
```

```
Out[6]: (10+20j)
```

```
In [8]: complex(10,20,30)
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[8], line 1  
----> 1 complex(10,20,30)  
  
TypeError: complex() takes at most 2 arguments (3 given)
```

```
In [9]: complex(2.3)
```

```
Out[9]: (2.3+0j)
```

```
In [11]: complex(2.3,4.5)
```

```
Out[11]: (2.3+4.5j)
```

```
In [12]: complex(23,4.5)
```

```
Out[12]: (23+4.5j)
```

```
In [13]: complex(True)
```

```
Out[13]: (1+0j)
```

```
In [14]: complex(False)
```

```
Out[14]: 0j
```

```
In [15]: complex(True,False)
```

```
Out[15]: (1+0j)
```

```
In [17]: complex('10')
```

```
Out[17]: (10+0j)
```

```
In [18]: complex('10','20')
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[18], line 1  
----> 1 complex('10', '20')  
  
TypeError: complex() can't take second arg if first is a string
```

```
In [19]: complex('10', 20)
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[19], line 1  
----> 1 complex('10', 20)  
  
TypeError: complex() can't take second arg if first is a string
```

```
In [20]: str(100)
```

```
Out[20]: '100'
```

```
In [21]: str(2.3)
```

```
Out[21]: '2.3'
```

```
In [22]: str(True)
```

```
Out[22]: 'True'
```

```
In [24]: str(False)
```

```
Out[24]: 'False'
```

```
In [25]: str(1+2j)
```

```
Out[25]: '(1+2j)'
```

```
In [27]: str(2,3)
```

```
-----  
TypeError                                Traceback (most recent call last)  
Cell In[27], line 1  
----> 1 str(2,3)  
  
TypeError: str() argument 'encoding' must be str, not int
```

x1,y1 =10,5

x1+y1

```
In [31]: 2**3
```

```
Out[31]: 8
```

```
In [33]: x1,y1 =10,5  
         x1+y1
```

Out[33]: 15

In [35]: *#Assignment Operator*

In [39]: `x=2`

In [40]: `x = x+2`

In [49]: `x *=2`

In []:

In [52]: `print(x *= 2)`

```
Cell In[52], line 1
    print(x *= 2)
          ^
SyntaxError: invalid syntax
```

In [56]: `n=7`
`n`

Out[56]: 7

In [59]: `m = -n`
`m`

Out[59]: -7

In [61]: `a =5`
`b=6`
`a<b`

Out[61]: True

In [63]: `a> b`

Out[63]: False

In [64]: `a==b`

Out[64]: False

In [66]: `a=b`
`a==b`

Out[66]: True

In [68]: `c=5`
`d=7`
`c ==d`

Out[68]: False

In [70]: `print(c)`
`print(d)`

5
7

In [72]: `c!=d`

Out[72]: `True`

In [73]: `c>d`

Out[73]: `False`

In [74]: `c>=d`

Out[74]: `False`

In [75]: `c<=d`

Out[75]: `True`

In [79]: `a = 5`
`b = 4`

In [83]: `a<8 and b<5`

Out[83]: `True`

In [86]: `a<8 or b<5`

Out[86]: `True`

In [88]: `a<8 and b<2`

Out[88]: `False`

In [91]: `a>8 and b<2`

Out[91]: `False`

In [95]: `x = True`
`not x`

Out[95]: `False`

In [97]: `#Number System`

In [99]: `-True`

Out[99]: `-1`

In [103... `-False`

Out[103... `0`

In [105... `10+3*2-1`

Out[105... `15`

In [106... `10+(3*2)-1`

Out[106... 15

In [108... `10+3*(2-1)`

Out[108... 13

In [110... `a =10`
`b=20`
`a`
`b`

Out[110... 20

In [112... `a =10`
`b=20`
`print(a)`
`print(b)`

10

20

In [114... `print(10)`
`print(10,20)`
`print('python')`
`print(10,20,'python')`

10

10 20

python

10 20 python

In [127... `num1= 20`
`num2 =30`
`add = num1 + num2`
`print(add)`
`print('The addition of', num1, 'and', num2, 'is', add)`

50

The addition of 20 and 30 is 50

In [120... *#Print result with String*
#LLM model is got hallucination or confusion

In []: `num1= 20`
`age =30`
`add = num1 + num2`
`print(add)`