

# CORE JAVA

## With

# SCJP / OCJP

### Study Material

Chapter 22: Java 8 New Features



**DURGA M.Tech**

(Sun certified & Realtime Expert)

**Ex. IBM Employee**

Trained Lakhs of Students  
for last 14 years across INDIA

**India's No.1 Software Training Institute**

# DURGASOFT

**www.durgasoft.com Ph: 9246212143 ,8096969696**

## Java 8 New Features

java 7 – July 28<sup>th</sup> 2011  
2 Years 7 Months 18 Days

Java 8 - March 18<sup>th</sup> 2014

Java 9 - September 22<sup>nd</sup> 2016

Java 10 - 2018

After java 1.5version, java 8 is the next major version.  
Before java 8, sun people gave importance only for objects but in 1.8version oracle people gave the importance for functional aspects of programming to bring its benefits to java.ie it doesn't mean java is functional oriented programming language.

### Java 8 New Features:

- 1) Lambda Expression
  - 2) FunctionalInterfaces
  - 3) Default methods
  - 4) Predicates
  - 5) Functions
  - 6) Double colon operator(::)
  - 7) Stream API
  - 8) Date and Time API
- Etc.....

**CORE JAVA with**  
**OCJP/SCJP**  
JAVA CERTIFICATION



**Mr. DURGA** M.Tech  
JAVA EXPERT  
Trained Thousands of Students



**One to One**  
**VIDEO**  
**CLASSES**

**EVERYTHING AT YOUR CONVENIENCE**

**At your convenient Time**

**With in your convenient duration**

AN ISO 9001:2008 CERTIFIED  
**DURGA**  
Software Solutions®  
www.durgasoft.com

# 202, 2nd Floor, HUDA Maitrivanam,  
Ameerpet, Hyd. Ph: 040-64512786,  
**9246212143, 8096969696**

## Lambda (λ) Expression

- ☀ Lambda calculus is a big change in mathematical world which has been introduced in 1930. Because of benefits of Lambda calculus slowly this concepts started using in programming world. "LISP" is the first programming which uses Lambda Expression.
- ☀ The other languages which uses lambda expressions are:
  - C#.Net
  - C Objective
  - C
  - C++
  - Python
  - Ruby etc.
  - and finally in java also.
- ☀ The Main Objective of λ Lambda Expression is to bring benefits of functional programming into java.



### What is Lambda Expression (λ):

Lambda Expression is just an anonymous(nameless) function. That means the function which doesn't have the name, return type and access modifiers.

Lambda Expression also known as anonymous functions or closures.

**Ex: 1**

```

public void m1() {
    sop("hello");
}
    
```

↪ { sop("hello"); }

↪ { sop("hello"); }

↪ sop("hello");

**Ex: 2**

```

public void add(int a, int b) {
    sop(a+b);
}
    
```

↪ (int a, int b) → sop(a+b);

- If the type of the parameter can be decided by compiler automatically based on the context then we can remove types also.
- The above Lambda expression we can rewrite as (a,b) → sop (a+b);

**Ex: 3**

```
public String str(String str) {  
    return str;  
}
```

(String str) → return str;  
↓  
(str) → str;

**Conclusions:**

- 1) A lambda expression can have zero or more number of parameters(arguments).

**Ex:**

0 → sop("hello");  
(int a) → sop(a);  
(inta, int b) → return a+b;

- 2) Usually we can specify type of parameter.If the compiler expect the type based on the context then we can remove type. i.e., programmer is not required.

**Ex:**

(inta, int b) → sop(a+b);  
(a,b) → sop(a+b);

- 3) If multiple parameters present then these parameters should be separated with comma(,).

- 4) If zero number of parameters available then we have to use empty parameter [ like ()].

**Ex:**

0 → sop("hello");

- 5) If only one parameter is available and if the compiler can expect the type then we can remove the type and parenthesis also.

**Ex:**

(int a) → sop(a);

↓  
(a) → sop(a);

↓  
A → sop(a);

- 6) Similar to method body lambda expression body also can contain multiple statements.if more than one statements present then we have to enclose inside within curly braces.if one statement present then curly braces are optional.

- 7) Once we write lambda expression we can call that expression just like a method, for this functional interfaces are required.

**Functional Interfaces:**

**if an interface contain only one abstract method, such type of interfaces are called functional interfaces and the method is called functional method or single abstract method(SAM).**

**Ex:**



- 1) Runnable → It contains only run() method
- 2) Comparable → It contains only compareTo() method
- 3) ActionListener → It contains only actionPerformed()
- 4) Callable → It contains only call() method

Inside functional interface in addition to single Abstract method(SAM) we write any number of default and static methods.

Ex:

```
1) interface Interf {
2)     public abstract void m1();
3)     default void m2() {
4)         System.out.println ("hello" );
5)     }
6) }
```

In Java 8 ,SunMicroSystem introduced **@FunctionalInterface** annotation to specify that the interface is **FunctionalInterface**.

Ex:

```
@FunctionalInterface
    Interface Interf {
        public void m1();
    }
```

} this code compiles without any compilation errors.

Inside **FunctionalInterface** we can take only one abstract method,if we take more than one abstract method then compiler raise an error message that is called we will get compilation error.

LEARN FROM EXPERT & DIAMOND FACULTIES OF AMEERPET...

# JAVA MEANS DURGASOFT

INDIA'S NO. 1 SOFTWARE TRAINING INSTITUTE

AN ISO 9001:2008 CERTIFIED  
**DURGA**  
 SOFTWARE SOLUTIONS

**#202 2<sup>nd</sup> FLOOR**  
**www.durgasoft.com**

**040-64512786**  
**+91 9246212143**  
**+91 8096969696**

Ex:

```
@FunctionalInterface {
    public void m1();
    public void m2();
}
```

} this code gives compilation error.

Inside **FunctionalInterface** we have to take exactly only one abstract method.If we are not declaring that abstract method then compiler gives an error message.

Ex:

```
@FunctionalInterface {
```

```
interface Interface {    compilation error
}
```

### FunctionalInterface with respect to Inheritance:

If an interface extends FunctionalInterface and child interface doesn't contain any abstract method then child interface is also FunctionalInterface

Ex:

```
1) @FunctionalInterface
2) interface A {
3)     public void methodOne();
4) }
5) @FunctionalInterface
6) Interface B extends A {
7) }
```

In the child interface we can define exactly same parent interface abstract method.

Ex:

```
1) @FunctionalInterface
2) interface A {
3)     public void methodOne();
4) }
5) @FunctionalInterface
6) interface B extends A {
7)     public void methodOne();
8) }
```

} No Compile Time Error

In the child interface we can't define any new abstract methods otherwise child interface won't be FunctionalInterface and if we are trying to use @FunctionalInterface annotation then compiler gives an error message.



```

1) @FunctionalInterface {
2) interface A {
3)     public void methodOne();
4) }
5) @FunctionalInterface
6) interface B extends A {
7)     public void methodTwo();
8) }
    
```

} Compiletime Error



Ex:

```

@FunctionalInterface
interface A {
    public void methodOne();
}
interface B extends A {
    public void methodTwo();
}
    
```

} No compile time error

→ this's Normal interface so that code compiles without error

In the above example in both parent & child interface we can write any number of default methods and there are no restrictions. Restrictions are applicable only for abstract methods.

### FunctionalInterface Vs Lambda Expressions:

Once we write Lambda expressions to invoke it's functionality, then FunctionalInterface is required.

We can use FunctionalInterface reference to refer Lambda Expression.

Where ever FunctionalInterface concept is applicable there we can use Lambda Expressions

Ex:1

Without Lambda Expression

```

1) interface Interf {
2)     public void methodOne() {}
    
```

```

3) public class Demo implements Interface {
4)     public void methodOne() {
5)         System.out.println("method one execution");
6)     }
7)     public class Test {
8)         public static void main(String[] args) {
9)             Interfi = new Demo();
10)            i.methodOne();
11)        }
12) }

```

# www.durgajobs.com

Continuous Job Updates for every hour

**Fresher Jobs**

**Govt Jobs**

**Bank Jobs**

**Walk-ins**

**Placement Papers**

**IT Jobs**

**Interview Experiences**

Complete Job information across India

Above code With Lambda expression

```

1) interface Interf {
2)     public void methodOne() {}
3)     class Test {
4)         public static void main(String[] args) {
5)             Interfi = () -> System.out.println("MethodOne Execution");
6)             i.methodOne();
7)         }
8)     }

```

Without Lambda Expression

```

1) interface Interf {
2)     public void sum(inta,int b);
3) }
4) class Demo implements Interf {
5)     public void sum(inta,int b) {
6)         System.out.println("The sum:" + (a+b));
7)     }
8) }
9) public class Test {
10)     public static void main(String[] args) {
11)         Interfi = new Demo();

```



```

12)         i.sum(20,5);
13)     }
14) }
    
```

### Above code With Lambda Expression

```

1) interface Interf {
2)     public void sum(inta, int b);
3) }
4) class Test {
5)     public static void main(String[] args) {
6)         Interfi = (a,b) → System.out.println("The Sum:" +(a+b));
7)         i.sum(5,10);
8)     }
9) }
    
```

### Without Lambda Expressions

```

1) interface Interf {
2)     publicint square(int x);
3) }
4) class Demo implements Interf {
5)     public int square(int x) {
6)         return x*x; OR (int x) → x*x
7)     }
8) }
9) class Test {
10)    public static void main(String[] args) {
11)        Interfi = new Demo();
12)        System.out.println("The Square of 7 is: " +i.square(7));
13)    }
14) }
    
```

<p><b>CORE JAVA with</b>  <b>OCJP/SCJP</b>  <b>JAVA CERTIFICATION</b></p>  <p><b>Mr. DURGA</b> M.Tech  <b>JAVA EXPERT</b>          Trained Thousands of Students</p> 	<p><b>One to One</b>  <b>VIDEO</b>  <b>CLASSES</b></p> <p><b>EVERYTHING AT YOUR CONVENIENCE</b></p> <p><b>At your convenient Time</b></p> <p><b>With in your convenient duration</b></p>
<p><b>AN ISO 9001:2008 CERTIFIED</b>  <b>DURGA</b>  <b>Software Solutions®</b>  <a href="http://www.durgasoft.com">www.durgasoft.com</a></p>	<p># 202, 2nd Floor, HUDA Maitrivanam,          Ameerpet, Hyd. Ph: 040-64512786,  <b>9246212143, 8096969696</b></p>

Above code with Lambda Expression

```

1) interface Interf {
2)     public int square(int x);
3) }
4) class Test {
5)     public static void main(String[] args) {
6)         Interfi = x → x*x;
7)         System.out.println("The Square of 5 is:"+i.square(5));
8)     }
9) }

```

Without Lambda expression

```

1) class MyRunnable implements Runnable {
2)     public void main() {
3)         for(int i=0; i<10; i++) {
4)             System.out.println("Child Thread");
5)         }
6)     }
7) }
8) class ThreadDemo {
9)     public static void main(String[] args) {
10)         Runnable r = new myRunnable();
11)         Thread t = new Thread(r);
12)         t.start();
13)         for(int i=0; i<10; i++) {
14)             System.out.println("Main Thread")
15)         }
16)     }
17) }

```

# FREE TRAINING VIDEOS

You

Tube

3000+  
VIDEOS

[www.youtube.com/durgasoftware](http://www.youtube.com/durgasoftware)

With Lambda expression

```

1) class ThreadDemo {
2)     public static void main(String[] args) {
3)         Runnable r = () -> {
4)             for(int i=0; i<10; i++) {
5)                 System.out.println("Child Thread");
6)             }
7)         };
8)         Thread t = new Thread(r);
9)         t.start();
10)        for(i=0; i<10; i++) {
11)            System.out.println("Main Thread");
12)        }
13)    }
14) }

```

**www.durgajobs.com**  
*Continuous Job Updates for every hour*

**Fresher Jobs**   **Govt Jobs**   **Bank Jobs**  
**Walk-ins**   **Placement Papers**   **IT Jobs**  
**Interview Experiences**

*Complete Job information across India*

Anonymous inner classes vs Lambda Expressions

Wherever we are using anonymous inner classes there may be a chance of using Lambda expression to reduce length of the code and to resolve complexity.

Ex: With anonymous inner class

```

1) class Test {
2)     public static void main(String[] args) {
3)         Thread t = new Thread(new Runnable() {
4)             public void run() {
5)                 for(int i=0; i<10; i++) {
6)                     System.out.println("Child Thread");
7)                 }
8)             }
9)         });
10)        t.start();
11)        for(int i=0; i<10; i++)
12)            System.out.println("Main thread");
13)    }

```

```
14)    }
15) }
```

### With Lambda expression

```
1) class Test {
2)     public static void main(String[] args) {
3)         Thread t = new Thread() → {
4)                                     for(int i=0; i<10; i++) {
5)                                         System.out.println("Child Thread");
6)                                     }
7)     };
8)     t.start();
9)     for(int i=0; i<10; i++) {
10)        System.out.println("Main Thread");
11)    }
12) }
13) }
```

**www.durgasoftonlinetraining.com**



**Online Training**  
**Pre Recorded Video**  
**Classes Training**  
**Corporate Training**

**Ph: +91-8885252627, 7207212427**  
**+91-7207212428**

 **USA Ph : 4433326786**

**E-mail : durgasoftonlinetraining@gmail.com**

### What are the advantages of Lambda expression?

- ☀ We can reduce length of the code so that readability of the code will be improved.
- ☀ We can resolve complexity of anonymous inner classes.
- ☀ We can provide Lambda expression in the place of object.
- ☀ We can pass lambda expression as argument to methods.

### Note:

- ☀ Anonymous inner class can extend concrete class, can extend abstract class, can implement interface with any number of methods but
- ☀ Lambda expression can implement an interface with only single abstract method(FunctionalInterface).



- ☀ Hence if anonymous inner class implements functional interface in that particular case only we can replace with lambda expressions. hence wherever anonymous inner class concept is there, it may not be possible to replace with Lambda expressions.
- ☀ Anonymous inner class! = Lambda Expression
- ☀ Inside anonymous inner class we can declare instance variables.
- ☀ Inside anonymous inner class "this" always refers current inner class object (anonymous inner class) but not related outer class object

Ex:

- ☀ Inside lambda expression we can't declare instance variables.
- ☀ Whatever the variables declared inside lambda expression simply act as local variables
- ☀ Within lambda expression "this" keyword represents current outer class object reference (that is current enclosing class reference in which we declare lambda expression)



Ex:

```

1) interface Interf {
2)     public void m1();
3) }
4) class Test {
5)     int x = 777;
6)     public void m2() {
7)         Interf i = () -> {
8)             int x = 888;
9)             System.out.println(x); 888
10)            System.out.println(this.x); 777
11)        };
12)        i.m1();
13)    }
14)    public static void main(String[] args) {

```



```

15)         Test t = new Test();
16)         t.m2();
17)     }
18) }
    
```

- ☀ From lambda expression we can access enclosing class variables and enclosing method variables directly.
- ☀ The local variables referenced from lambda expression are implicitly final and hence we can't perform re-assignment for those local variables otherwise we get compile time error

# www.durgajobs.com

Continuous Job Updates for every hour

**Fresher Jobs**

**Govt Jobs**

**Bank Jobs**

**Walk-ins**

**Placement Papers**

**IT Jobs**

**Interview Experiences**

Complete Job information across India

Ex:

```

1) interface Interf {
2)     public void m1();
3) }
4) class Test {
5)     int x = 10;
6)     public void m2() {
7)         int y = 20;
8)         Interfi = () -> {
9)             System.out.println(x); 10
10)            System.out.println(y); 20
11)            x = 888;
12)            y = 999; //CE
13)        };
14)        i.m1();
15)        y = 777;
16)    }
17)    public static void main(String[] args) {
18)        Test t = new Test();
19)        t.m2();
20)    }
21) }
    
```

### Differences between anonymous inner classes and Lambda expression

Anonymous Inner class	Lambda Expression
It's a class without name	It's a method without name(anonymous function)
Anonymous inner class can extend Abstract and concrete classes	lambda expression can't extend Abstract and concrete classes
Anonymous inner class can implement An interface that contains any number of Abstract methods	lambda expression can implement an Interface which contains single abstract method (FunctionalInterface)
Inside anonymous inner class we can Declare instance variables.	Inside lambda expression we can't Declare instance variables, whatever the variables declare are simply acts as local variables.
Anonymous inner classes can be Instantiated	lambda expressions can't be instantiated
Inside anonymous inner class "this" Always refers current anonymous Inner class object but not outer class Object.	Inside lambda expression "this" Always refers current outer class object. that is enclosing class object.
Anonymous inner class is the best choice If we want to handle multiple methods.	Lambda expression is the best Choice if we want to handle interface With single abstract method (FunctionalInterface).
In the case of anonymous inner class At the time of compilation a separate Dot class file will be generated (outerclass\$1.class)	At the time of compilation no dot Class file will be generated for Lambda expression. it simply convert in to private method outer class.
Memory allocated on demand Whenever we are creating an object	Reside in permanent memory of JVM (Method Area).

# FREE TRAINING VIDEOS

3000+ VIDEOS

[www.youtube.com/durgasoftware](http://www.youtube.com/durgasoftware)

### Default methods

- ☀ Until 1.7 version onwards inside interface we can take only public abstract methods and public static final variables (every method present inside interface is always public and abstract whether we are declaring or not).

- ☀ Every variable declared inside interface is always public static final whether we are declaring or not.
- ☀ But from 1.8 version onwards in addition to these, we can declare default concrete methods also inside interface, which are also known as defender methods.
- ☀ We can declare default method with the keyword "default" as follows

```
1) default void m1(){
2) System.out.println ("Default Method");
3) }
```

Interface default methods are by-default available to all implementation classes. Based on requirement implementation class can use these default methods directly or can override.

Ex:

```
1) interface Interf {
2)     default void m1() {
3)         System.out.println("Default Method");
4)     }
5) }
6) class Test implements Interf {
7)     public static void main(String[] args) {
8)         Test t = new Test();
9)         t.m1();
10)    }
11) }
```

Default methods also known as defender methods or virtual extension methods.

The main advantage of default methods is without effecting implementation classes we can add new functionality to the interface (backward compatibility).

Note:

We can't override object class methods as default methods inside interface otherwise we get compiletime error.

Ex:

```
1) interface Interf {
2)     default int hashCode() {
3)         return 10;
4)     }
5) }
```

CompileTimeError

Reason: object class methods are by-default available to every java class hence it's not required to bring through default methods.

### Default method vs multiple inheritance

Two interfaces can contain default method with same signature then there may be a chance of ambiguity problem(diamond problem) to the implementation class.to overcome this problem compulsory we should override default method in the implementation class otherwise we get compiletime error.



```

1) Eg 1:
2) interface Left {
3)     default void m1() {
4)         System.out.println("Left Default Method");
5)     }
6) }
7)
8) Eg 2:
9) interface Right {
10)     default void m1() {
11)         System.out.println("Right Default Method");
12)     }
13) }
14)
15) Eg 3:
16) class Test implements Left, Right {}
  
```

### How to override default method in the implementation class?

In the implementation class we can provide complete new implementation or we can call any interface method as follows.

interfacename.super.m1();

Ex:

```

1) class Test implements Left, Right {
2)     public void m1() {
3)         System.out.println("Test Class Method"); OR Left.super.m1();
4)     }
5)     public static void main(String[] args) {
6)         Test t = new Test();
7)         t.m1();
8)     }
9) }
```

LEARN FROM EXPERT & DIAMOND FACULTIES OF AMEERPET...

# JAVA MEANS DURGASOFT

INDIA'S NO. 1 SOFTWARE TRAINING INSTITUTE

AN ISO 9001:2008 CERTIFIED  
  
SOFTWARE SOLUTIONS

**#202 2<sup>nd</sup> FLOOR**  
[www.durgasoft.com](http://www.durgasoft.com)

**040-64512786**  
**+91 9246212143**  
**+91 8096969696**

### Differences between interface with default methods and abstract class

Eventhough we can add concrete methods in the form of default methods to the interface , it wont be equal to abstract class.

Interface with Default Methods	Abstract Class
Inside interface every variable is Always public static final and there is No chance of instance variables	Inside abstract class there may be a Chance of instance variables which Are required to the child class.
Interface never talks about state of Object.	Abstract class can talk about state of Object.
Inside interface we can't declare Constructors.	Inside abstract class we can declare Constructors.
Inside interface we can't declare Instance and static blocks.	Inside abstract class we can declare Instance and static blocks.
Functional interface with default Methods Can refer lambda expression.	Abstract class can't refer lambda Expressions.
Inside interface we can't override Object class methods.	Inside abstract class we can override Object class methods.

Interface with default method != abstract class



**Static methods inside interface:**

From 1.8 version onwards in addition to default methods we can write static methods also inside interface to define utility functions.

Interface static methods by default not available to the implementation classes hence by using implementation class reference we can't call interface static methods. we should call interface static methods by using interface name.

**Ex:**

```

1) interface Interf {
2)     public static void sum(int a, int b) {
3)         System.out.println("The Sum:"+(a+b));
4)     }
5) }
6) class Test implements Interf {
7)     public static void main(String[] args) {
8)         Test t = new Test();
9)         t.sum(10, 20); //CE
10)        Test.sum(10, 20); //CE
11)        Interf.sum(10, 20);
12)    }
13) }
```

As interface static methods by default not available to the implementation class, overriding concept is not applicable.

Based on our requirement we can define exactly same method in the implementation class, it's valid but not overriding.

**Ex:1**

```

1) interface Interf {
2)     public static void m1() {}
3) }
4) class Test implements Interf {
5)     public static void m1() {}
6) }
```

It's valid but not overriding

**Ex:2**

```

1) interface Interf {
2)     public static void m1() {}
3) }
4) class Test implements Interf {
```

```
5)    public void m1() {}
6) }
```

This's valid but not overriding

Ex3:

```
1) class P {
2)     private void m1() {}
3) }
4) class C extends P {
5)     public void m1() {}
6) }
```

This's valid but not overriding

From 1.8 version onwards we can write main() method inside interface and hence we can run interface directly from the command prompt.

Ex:

```
1) interface Interf {
2)     public static void main(String[] args) {
3)         System.out.println("Interface Main Method");
4)     }
5) }
```

At the command prompt:

```
javac Interf.java
java Interf
```

# www.durgajobs.com

Continuous Job Updates for every hour

**Fresher Jobs**

**Govt Jobs**

**Bank Jobs**

**Walk-ins**

**Placement Papers**

**IT Jobs**

**Interview Experiences**

Complete Job information across India

## Predicates

A predicate is a function with a single argument and returns boolean value.

To implement predicate functions in java, oracle people introduced Predicate interface in 1.8 version (i.e., Predicate<T>).

Predicate interface present in java.util.function package.

It's a functional interface and it contains only one method i.e., test()

Ex:

```
interface Predicate<T> {
    public boolean test(T t);
}
```

As predicate is a functional interface and hence it can refer lambda expression

Ex:1

Write a predicate to check whether the given integer is greater than 10 or not.

Ex:

```
public boolean test(Integer I) {
    if (I > 10) {
        return true;
    }
    else {
        return false;
    }
}
```



```
(Integer I) → { if(I > 10)
                return true;
                else
                return false;
}
```



```
I → (I > 10);
```



```
predicate<Integer> p = I → (I > 10);
System.out.println (p.test(100)); true
System.out.println (p.test(7)); false
```

Program:

```
1) import java.util.function;
```

```

2) class Test {
3)     public static void main(String[] args) {
4)         predicate<Integer> p = i → (i>10);
5)         System.out.println(p.test(100));
6)         System.out.println(p.test(7));
7)         System.out.println(p.test(true)); //CE
8)     }
9) }

```

# 1 Write a predicate to check the length of given string is greater than 3 or not.

```

Predicate<String> p = s → (s.length() > 3);
System.out.println (p.test("rvkb")); true
System.out.println (p.test("rk")); false

```

#-2 write a predicate to check whether the given collection is empty or not.

```

Predicate<collection> p = c → c.isEmpty();

```

### Predicate joining

It's possible to join predicates into a single predicate by using the following methods.

```

and()
or()
negate()

```

these are exactly same as logical AND ,OR complement operators

## www.durgajobs.com

Continuous Job Updates for every hour

Fresher Jobs

Govt Jobs

Bank Jobs

Walk-ins

Placement Papers

IT Jobs

Interview Experiences

Complete Job information across India

Ex:

```

1) import java.util.function.*;
2) class test {
3)     public static void main(string[] args) {
4)         int[] x = {0, 5, 10, 15, 20, 25, 30};
5)         predicate<integer> p1 = i->i>10;
6)         predicate<integer> p2=i -> i%2==0;
7)         System.out.println("The Numbers Greater Than 10:");
8)         m1(p1, x);
9)         System.out.println("The Even Numbers Are:");
10)        m1(p2, x);
11)        System.out.println("The Numbers Not Greater Than 10:");

```

```

12)      m1(p1.negate(), x);
13)      System.out.println("The Numbers Greater Than 10 And Even Are:â€€ ");
14)      m1(p1.and(p2), x);
15)      System.out.println("The Numbers Greater Than 10 OR Even:â€€ ");
16)      m1(p1.or(p2), x);
17)      }
18)      public static void m1(predicate<integer>p, int[] x) {
19)          for(int x1:x) {
20)              if(p.test(x1))
21)                  System.out.println(x1);
22)          }
23)      }
24) }

```

**Function**

Functions are exactly same as predicates except that functions can return any type of result but function should(can) return only one value and that value can be any type as per our requirement. To implement functions oracle people introduced Function interface in 1.8 version. Function interface present in java.util.function package. Functional interface contains only one method i.e., apply()

```

interface function(T,R) {
    public R apply(T t);
}

```

**Assignment:**

Write a function to find length of given input string.

**Ex:**

```

1) import java.util.function.*;
2) class Test {
3)     public static void main(String[] args) {
4)         Function<String, Integer> f = s -> s.length();
5)         System.out.println(f.apply("Durga"));
6)         System.out.println(f.apply("Soft"));
7)     }
8) }

```

**Note:**

Function is a functional interface and hence it can refer lambda expression.



### Difference between predicate and function

Predicate	Function
To implement conditional checks We should go for predicate	To perform certain operation And to return some result we Should go for function.
Predicate can take one type Parameter which represents Input argument type. Predicate<T>	Function can take 2 type Parameters.first one represent Input argument type and Second one represent return Type. Function<T,R>
Predicate interface defines only one method called test()	Function interface defines only one Method called apply().
public boolean test(T t)	public R apply(T t)
Predicate can return only boolean value.	Function can return any type of value

#### Note:

Predicate is a boolean valued function  
and(), or(), negate() are default methods present inside Predicate interface.

**[www.durgasoftonlinelearning.com](http://www.durgasoftonlinelearning.com)**



**Online Training  
Pre Recorded Video  
Classes Training  
Corporate Training**

**Ph: +91-8885252627, 7207212427  
+91-7207212428**

 **USA Ph : 4433326786**

**E-mail : [durgasoftonlinelearning@gmail.com](mailto:durgasoftonlinelearning@gmail.com)**

### Method and Constructor references by using ::(double colon)operator

functionalInterface method can be mapped to our specified method by using :: (double colon)operator. This is called method reference.

Our specified method can be either static method or instance method.  
FunctionalInterface method and our specified method should have same argument types ,except this the remaining things like  
return type,method name,modifiers etc are not required to match.

#### Syntax:

if our specified method is static method

Classname::methodName

if the method is instance method

Objref::methodName

FunctionalInterface can refer lambda expression and FunctionalInterface can also refer method reference . Hence lambda expression can be replaced with method reference.  
hence method reference is alternative syntax to lambda expression.



Ex: With Lambda Expression

```

1) class Test {
2)     public static void main(String[] args) {
3)         Runnable r = () -> {
4)             for(int i=0; i<=10; i++) {
5)                 System.out.println("Child Thread");
6)             }
7)         };
8)         Thread t = new Thread(r);
9)         t.start();
10)        for(int i=0; i<=10; i++) {
11)            System.out.println("Main Thread");
12)        }
13)    }
14) }
```

With Method Reference

```

1) class Test {
2)     public static void m1() {
```

```

3)         for(int i=0; i<=10; i++) {
4)             System.out.println("Child Thread");
5)         }
6)     }
7)     public static void main(String[] args) {
8)         Runnable r = Test:: m1;
9)         Thread t = new Thread(r);
10)        t.start();
11)        for(int i=0; i<=10; i++) {
12)            System.out.println("Main Thread");
13)        }
14)    }

```

In the above example Runnable interface run() method referring to Test class static method m1().  
Method reference to Instance method:

Ex:

```

1) interface Interf {
2)     public void m1(int i);
3) }
4) class Test {
5)     public void m2(int i) {
6)         System.out.println("From Method Reference:"+i);
7)     }
8)     public static void main(String[] args) {
9)         Interf f = I -> sop("From Lambda Expression:"+i);
10)        f.m1(10);
11)        Test t = new Test();
12)        Interf i1 = t::m2;
13)        i1.m1(20);
14)    }
15) }

```

In the above example functional interface method m1() referring to Test class instance method m2().  
The main advantage of method reference is we can use already existing code to implement functional interfaces(code reusability).

### Constructor References

We can use :: ( double colon )operator to refer constructors also

Syntax: classname :: new

Ex:

Interf f = sample :: new;  
functional interface f referring sample class constructor

Ex:

```

1) class Sample {
2)     private String s;
3)     Sample(String s) {
4)         this.s = s;
5)         System.out.println("Constructor Executed:"+s);
6)     }
7) }
8) interface Interf {
9)     public Sample get(String s);
10) }
11) class Test {
12)     public static void main(String[] args) {
13)         Interf f = s -> new Sample(s);
14)         f.get("From Lambda Expression");
15)         Interf f1 = Sample :: new;
16)         f1.get("From Constructor Reference");
17)     }
18) }

```



Note:

In method and constructor references compulsory the argument types must be matched.

### Streams

To process objects of the collection, in 1.8 version Streams concept introduced.

What is the differences between java.util.streams and java.io streams?

java.util streams meant for processing objects from the collection. i.e, it represents a stream of objects from the collection but java.io streams meant for processing binary and character data with respect to

file. i.e it represents stream of binary data or character data from the file .hence java.io streams and java.util streams both are different.

What is the difference between collection and stream?

if we want to represent a group of individual objects as a single entity then we should go for collection.

if we want to process a group of objects from the collection then we should go for streams.

we can create a stream object to the collection by using stream()method of Collection interface. stream() method is a default method added to the Collection in 1.8 version.

default Stream stream()



Ex:

Stream s = c.stream();

Stream is an interface present in java.util.stream.

once we got the stream, by using that we can process objects of that collection.

we can process the objects in the following two phases

- 1.configuration
- 2.processing

configuration:

we can configure either by using filter mechanism or by using map mechanism.

Filtering:

we can configure a filter to filter elements from the collection based on some boolean condition by using filter()method of Stream interface.

public Stream filter(Predicate<T> t)



here (Predicate<T> t) can be a boolean valued function/lambda expression

Ex:

```
Stream s=c.stream();
Stream s1=s.filter(i -> i%2==0);
```

Hence to filter elements of collection based on some boolean condition we should go for filter() method.

Mapping:

If we want to create a separate new object, for every object present in the collection based on our requirement then we should go for map() method of Stream interface.

public Stream map (Function f);

It can be lambda expression also



Ex:

```
Stream s = c.stream();
Stream s1 = s.map(i-> i+10);
```

Once we performed configuration we can process objects by using several methods.

## 2.Processing

processing by collect() method

Processing by count() method

Processing by sorted() method

Processing by min() and max() methods

forEach() method

toArray() method

Stream.of() method

processing by collect() method

This method collects the elements from the stream and adding to the specified to the collection indicated (specified) by argument.

**Ex:1**

To collect only even numbers from the array list

**Approach-1: without Streams**

```

1) import java.util.*;
2) class Test {
3)     public static void main(String[] args) {
4)         ArrayList<Integer> l1 = new ArrayList<Integer>();
5)         for(int i=0; i<=10; i++) {
6)             l1.add(i);
7)         }
8)         System.out.println(l1);
9)         ArrayList<Integer> l2 = new ArrayList<Integer>();
10)        for(Integer i:l1) {
11)            if(i%2 == 0)
12)                l2.add(i);
13)        }
14)        System.out.println(l2);
15)    }
16) }
```

LEARN FROM EXPERT & DIAMOND FACULTIES OF AMEERPET...

# JAVA MEANS DURGASOFT

INDIA'S NO. 1 SOFTWARE TRAINING INSTITUTE

AN ISO 9001:2008 CERTIFIED  
  
DURGA SOFTWARE SOLUTIONS

**#202 2<sup>nd</sup> FLOOR**  
[www.durgasoft.com](http://www.durgasoft.com)

**040-64512786**  
**+91 9246212143**  
**+91 8096969696**

**Approach-2: With Streams**

```

1) import java.util.*;
2) import java.util.stream.*;
3) class Test {
4)     public static void main(String[] args) {
5)         ArrayList<Integer> l1 = new ArrayList<Integer>();
6)         for(int i=0; i<=10; i++) {
7)             l1.add(i);
8)         }
9)         System.out.println(l1);
10)        List<Integer> l2 = l1.stream().filter(i -> i%2==0).collect(Collectors.toList());
11)        System.out.println(l2);

```

```
12) }
13) }
```

Ex: Program for map() and collect() Method

```
1) import java.util.*;
2) import java.util.stream.*;
3) class Test {
4)     public static void main(String[] args) {
5)         ArrayList<String> l = new ArrayList<String>();
6)         l.add("rvk"); l.add("rk"); l.add("rkv"); l.add("rvki"); l.add("rvkir");
7)         System.out.println(l);
8)         List<String> l2 = l.stream().map(s -> s.toUpperCase()).collect(Collectors.toList());
9)         System.out.println(l2);
10)    }
11) }
```



## II.Processing by count()method

this method returns number of elements present in the stream.

```
public long count()
```

Ex:

```
long count=l.stream().filter(s -> s.length()==5).count();
sop("the number of 5 length strings is:"+count);
```

## III.Processing by sorted()method

if we sort the elements present inside stream then we should go for sorted() method.

the sorting can either default natural sorting order or customized sorting order specified by comparator.

sorted()- default natural sorting order

sorted(Comparator c)-customized sorting order.

Ex:

```
List<String> l3=l.stream().sorted().collect(Collectors.toList());
sop("according to default natural sorting order:"+l3);
```

```
List<String> l4=l.stream().sorted((s1,s2) -> -s1.compareTo(s2)).collect(Collectors.toList());
sop("according to customized sorting order:"+l4);
```

#### IV.Processing by min() and max() methods

min(Comparator c)

returns minimum value according to specified comparator.

max(Comparator c)

returns maximum value according to specified comparator

Ex:

```
String min=l.stream().min((s1,s2) -> s1.compareTo(s2)).get();
sop("minimum value is:"+min);
```

```
String max=l.stream().max((s1,s2) -> s1.compareTo(s2)).get();
sop("maximum value is:"+max);
```

#### V.forEach() method

this method will not return anything.

this method will take lambda expression as argument and apply that lambda expression for each element present in the stream.

Ex:

```
l.stream().forEach(s->sop(s));
l3.stream().forEach(System.out:: println);
```

Ex:

```
1) import java.util.*;
2) import java.util.stream.*;
3) class Test1 {
4)     public static void main(String[] args) {
5)         ArrayList<Integer> l1 = new ArrayList<Integer>();
6)         l1.add(0); l1.add(15); l1.add(10); l1.add(5); l1.add(30); l1.add(25); l1.add(20);
7)         System.out.println(l1);
8)         ArrayList<Integer> l2=l1.stream().map(i-> i+10).collect(Collectors.toList());
```

```

9)      System.out.println(l2);
10)     long count = l1.stream().filter(i->i%2==0).count();
11)     System.out.println(count);
12)     List<Integer> l3=l1.stream().sorted().collect(Collectors.toList());
13)     System.out.println(l3);
14)     Comparator<Integer> comp=(i1,i2)->i1.compareTo(i2);
15)     List<Integer> l4=l1.stream().sorted(comp).collect(Collectors.toList());
16)     System.out.println(l4);
17)     Integer min=l1.stream().min(comp).get();
18)     System.out.println(min);
19)     Integer max=l1.stream().max(comp).get();
20)     System.out.println(max);
21)     l3.stream().forEach(i->sop(i));
22)     l3.stream().forEach(System.out:: println);
23)
24)     }
25) }

```



#### VI.toArray() method

we can use toArray() method to copy elements present in the stream into specified array

```

Integer[] ir = l1.stream().toArray(Integer[] :: new);
for(Integer i: ir) {
    sop(i);
}

```

#### VII.Stream.of()method

we can also apply a stream for group of values and for arrays.

Ex:

```

Stream s=Stream.of(99,999,9999,99999);
s.forEach(System.out:: println);

```



```
Double[] d={10.0,10.1,10.2,10.3};
Stream s1=Stream.of(d);
s1.forEach(System.out :: println);
```

### Date and Time API: (Joda-Time API)

until java 1.7 version the classes present in java.util package to handle Date and Time (like Date, Calendar, TimeZone etc) are not upto the mark with respect to convenience and performance.

To overcome this problem in the 1.8 version oracle people introduced Joda-Time API. This API developed by joda.org and available in java in the form of java.time package.

# program for to display System Date and time.

```
1) import java.time.*;
2) public class DateTime {
3)     public static void main(String[] args) {
4)         LocalDate date = LocalDate.now();
5)         System.out.println(date);
6)         LocalTime time=LocalTime.now();
7)         System.out.println(time);
8)     }
9) }
```

O/p:

2015-11-23

12:39:26:587

## www.durgajobs.com

Continuous Job Updates for every hour

Fresher Jobs

Govt Jobs

Bank Jobs

Walk-ins

Placement Papers

IT Jobs

**Interview Experiences**

Complete Job information across India

Once we get LocalDate object we can call the following methods on that object to retrieve Day, month and year values separately.

Ex:

```
1) import java.time.*;
2) class Test {
3)     public static void main(String[] args) {
4)         LocalDate date = LocalDate.now();
5)         System.out.println(date);
6)         int dd = date.getDayOfMonth();
7)         int mm = date.getMonthValue();
```

```

8)         int yy = date.getYear();
9)         System.out.println(dd+"..." +mm+"..." +yy);
10)        System.out.printf("\n%d-%d-%d",dd,mm,yy);
11)    }
12) }

```

Once we get `LocalTime` object we can call the following methods on that object.

Ex:

```

1) import java.time.*;
2) class Test {
3)     public static void main(String[] args) {
4)         LocalTime time = LocalTime.now();
5)         int h = time.getHour();
6)         int m = time.getMinute();
7)         int s = time.getSecond();
8)         int n = time.getNano();
9)         System.out.printf("\n%d:%d:%d:%d",h,m,s,n);
10)    }
11) }

```

If we want to represent both Date and Time then we should go for `LocalDateTime` object.

```

LocalDateTimedt = LocalDateTime.now();
System.out.println(dt);

```

O/p:2015-11-23T12:57:24.531

We can represent a particular Date and Time by using `LocalDateTime` object as follows.

Ex:

```

LocalDateTime dt1=LocalDateTime.of(1995,Month.APRIL,28,12,45);
sop(dt1);

```

Ex:

```

LocalDateTime dt1=LocalDateTime.of(1995,04,28,12,45);
sop(dt1);

```

```

Sop("After six months:" +dt.plusMonths(6));
Sop("Before six months:" +dt.minusMonths(6));

```

#### To Represent Zone:

`ZoneId` object can be used to represent Zone.

Ex:

```

1) import java.time.*;
2) class ProgramOne {

```

```

3)      public static void main(String[] args) {
4)          Zoned zone = Zoned.systemDefault();
5)          System.out.println(zone);
6)      }
7)  }

```

We can create Zoned for a particular zone as follows

Ex:

```

Zoned la = Zoned.of("America/Los_Angeles");
ZonedDateTime zt = ZonedDateTime.now(la);
System.out.println(zt);

```

### Period Object:

Period object can be used to represent quantity of time

Ex:

```

LocalDate today = LocalDate.now();
LocalDate birthday = LocalDate.of(1989,06,15);
Period p = Period.between(birthday,today);
System.out.printf("age is %d year %d months %d days",p.getYears(),p.getMonths(),p.getDays());

```

# write a program to check the given year is leap year or not.

```

1) import java.time.*;
2) public class Leapyear {
3)     int n = Integer.parseInt(args[0]);
4)     Year y = Year.of(n);
5)     if(y.isLeap())
6)         System.out.printf("%d is Leap year",n);
7)     else
8)         System.out.printf("%d is not Leap year",n);
9) }

```

**[www.durgasoftonlinetraining.com](http://www.durgasoftonlinetraining.com)**



**Online Training  
Pre Recorded Video  
Classes Training  
Corporate Training**

**Ph: +91-8885252627, 7207212427  
+91-7207212428**

 **USA Ph : 4433326786**

**E-mail : [durgasoftonlinetraining@gmail.com](mailto:durgasoftonlinetraining@gmail.com)**

**LEARN FROM EXPERTS ...**

# **COMPLETE JAVA**

CORE JAVA, ADV. JAVA, ORACLE, STRUTS, HIBERNATE, SPRING, WEB SERVICES,...

# **COMPLETE .NET**

C#.NET, ASP.NET, SQL SERVER, MVC 5 & WCF

# **TESTING TOOLS**

MANUAL + SELENIUM

# **ORACLE D2K**

# **MSBI SHARE POINT**

# **HADOOP ANDROID**

# **C, C++, DS, UNIX**

# **CRT & APTITUDE TRAINING**

AN ISO 9001:2008 CERTIFIED

**DURGA**  
Software Solutions®

# 202, 2nd Floor, HUDA Maitrivanam,

Ameerpet, Hyd. Ph: 040-64512786,

**9246212143, 8096969696**

**[www.durgasoft.com](http://www.durgasoft.com)**