Back to the case

Edition compass · Case 03 · Rätselhaft! · Joint version 1.1 · 27 October 2026 · Material

Technically valid – professionally tested?

THE OWN SKRIPT DOESN'T USE SOLUTIONS

Two solutions are missing. The puzzle number remains the same.

The new processing takes over the main part, but leaves the solution part away. The sample test performed shows:

Check	Before	After
XML and Demo-schema	collection	collection
Counted puzzles	2	2
Solutions received	2	0
Expected collection?	Yes	**Yes**

```
<!-- In comparison, a complete part disappears: -->
- <back>
-   <!-- Two solutions with assignment to their puzzles -->
- </back>
```

What complements the test? Compare inventory and references, investigate unexpected losses and read vulnerable sites against the source. Also valid files can be technically incorrect or incomplete.

Display of the actually executed artificial example. The selection does not perform a XML check in the browser. Complete files and diff are in the sample package.

▼ A second mistake: solutions counted as puzzles

What's green?

The template contains two puzzles and two separate solutions. The original schema allows collections without solutions; it does not know this source.

Executed test report of artificial examples

Check	Incorrect import	Corrected import
Demo schema	collection	collection
IDs and existing references	collection	collection
Puzzles / Solutions	4 / 0	2 / 2
Known source structure	Not met	Fulfilled

▼ View the assignment in TEI

```
<div type="riddle" xml:id="riddle-demo-001">
  <p>Ich habe Zähne und esse nicht. Was bin ich?</p>
</div>
<!-- Solution in the separate solution part -->
<item corresp="#riddle-demo-001">Der Kamm.</item>
```

The small Relax-NG-schema and the reference checks were actually executed. This display reads the stored test report; it does not perform any new XML check in the browser. A complete corpus model needs its own documented TEI adjustment.

XML well formed?

▼ Example and Tip

Example: An unclosed element prevents the reading of a XML file.

Tip: Automatically check XML well-formedness. After that, further tests can work reliably.

→

schema respected?

▼ Example and Tip

Example: The schema checks whether elements may occur at the intended location. A missing optional solution part can still be allowed.

Tip: Version the schema with the documented corpus model; check technical completeness additionally.

→
collection and references received?

▼ Example and Tip

Example: After the export there are still two puzzles, but instead of two no solutions.

Tip: Compare expected units, identifiers and reference targets; examine each unexpected decrease.

→
Derivatives checked?

▼ Example and Tip

Example: A TXT export with solutions has more words than just an export of puzzles.

Tip: Test expected components and exclusions of extraction on a small sample.

→
Places read against source?

▼ Example and Tip

Example: The source separates puzzles and solutions, the conversion must get this relationship.

Tip: In case of changes to the conversion just read the affected source structures exactly.

→
approval documented?

▼ Example and Tip

Example: A pull request holds change, passed exams and technical approval.

Tip: Only record released changes in the next release; name known limits in the release notes.