Back to the case

Edition compass · Case 04 · Die andere Stadt · Joint version 1.1 · 27 October 2026 · Material

# Situations · Reading version

Situation 01 · Cooperation

## We need to edit, not develop software

Recommendation ↓

"We need your XML files in Git, says the technical team. Falk looks up from their records: "Why isn't our common folder enough?" Lukas knows Git about hearsay and thinks of conflicts. Nora prefers to ask: "What do I have to do for it every day?"

They try it in a single place. Nora corrects "Thore" to "Tore", compares the change and holds on to why it was necessary. Luke checks the picture. When Nora wants to see the old reading again, she is back immediately. "Good," she says. "But we write down the process.

**Remember**

A good Git run makes the team independent and allows help to remain available.

---

▼ How does Git help?

Git shows the changed position, the justification and the previous version. The institutional GitLab provides shared access.

### How we would proceed

Git captures changes and their relationships. A commit first secures in the local repo. Only transferring it to the project server makes it available there. The editorial check of the reading is a separate step.

1. Set pilot convolute and simple daily routine.
2. Back up, transfer, compare and try editorial check together.
3. Establish a manual, introduction and technical representation.

**Done if:** A new employee can back up a TEI correction, transfer it to the project server and give it to the editorial check.

---

▼ How we work together

The team agrees before the first access, which data may be used for edition work and dissertations, how contributions are assigned and who releases. Internal booths and Git history may not be passed on unauthorized. Local copies are protected; possible unauthorized access or device loss is immediately reported to the project management and the technical contact. The practical sequence of steps is in the versioned manual. The introduction includes an exercise in the oXygen-Git client.

Concepts intelligible

---

▼ Git and GitLab

Git maintains file versions and its relationships. GitLab is the chosen platform for common access, review and project organization.

---

▼ Commit and Transfer

A commit captures selected changes locally with a message. Transmitting makes these changes available on the project server.

---

▼ oXygen

The XML editor supports TEI editing. A separate Git client add-on integrates comparison and version work; installation and access are part of the introduction.

A small workflow

## Edit

Check a reading at the picture.

---

▼ Example and Tip

**Example:** Nora reads "Tore" instead of "Thore".

**Tip:** Keep a coherent correction manageable.

## Comparison

See amendment and justification.

---

▼ Example and Tip

**Example:** The comparison shows exactly the added or removed character.

**Tip:** Also check unexpected changes before securing.

## Secure and check

Commit, have a technical check.

---

▼ Example and Tip

**Example:** Lukas controls the reading at the picture.

**Tip:** A local commit is not yet on the project server.

Situation 02 · Import and data sovereignty

# Exported again

Recommendation ↓

The first handwriting unit is taken over in TEI. Lukas has distinguished a deleted formulation and the addition on the edge. Then comes a new export: An assistant in Transkribus has improved the reading "Thore". "Then we just take the new file?

Nora opens the comparison. The improved text is there. The genetic markup from her edition work is missing. They take over the reading purposefully. Export remains as proof of origin; the already edited TEI is continued.

**Remember**

After the takeover, this edition file is processed in Git.

---

▼ How does Git help?

Git shows which markup a new file version would lose. The controlled comparison allows a targeted takeover.

## How we would proceed

The transition takes place unit for unit: check basic transcription, fix export, document transformation, decrease import. This is not yet a publication release. Later corrections from Transkribus are compared as proposed changes; they do not replace an already enriched TEI file.

1. Document and secure the state of export and transformation.
2. Check text, border attachments, identifiers and image reference on import.
3. Introduce acceptance and subsequent correction rule into the manual.

**Done if:** For a unit, origin, transfer, acceptance and the relevant processing location are comprehensible.

---

▼ Two decisions instead of one deadline

A document changes after passing the import check. The regular production phase of Transkribus ends only when the intended units have been passed and the inventory is correct. The goal is an early common TEI base. Difficult pages can be edited close to the image longer. For the pilot comparison we test PAGE XML with own versioned transformation against the available direct TEI export.

Concepts intelligible

---

▼ Transkribus, OCR and HTR

The near-image environment supports detection and correction. OCR concerns printed, HTR handwritten texts. Export is checked prior to TEI further work.

▼ XML and TEI

XML represents structured data. TEI provides a technical vocabulary for describing texts; the project determines its concrete use.

---

▼ Transformation

A versioned procedure transfers an input structure to the required TEI. The result must be checked at the source material.

The handover in comparison

## A better reading, but where is the markup?

```
Clara blieb am Tore stehen.
<del>Die Stadt lag vor ihr.</del>
<add place="margin">als gehörte sie nicht hierher</add>
```

The edition work explicitly states deletion and addition. This is to be obtained with the re-import.

Download the transfer process · SVG

Reduced demonstration of the transfer problem. The genetic markup was supplemented in the edition work.

---

▼ Example and Tip

**Example:** The reading "Tore" can be taken on purpose, without `<del>` and `<add>` to lose.

**Tip:** Export and converter capture in the import protocol.

Situation 03 · Digital Edition

# The supplement is missing

Recommendation ↓

On the screen it says: "Clara stopped at the gate." Luke points to the edge of the manuscript view: "And where is the rest?" The TEI has long since added: "as if it didn't belong here." Nevertheless, the current view does not show it.

Nora and the developer check the same location. The viewer does not yet process the edge add-on. They complement display and test. In the published edition, the released version remains until the joint review of the previously released ZX Q0.

**Remember**

Data, schema and representation must be checked together.

---

▼ How does Git help?

Git versions data and code. approvals combines tested stands; unfinished changes do not automatically enter the public offer.

## How we would proceed

The genetic edition opens up changes and relationships to the manuscript. A reading version is a possible view. Also deletions, additions and their image references must remain comprehensible. We therefore check not only valid XML, but also whether the scientifically important information actually arrives.

1. Document a representative body and the expected views.
2. Test data rules, image anchor and display together.
3. Keep published data and code versions in the manifest.

**Done if:** The supplement is available in the intended view and the published combination of data, schema and frontend is indicated.

---

▼ Two stories of the same place

Hartmann stroked a formulation and added a part of the sentence on the edge. This belongs to the historical text genre. Nora corrects a reading today, Luke specifies the markup: this is part of the modern editing history in Git. The date of a commit does not date any historical writing work.

Concepts intelligible

▼ ODD and schema

The project-specific TEI adaptation describes the model. A schema derived from it checks agreed structures; the interpretation remains to be examined professionally.

▼ IIIF

Common interfaces make images and their presentation structure usable. A canvas denotes a page or view; regions allow references to cut-outs.

▼ Automatic tests

Tests are repeated in case of changes. They recognize, for example, incorrect structures and references. A green test does not replace a test of the reading.

▼ Digital Genetic Edition

The edition opens up designs, writing layers and relationships with digital means. Their scientific functions go beyond a mere online reading version.


The same position, different views

## What does the genetic edition show?

Clara stopped at the gate. ~~The city was in front of her.~~Marginal addition
as if it did not belong here

Reading version, genetic view and TEI show the same place with different tasks.

▼ Distinguishing Historical Genesis and Git History




---

▼ Read graphic as text

Historical textual genesis and modern Git history

1. Two stories of the same place
2. Hartmann's work on the manuscript
3. Delete · Complete · Reorder
4. Our work on the edition
5. Read · Distinguishing · Correct
6. The city was in front of her.
7. Marginal addition: as if it did not belong here
8. working version: Thore → Gates
9. Sentence correction: here → there
10. Historical writings are interpreted.
11. Git documents modern changes.
12. A commit date is not a date of a historical writing layer.

Download graphic · SVG

Situation 04 · Independent research

# Luke reorders a sheet

Recommendation ↓

Lukas puts two leaf copies side by side. "I think our order isn't right here." A finding of the foliar sequence suggests that Clara's passage was created later than previously assumed. Of all

things, his own early reconstruction is now under discussion.

Nora listens attentively. Her dissertation traces when Clara disappears from the novel. "Then this changes my interpretation as well. They examine the findings together. Lukas develops the alternative order first in his own research inventory; Nora records on which edition version their character relations are based.

**Remember**

Independent research needs a designated starting point and space for other interpretations.

---

▼ How does Git help?

Git preserves alternative processes and enables targeted comparisons and acquisitions. Scientific validity is assessed professionally.

## How we would proceed

A short branch is suitable for a limited change, which should come back to the examination. A long-term different reconstruction receives its own research repo. Nora complements her character relations separately as version-off annotation: The references refer to stable positions and a concrete edition status. The editorial department decides on a change of the official edition after scientific discussion.

1. Name initial release, stable identifiers and research question.
2. Choose work form: short branch, standalone inventory or additional annotation.
3. Technically examine and document acquisitions and changed references.

**Done if:** Both dissertations can reproduce their data reference; the official edition is not remodelled unnoticed.

---

▼ Fork, Branch and Permission

A branch is a parallel course within a repos. A fork is a branch linked on the platform in a separate project; visibility and access depend on the platform rules. Before the fork these are checked. For permanently own confidential research, a separately set up repo can be more suitable. A branch does not protect private dissertation parts from other persons with corresponding repo access.

Concepts intelligible

---

▼ Branch

A parallel processing process in the same repo, for example for a limited change with later testing.

---

▼ Fork

A branching of a repos linked on the platform in a separate project. Rules for visibility and access must fit the intended use.

---

▼ version off annotation

Additional markup is saved separately and refers to precisely designated places in a basic version.



A new interpretation also changes the questions of the common collection. Fictional scene · AI-generated illustration

The right form of work

## Branch, fork or additional annotation?

## Short branch

Consider a limited change together.

---

▼ Example and Tip

**Example:** Luke proposes a correction in one place.

**Tip:** Designate the purpose and return for joint examination.

## Own research repo

Develop a different reconstruction in the long term.

---

▼ Example and Tip

**Example:** Lukas orders leaves for a new hypothesis.

**Tip:** Document initial release and origin. A fork is a possible platform link; check visibility.

## version off annotation

Maintain additional relationships separately.

---

▼ Example and Tip

**Example:** Nora connects Clara with a stable text passage.

**Tip:** Reference the base version and digit identifier together.

Situation 05 · Publication status

# It's already corrected in the book

Recommendation ↓

The flag still says "as if it didn't belong here." When looking back at the manuscript, Nora realizes: "there is a better reading there. The sentence is corrected. "Is that already in our data?" Falk asks. Not yet.

The team returns the correction to the TEI and releases V2. The book remains in typesetting; the library is not yet able to provide the planned edition frontend. As a substitute, the project and publisher have agreed on a simple read view with TEI download. The publisher prepares this offer. For TEI download they expressly agree V2.

**Remember**

Book, TEI and web offer need comprehensible version relationships.

---

▼ How does Git help?

Git documents the return. Named booths and a manifesto combine delivery, correction and output.

## How we would proceed

The editors examine technical typesetting corrections and incorporate them into the edition data. Typographic adjustments are treated separately. A tag marks the released Git-version; a release describes and bundles it. The archive version receives its own metadata. The reduced publisher view provides access, but does not offer all the genetic comparison and image functions of the planned edition frontend.

1. Repayment of corrections and responsible post-editing before the end of funding.
2. Apply and examine scientificly relevant typesetting corrections.
3. Mark book reference, TEI download and web combination with actual versions.

**Done if:** V2 contains the correction; download and publication description indicate the correct version. Responsibility for subsequent changes is agreed.

---

▼ When the download first lags behind

If the publisher first has to offer V1, it will be published as a set entry state with named correction status. Subsequent V2 will receive a new designation and an amendment notice. No existing version will be issued tacitly as identical to the finished book. The public viewer

will only be changed to V2 after his own test. The sentence funds remain secured. However, the expiring project posts do not automatically finance further scientific post-editing.

Concepts intelligible

---

▼ Tag

A named marking of a Git stand. A marking alone does not perform an inspection and does not secure independent archiving.

---

▼ Release

A described edition, which the team releases according to its rules. Data, test result and release notes belong together.


---

▼ Archive version

A described received package with responsibility and, where appropriate, persistent identifier; regardless of ongoing processing.

Correction and output

## From V1 to V2 – with return to the data




Later digital corrections remain possible. The printed edition remains marked.

---

▼ Read graphic as text

Publication levels and return flow

1. TEI V1
2. Checked delivery level
3. Publisher's sentence
4. Technical correction
5. TEI V2
6. Tested returned
7. TEI download
8. Name actual version
9. Book reference
10. Document correction status
11. Web edition
12. Data + code + image reference
13. Later digital corrections remain possible. The printed edition remains marked.

V1 · as if it did not belong ~~here~~V2 · as if it did not belong there

---

▼ Example and Tip

**Example:** The correction protocol says "Reading on image improved; returned to V2.

**Tip:** For the download not only "TEI to the book", but specify delivery or reference level including correction status.

Situation 06 · Further work

# The thesis does not end.

Recommendation ↓

Nora puts her desk together. There is another task waiting for her at the new university; she takes her dissertation with her. "And the figure annotation?" Lukas asks. "That too," she says. "But we prefer to test the access now."

They jointly check which data Nora is allowed to use and which copies it owns. The library takes over a described archive package. Falk and the designated editors remain responsible

for post-corrections at the edition. The technical contact shows his representative how an audited version is restored.

**Remember**

Further work is prepared and practically tested before the end of the job.

---

▼ How does Git help?

A Git clone or bundle can transmit the data history. Platform functions, permissions and external image services are additionally secured or re-installed.

## How we would proceed

The new role is documented: own research access, official write rights, approval and administration are different powers. The agreement regulates permitted copies, protection, return or deletion as well as justified exceptions and the subsequent associated cooperation. The same role check applies to external technology, publishing house and library; their agreements depend on task and access.

1. Check the research stock, rights of use and functioning access before the end of the job.
2. Separately assign technical post-editing, administration, image operation and archive.
3. Test recovery and a limited post-correction by a second person.

**Done if:** Nora can use its agreed research status. A second qualified person can restore and test the documented edition status.

---

▼ What a host change additionally requires

In addition to files and Git history, open tasks, verification configuration, protected approvals, accesses and references are controlled. Secrets and access keys are managed separately securely. An archive announcement does not include an automatic commitment for front-end operation or scientific post-editing.

Concepts intelligible

---

▼ Migration

A regulated move of data and processes. Git history and additional platform functions are checked separately.

---

▼ Responsibility and Administration

Technical approval, server management, rights to data and operation are different tasks. They are assigned to persons or institutions.



The next role will be clarified before the previous access ends.Fictional scene · AI-generated illustration

Distinguishing responsibilities

## Who needs what access after the end of the job?

## Research

Nora uses her authorized base and own annotations.

---

▼ Example and Tip

**Example:** The new associated role allows agreed research use.

**Tip:** Practically test before shutdown of the old account.

## Edition

Falk and the editorial team are responsible for approvals and subsequent corrections.

---

▼ Example and Tip

**Example:** A new typesetting correction is given a technical competence.

**Tip:** There is an explicit agreement on the time available for post-editing.

## Technology and conservation

Administration, image operation and archive have their own tasks.

---

▼ Example and Tip

**Example:** A second person restores the documented version.

**Tip:** An archive commitment does not replace a commitment to permanent front-end operation.