Back to the case

Edition compass · Case 03 · Rätselhaft! · Joint version 1.1 · 27 October 2026 · Material

The Repo as a scientific publication

▼ For whom?

Students, corpus researchers and model groups should independently get to a comprehensible investigation from a download.

▼ What collection?

data/tei contains the relevant book files. Solutions are associated with puzzle identifiers. Automatic annotations are separated and call procedures and test status.

▼ How to get in?

README explains inventory, license, structure and first call. Small examples, subpackages and complete data can be used locally without a university account.

▼ How to release?

Exams, inventory comparison and targeted technical reading precedes the release. Tag, release notes and archive package denote the publication.

▼ How to improve?

Errors are reported as issues, corrections are checked and described in new releases. Older research findings remain referenceable; their defects will not become mandatory for future versions.

OUR RECOMMENDATION FOR BOOKS

A name that helps people and scripts

`rk_1786_b0001.xml`

rk
: corpus abbreviations

1786
: Documented year of publication; without known year indication: `undatiert`


b0001
: Stable book identification, even if title or dating are corrected

1. **Uniform and meaningful:** same order, fixed number of posts and the ending `.xml`. Title and detailed source description are in the metadata.
2. **Platform compatible:** short ASCII names, lowercase letters and relative paths. No spaces, umlauts, colons or reserved device names; no names that differ only in case of uppercase. `README.md`, `LICENSE`, `CITATION.cff` and `CHANGELOG.md` retain their standard spelling.
3. **For automations:** the fixed pattern allows filters by year or book identification. The entrance exam compares this information with the relevant metadata.
4. **Amendments are regulated:** Do not change names casually. If the date is corrected, specifically rename it to Git, get the stable book ID and explain the change in the changelog.

Filter example: `rk_1786_*.xml` selects the correspondingly named book files of the year 1786. Unknown datings are about `rk_undatiert_b0004.xml`.

Name rules as markdown ↓ · Download local name checker ↓

Our publication review



▼ Read graphic as text

Folder structure of the corpus repos

1. Raetsel corpus/
2. README.md
3. Introduction and first investigation
4. LICENSE
5. Rights of use
6. CITATION.cff
7. Citation information
8. CHANGELOG.md
9. Changes and known errors
10. data/

11. Relevant data stock
12. Page 7
13. Book files in TEI format
14. rk_1786_b0001.xml
15. One file per book or collection
16. schematic/
17. Data model and test rules
18. docs/
19. markup and publication concept
20. examples/
21. Small locally executable entry
22. tests/
23. Technical and technical test cases

Planning and maintenance at a glance

The complete manual with target groups, minimum content and sample sections is available as repo-handbuch.md.

Entry	Create and plan	Maintenance
README.md	With the publication concept. Set the first task of a new user. When setting up the publication repositorys, before the first data release.	Each time you change the entry, folder, call, license, quote or contact in the same pull request. Before each release, let another person perform the entry.
LICENSE	When selecting sources: Terms and conditions of use record and clarify which license applies to which project components. Before the first public approval after completion of the right clarification.	Check the scope of application for new sources or other licensed components. Release changes professionally and explain them in the release notes; do not replace

Entry	Create and plan	Maintenance
		existing license texts casually.
CITATION.cff	With the publication concept: define title, responsible person and version reference. Create before the first release and validate with a CFF test tool.	Update each release version and date; enter the confirmed version identifier after archiving. Check authorships for relevant posts. Match all metadata in the release process.
CHANGELOG.md	Along with version schema and release path. With the first public version. Ongoing changes initially under "Unpublished" collect.	Each pull request with usable data/model change adds an entry. Before the release, arrange entries, set date and version; identify known errors of affected older versions.
data/	Before recording the first book files: Set unit, identifiers, metadata and package division. With the first checked subset.	Check new or corrected data about pull requests and release them professionally. Only a release makes the audited overall status the designated research basis.
schematic/	With the TEI model and before a large automated recording. As soon as the first data model can be tested.	Each model change changes schema, affected data, tests and documentation in the same modification proposal. Keep schema version in release.
docs/	In the conceptual phase define structure and responsibility for rules. With	When changing rules together with data, schema or tools. Apply technical

Entry	Create and plan	Maintenance
	the first model and the first working rules; not only write down at the end of the project.	decisions from issues to the permanent documentation. Check contradictions before releases.
examples/	With the first usage scenario: Which task should someone create in a few steps? Before the first public release with a small matching data section.	When changing data model, call or dependencies, customize example and guide in the same pull request. Just run before each release; occasionally let a new person try it out.
tests/	Together with conversion and model: What must not lose a processing step? On the first import and on the first tool. Each found error complements a test case.	For data/model/tool changes, check expectations professionally. Not only rewrite a failed test appropriately; clear the cause. Run complete test run before release.