

Welfare Schemes

Verbatim excerpts from official Indian government sources. Each excerpt is cited with source document, URL, and page number. No content is paraphrased.

Source list:

R9.1 ADIP -- Comprehensive list of aids & appliances -- *DEPwD / ALIMCO* (included)

https://adip.depwd.gov.in/files/Comprehensive_list.pdf

R9.2 DEPwD Procedures / Guidelines archive (index) -- *DEPwD* (included)

<https://depwd.gov.in/procedures-guidelines-archive/>

R9.3 DALM Project (Accessible Learning Materials, SIPDA) -- *DEPwD* (included)

<https://cdnbbsr.s3waas.gov.in/s3e58aea67b01fa747687f038dfde066f6/uploads/2024/01/20240726146360045.pdf>

R9.4 IGNDPS Guidelines page (NSAP) -- *M/o Rural Development (NSAP)* (unavailable (download or extraction failed))

<https://nsap.nic.in/guidelines.html>

R9.1 -- ADIP -- Comprehensive list of aids & appliances

Source: DEPwD / ALIMCO | URL: https://adip.depwd.gov.in/files/Comprehensive_list.pdf

-- p.1 --

1 of 99

Annexure

Comprehensive list (Disability-wise) of all the aids and assistive devices with contemporary specification/maximum price/ other conditions: -

Note: The maximum price indicated against all the items is the maximum price including all taxes at which aids/appliances could be procured for distribution of aids & assistive devices. However, a maximum subsidy shall be provided as per scheme guidelines or the maximum indicated price whichever is lower. Additional funds beyond maximum subsidy limit may be contributed from CSR/MP-MLA LADS/State Government Scheme/ Panchayat or Municipal Corporation funds/Mineral fund/or any other source or beneficiary himself/herself.

1.

Locomotor Disability:

(a). MOBILITY AIDS & ASSISTIVE TECHNOLOGY:

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Battery

Operated

Motorized

Tricycle

(with Li-ion battery)

(to

be

provided

through ALIMCO/

NIs/CRCs only)

Battery operated Motorized tricycle

that can cover a distance of min. 40

km in a single charge making it

useful mobility aids for locomotor

Divyangjan.

It consists motor of 250 W, 24 V/36 V/48 V with a speed of 25 km/hr. (max.)
Charging time 6 hrs. (approx.)
Maximum permissible user load 75 kg
Weight of the vehicle 70 kg (approx.) including battery weight
Rechargeable Li-ion Phosphate battery 25.6 V/38.4 V/51.2 V, 24 Ah at least with BMS tested as per AIS-156 (Part II) as amended time to time ISI marked, IS: 17154 and test certificate as per 63,000/-

-- p.2 --

2 of 99

Sl. No.
Item Name
Description
Specification
Maximum
Price including
all Taxes.
(amount in Rs.)
AIS-041 as amended time to time from NAT Rip testing centers.
Overall length – 1730 ± 50 mm
Overall width – 730 ± 50 mm
Overall height – 900 ± 50 mm
Seat Length – 410 ± 25 mm
Seat Width – 450 ± 25 mm

2.
Motorized
Tricycle
(with box)

(to
be
provided
through ALIMCO/
NIs/CRCs only)
Battery operated Motorized tricycle
that can cover a distance of
minimum of 40 km in a single
charge

1. It consists motor of 250 W, 24 V/36 V/48 V with a speed of 25 km/hr. (max.)
2. Charging time 6 hrs. approx.

3. Maximum permissible user load 75 kg
 4. Weight of the vehicle 70 kg (approx.)
 including battery weight
 5. Rechargeable SMF Lead Acid Traction
 Battery 24 V, 33 Ah (C/5) Overall
 dimensions
 Overall length – 1730 ± 50 mm
 Overall width – 730 ± 50 mm
 Overall height – 900 ± 50 mm
 Seat Length – 410 ± 25 mm
 Seat Width – 450 ± 25 mm

45,000/-

3.

Tricycle Conventional

Hand Propelled

Hand propelled tricycle. Used for
 outdoor activities mainly.

1. Hand propelled tricycle (Adult Size)
2. Drive given on both sides
3. ERW tubes makes the main frame sturdy to
 withstand stresses caused by rough terrain.
4. Driven by standard chain and sprocket
 mechanism.
5. ISI marked, IS:8088

Overall dimensions

Overall length – 1960 ± 50 mm

10,000/-

-- p.3 --

3 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Overall width – 890 ± 25 mm

Overall height -- 990 ± 25 mm

Seat Length -- 600 ± 10 mm

Seat Width -- 430 ± 10 mm

Weight of the vehicle: 43 kg approx.

4.

Tricycle Conventional

Single

Hand

Drive

(Right/Left)

One hand driven tricycle. Used for outdoor activities mainly.

1. Single hand propelled tricycle (Junior Size)
2. Option of either left or right hand drive
3. ERW tubes makes the main frame sturdy to withstand stresses caused by rough terrain.
4. Driven by standard chain and sprocket mechanism.
5. Confirming to IS:17155

Overall dimensions

Overall length – 1690 ± 50 mm

Overall width -- 750 ± 50 mm

Overall height – 990 ± 50 mm

Seat Length -- 470 ± 50 mm

Seat Width -- 450 ± 25 mm

8,000/-

5.

Folding

Joystick

Wheelchair

(to

be

provided

through ALIMCO/

NIs/CRCs only)

Foldable

backrest

for

easy

transportation.

Height adjustable flip-up footrests

. Frame is made up of mild steel

2. Easy folding and unfolding wheelchair.

3. Removable armrests for sideways ingress and egress.

4. Easy control with the help of joystick.

5. It consists motor of 320 W on each rear wheel for comfortable rides.

6. Rechargeable SMF Lead acid Traction Battery

24 V, 33 Ah (C/5) at least , Overall Length : 1110 ± 50 mm

Overall Width : 650 ± 50 mm

Overall Height : 1030 ± 50 mm

Seat Width : 440 ± 50 mm

Seat Depth : 425 ± 50 mm

1,00,000/-

-- p.4 --

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Footrest Position : Adjustable to suit

different sitting Postures

Max User Weight: 100 Kg

6.

Joystick

Wheelchair

Non Folding

(to

be

provided

through ALIMCO/

NIs/CRCs) only

Frame is made up of mild steel

Removable armrests for sideways

ingress

and

egress.

Easy control with the help of

joystick.

Powerful motor (250 W) on each rear wheel for

comfortable rides.

Rechargeable SMF Lead acid Traction Battery 24

V, 33 Ah (C/5) atleast , ICAT/ARAI/GARC

certificate as per AIS-156 (Part II) as amended

time to time or

ICAT/ARAI/GARC certificate as per AIS-048 as

amended

time

to

time

6. Height adjustable flip-up footrests.

Dimensions :Overall Length: 1075 ± 50 mm

Overall Width: 600 ± 50 mm

Overall Height: 1000 ± 50 mm

Seat Width : 450 ± 50 mm

Seat Depth : 450 ± 50 mm

Footrest Position : Adjustable to suit

different sitting Postures

Max User Weight- 100 Kg

50,000/-

7.

Wheel Chair Folding

Child Size Child

This is especially recommended for the child (Based on Pelvis Width).

Product Having -

1. Solid tyres for better Cushioning effect.
2. PU Armrest for better comfort.
3. Easy Folding and unfolding mechanism.
4. Chest Belt for better positioning.
5. Easily operational handbrakes.
6. High-quality surface finish for longer Steel Life.
7. Fixed armrest and detachable footrest for adjustment.
8. ISI marked, IS:8086

Overall Length : 750-800 mm

8,000/-

-- p.5 --

5 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Overall Width (Open) : 580-610 mm

Overall Width (Folded) : 300-330 mm

Overall Height : 860-900 mm

Max User Weight : 50 Kg

Front castor 125 mm approx.

8.

Wheel Chair Folding

Size Medium

This is especially recommended for the little ones (Based on Pelvis width)

A foldable wheel chair with fixed armrest. Rigid and Robust tubular construction, link type folding mechanism.

Frames are made up of mils steel tubes.

Product Having -

1. Solid tyres for better Cushioning effect.

2.

PU

Armrest

for

better

comfort.

3. Easy Folding and unfolding mechanism.

4.

Chest

Belt

for

better

positioning.

5. Easily operational handbrakes.

Dimension:

Overall length – 1050 ± 50 mm

Overall width (open) -- 635 ± 15 mm

Overall width (folded) -- 315 ± 15 mm

Overall height -- 925 ± 25 mm

Max user weight: 75 Kg

8,000/-

9.

Wheel Chair Folding

Standard Model Adult

Size

This is recommended for adult ones

(Based on Pelvis width)

Indoor mobility. It can be used by self-driven or pushed by caregivers.

1. Solid tyres for better Cushioning effect.

2. Rigid and Robust tubular construction, link type folding mechanism.

3. Fixed armrest & fixed footrest make this chair more sturdy.

4. Folding Mechanism take care of uneven terrain.

5. ISI marked, IS:7454

Dimension:

Overall length -- 1000-1100 mm

8,000/-

-- p.6 --

6 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Overall width (open) -- 650-720 mm
Overall width (folded) -- 300-330 mm
Overall height -- 910-950 mm
Max user weight: 100 Kg
Front castor 175 mm approx.

10.

Wheelchair

With

Commode

Designed for elderly, disabled
individuals and patients who are
unable to walk

1. Frame is made up of mild steel tubes
featuring a bucket type commode
2. Soft commode seat for users comfort
3. Foldable design saves space and eases
transportation
4. Rear-wheel lock for added safety
5. With removable commode

Dimensions:

Overall Length: 1000 ± 50 mm

Overall Width: 640 ± 50 mm

Overall Height: 870 ± 50 mm

7,500/-

11.

Rollator Size I (Child)

Walking device which can be
moved by pushing or pulling, that
enables a person to maintain
stability
and
balance
while
walking.

Frame is made up of mild steel tubes
Castor wheels are attached to the bottom of frame
to enable that rollator to be moved.

Overall dimensions

Overall length: 670 ± 50 mm

Overall width: 450 ± 50 mm

Overall height adjustable range: (625 – 675)

Weight : 5.5 kg (approx.)

1,050/-

-- p.7 --

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

12.

Rollator

Size

II

(Adult)

Walking device which can be moved by pushing or pulling, that enables a person to maintain stability and balance while walking.

Frame is made up of mild steel tubes

Castor wheels are attached to the bottom of frame to enable that rollator to be moved.

Overall dimensions

Overall length – 970 ± 50 mm

Overall width -- 510 ± 50 mm

Overall height adjustable range: (875 – 925)

Weight : 7 kg (approx.)

1,050/-

13.

Chair/Stool

With

Commode

-

1.

Frame is made up of mild steel tubes

,Featuring a PVC seat, commode and armrests.

2.

Foldable design

3.

With removable commode

4.

Flexibility to adjust height

Dimensions:

Width: 550 ± 50 mm

Depth: 440 ± 50 mm

Adjustable Height: 775-875 mm

2,500/-

14.

Active
Folding
Wheelchair

(to
be
provided
through Headquarter

Activity
only
by

ALIMCO/NIs/CRCs)

1.Highly Adjustable and versatile
for
active
lifestyle.

2.Person can easily move/push
wheelchair by himself because of
large rear wheels.

1. Wider special rubber castor wheels allow the
user

to
manoeuvre
over
uneven
terrain.

2.

Adjustable
Folding
mechanism.

3.Comfortable
and
better
postural
support.

4.Pressure relief cushion prevent pressure sores.

5.Customised adjustment provided for seat depth,
Footrest Height and angle, Backrest Height and
angle to suit the user requirements.

Seat Width : Four Different Sizes (360,400,440 &
480 mm)

Seat Depth : Two adjustments (360 & 400 mm)

Back wheel Position : Active and Safe mode

15,000/-

-- p.8 --

8 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Backrest Height: Three Position (High, Medium and Low)

Max User Weight: 100 Kg

15.

CP Chair

Chair cum

Standing

Frame

is

useful for the Children who cannot sit up on his own and who needs his back, shoulders and upper trunk support.

It is made up of standard stainless steel tubes.

Dimension:

Length: 760 ± 50 mm

Width: 635 ± 50 mm

Height: 1075 ± 50 mm

6,400/-

16.

CP Chair Deluxe

Adult CP Chair is designed for comfort

and

support.

It

offers deluxe quality for patients with cerebral palsy, providing a secure and adjustable seating.

It is made up of mild steel tubes.

Seat can be adjusted at 4 different positions

Dimension:

Length: 1030 ± 50 mm

Width: 660 ± 50 mm

Height: 980 ± 50 mm

9,000/-

17.

Corner Chair for CP

Children

Wooden chair with tray, used in CP patients to develop sitting balance.

Dimensions : Approx measurements= L- 36 cm,

H- 46 cm, W- 36 cm, Adjustable Strap

5,000/-

18.

Posterior Rollator

2 handles, 4 wheels with a metal frame

Adjustable

Frame

&

handle

height

Frame length: 69-83 cm

Hand grip height: 48- 64 cm

Distance

between

hand grip: 34 cm

Frame width: 58 to 60 cm

User height: Suitable for user height 107- 137cm

Frame weight: 4 Kg approx.

8,300/-

19.

Crutch

Elbow

Adjustable

(Aluminum) Size I

Walking aid designed to provide full weight bearing when one or both legs are physically challenged because of a nervous disorder, fracture, disease, injury etc.

1.

High quality aluminium alloy tube, though light in weight it is very sturdy and strong to withstand load and stresses.

2.

With a push button, length can be adjusted telescopically

3.

Rubber tip molded from special non marking type of rubber, conforming to Indian

1,000/-

-- p.9 --

9 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

standards.

Dimension (Size I): Height from hand piece to

ground: 460 mm (min); 660 mm (max)

Height from hand piece to arm cuff: 165 mm

(min); 210 mm (max)

Weight: 500 gms (approx.)

20.

Crutch

Elbow

Adjustable

(Aluminum) Size II

Walking aid designed to provide

full weight bearing when one or

both legs are physically challenged

because of a nervous disorder,

fracture, disease, injury etc.

1. High quality aluminium alloy tube,

though light in weight it is very sturdy and

strong to withstand load and stresses.

2. With a push button, length can be adjusted

telescopically

3. Rubber tip molded from special non

marking type of rubber, conforming to

Indian standards.

Dimension (Size II): Height from hand piece to

ground: 660 mm (min); 860 mm (max), Height

from hand piece to arm cuff: 200 mm (min); 265

mm (max)

Weight: 650 gms (approx.)

1,000/-

21.

Crutch

Axilla

Adjustable

(Aluminum)

Extra

Small

Walking aid designed to provide

full weight bearing/partial weight

bearing/non-weight bearing when

one or both legs are physically

challenged because of a nervous

disorder, fracture, disease, injury

etc.

Generally prescribed in cases of lower limb

amputation and lower limb physical disorders.

Also
recommended
for
ambulation
during
convalescence in lower limb fractures.
Adjustable height for hand piece
ISI marked, IS:5143
Dimensions:
Overall height from Ground: 600 mm (min); 800
mm (max)
Weight: 750 gms (approx.)
900/-
22.

Crutch
Axilla
Adjustable
(Aluminum) Small
Walking aid designed to provide
full weight bearing/partial weight
bearing/non-weight bearing when
Generally prescribed in cases of lower limb
amputation and lower limb physical disorders.

Also
recommended
for
ambulation
during
1,000/-

-- p.10 --

10 of 99

Sl. No.
Item Name
Description
Specification
Maximum
Price including
all Taxes.
(amount in Rs.)
one or both legs are physically
challenged because of a nervous
disorder, fracture, disease, injury
etc.
convalescence in lower limb fractures.
Adjustable height for hand piece
ISI marked, IS:5143
Dimensions:
Overall height from Ground: 825 mm (min); 1025

mm (max)

Weight: 850 gms (approx.)

23.

Crutch

Axilla

Adjustable

(Aluminum) Medium

Walking aid designed to provide full weight bearing/partial weight bearing/non-weight bearing when one or both legs are physically challenged because of a nervous disorder, fracture, disease, injury etc.

Generally prescribed in cases of lower limb amputation and lower limb physical disorders.

Also

recommended

for

ambulation

during

convalescence in lower limb fractures.

Adjustable height for hand piece

ISI marked, IS:5143

Dimensions:

Overall height from Ground: 1050 mm (min);

1250 mm (max)

Weight: 1200 gms. (approx.)

1,000/-

24.

Crutch

Axilla

Adjustable

(Aluminum) Large

Walking aid designed to provide full weight bearing/partial weight bearing/non-weight bearing when one or both legs are physically challenged because of a nervous disorder, fracture, disease, injury etc.

Generally prescribed in cases of lower limb amputation and lower limb physical disorders.

Also

recommended

for

ambulation

during

convalescence in lower limb fractures.

Adjustable height for hand piece

ISI marked, IS:5143

Dimensions :

Overall height from Ground: 1275 mm (min);

1475 mm (max)

Weight: 1400 gms. (approx.)

1,100/-

25.

Platform

/

Gutter

Crutches

The weight of the patient is

transferred mainly to the user's

forearms. The platform allows the

user more stability than the axilla

For poor Lower leg balance and problem with

wrist and hand

■

Extra

small: Length

4,300/-

-- p.11 --

11 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

and forearm crutches,

Adjustment: 600-800mm

■

Small : Length Adjustment: 825- 1025mm

■

Medium: Length Adjustment: 1050-

1250mm

■

Large: Length Adjustment: 1275-1475

mm

26.

Walking Stick

A walking stick is a walking aid

used primarily to aid walking,

provide

postural

stability

or

support, or assist in maintaining
a good posture

1. Helps individual has poor balance while
walking

2. A light weight, elegant stick, has
beutifully contoured handle for firm and
comfortable grip.

3. High quality aluminium alloy tube,
though light in weight it is very sturdy and
strong to withstand load and stresses.

4. Rubber tip molded from special non
marking type of rubber, conforming to
Indian standards.

Dimension:

Length: 1000 ± 50 mm

Weight: 400 gms (approx.)

450/-

27.

Walking

Stick

(Adjustable)

A walking stick is a walking aid
used primarily to aid walking,
provide
postural
stability

or

support, or assist in maintaining
a good posture.height is adjustabe

1. Helps individual who has poor balance
while walking

2. A light weight, elegant stick, has
beutifully contoured handle for firm and
comfortable grip.

3. High quality aluminium alloy tubes,
though light in weight it is very sturdy and
strong to withstand load and stresses.

4. With a push button, length can be adjusted
telescopically

5. Rubber tip molded from special non
500/-

-- p.12 --

12 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

marking type of rubber, conforming to Indian standards.

Dimension:

Adjustable Length: 690-890 mm

Weight: 400 gms. (approx.)

28

Tetrapod

Waking aid with four point of contact at

base, provides more stability.

1. Helpful for elderly and especially abled individuals to move around easily and quickly

2. Constructed from high strength mild steel tubes, which are strong, durable and have good weight bearing capacity.

3. Consists of L- shaped handle which offers better grip

4. Ergonomically designed grips with rubber base

5. Adjustable height feature

6. 4- Pronged pivot base

7. Height adjustable range: 720-970 mm

8. Weight : 800 gm (approx.)

8,00/-

-- p.13 --

13 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

29.

Tripod

Waking aid with three point of contact at base, provides more stability.

1. Helpful for elderly and especially abled individuals to move around easily and quickly

2. Constructed from high strength mild steel

tubes, which are strong, durable and have good weight bearing capacity.

3. Consists of L- shaped handle which offers better grip

4. Ergonomically designed grips with rubber base

5. Adjustable height feature

6. 3- Pronged pivot base

7. Height adjustable range: 720-970 mm,

Weight : 700 gm (approx.)

800/-

30.

Walker (foldable)

Prefabricated, mobility devices,

provides a

wider base

of

support than

a walking

stick, usually has three sides

with the side closest to the

patient

being

open.

While

walkers are often used to help

stabilize

patients

with

poor balance and mobility or

lower extremity impairment.

Foldable

Walker

:-

Material

(MS)

•Facilitates support and stability to an individual with mobility issues

•

Rubber handgrip for better comfort

•

Sturdy design

•

Presence of rubber tips at the bottom for better stability

•

Foldable & easy to carry.

Dimension:

Length: 545 ± 50 mm
Width: 540 ± 50 mm
Height: 825 ± 50 mm
Weight: 4 Kg (approx.)

700/-

31.

Adjustable

Walker

(Aluminum)

Prefabricated, mobility devices,
provides a
wider base
of

■ Facilitates support and stability to an individual
with mobility issues

2,300/-

-- p.14 --

14 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

support than

a walking

stick, usually has three sides

with the side closest to the

patient

being

open.

While

walkers are often used to help

stabilise

patients

with

poor balance and mobility or

lower extremity impairment

■ Made with strong and lightweight aluminium
frame

■ Foldable & easy to carry.

■ Rubber handgrip for better comfort

■ Presence of rubber tips at the bottom for better
stability

Dimension:

Length: 550 ± 50 mm
Width: 495 ± 50 mm
Height Range : (750-925) mm
Weight : 3 Kg (approx.)

32.

Walker

Wheeled

(anterior two wheeled)

Prefabricated,

mobility

devices,

provides

a

wider base

of

support than

a walking

stick,

usually has three sides with the side closest to the patient being open. While walkers are often used to help stabilize patients with poor balance and mobility or lower extremity impairment

Length: 545 mm

Width: 540 mm

Adjustable Height: 580 mm to 825 mm

Weight: 4 Kg approx.

Four-legged folding frame with wheels for easy propulsion.

2,500/-

33.

Silicon Foam Cushion

Seating

Interface

to

prevent

pressure ulcer

■ Ideal for people who have to sit in place for long time/ Wheel chair user with sensitive skin

■ Dual layer for maximum comfort

■ Features soft polymer gel beans

■ Distributes weight and pressure

■ Easy to clean

Dimensions:

Overall Length: 400-410 mm

Overall Width: 400-410 mm

Overall Height: 45-55 mm

2,100/-

34

Rollator With Brake

Prefabricated, mobility devices,

1. Made of aluminium frame

2. Padded seat and backrest

5,000/-

-- p.15 --

15 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

"wheeled walker

3. Removable storage basket

4. Adjustable height feature

5. Foldable for easy transport and storage

6. Ergonomic grip

7. Easy-squeeze hand brakes for slowing or parking

8. Equipped with All-Terrain castors

Dimensions:

Overall Height: 815-940 $\pm$ 50 mm

Overall Width: 620 $\pm$ 50 mm

Overall Length: 715 $\pm$ 50 mm

35

Pressure Relief Air

Mattress

Pressure

Relief

Air

Mattress is for the patients

who is bed ridden to

prevent bed sores specially

in the case of cerebral palsy

and

spinal

injured

beneficiaries.

The individual air bubbles

inflate and deflate at regular

intervals to allow air to pass

through the surface and

ventilate the patients back.

The alternating air bubbles

reduce the pressure on a
single spot on the back thus

For Pump (Compressor):

Cycle Time

12 Mins

Air Output

5-7 L/ Min

Pressure Range

50~110 mmHg

Electrical Power Supply

220-240 Volts

Warranty

12 months

(Only Motor)

Weight

2 kg

Puncture Kit

Included

3,500/-

-- p.16 --

16 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

eliminating bed sores or
pressure ulcers.

For Mattress

Max. User Weight

130 kgs.

Mattress Dimensions

190 x 82 cm

Material

Medical

Grade

PVC 0.3mm

-- p.17 --

17 of 99

(b) ORTHOSIS

i. Therapeutic/Customized Footwear.

ii. Lower Limb Orthosis.

iii.Upper Limb Orthosis.

iv. Spinal Orthosis.

i.

Therapeutic/ Customized Footwear

Sl no

Item name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

EXTERNAL
MODIFICATION OF
SHOE OR SHOE
COMPENSATION
UPTO 1"

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized. Made of 6/8 mm rubber sole, fixed
with outsole of shoe. Hardness of rubber- 30-
35SH, (Unilateral)

200/-

2.

EXTERNAL
MODIFICATION OF
SHOE OR SHOE
COMPENSATION
UPTO 1.5"

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized. Made of 6/8 mm rubber sole, fixed
with outsole of shoe. Hardness of rubber- 30-
35SH , (Unilateral)

300/-

3.

EXTERNAL
MODIFICATION OF
SHOE OR SHOE
COMPENSATION
BELOW 1"

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized. Made of 6/8 mm rubber sole, fixed
with outsole of shoe. Hardness of rubber- 30-
35SH, (Unilateral)

200/-

4.

EXTERNAL
MODIFICATION OF

Required for the care of foot in
patients with chronic diseases as
Customized. Made of rubber sole, fixed with
outsole of shoe. Hardness of rubber- 30-35SH,
500/-

-- p.18 --

18 of 99

SI no

Item name

Description

Specification

Maximum

Price including
all Taxes.

(amount in Rs.)

SHOE OR SHOE
COMPENSATION
UPTO 2"

well Locomotor/Mobility
(Unilateral)

5.

EXTERNAL
MODIFICATION OF
SHOE OR SHOE
COMPENSATION
UPTO 3"

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility
Customized. Made of rubber sole, fixed with
outsole of shoe. Hardness of rubber- 30-35SH,
(Unilateral)

700/-

6.

EXTERNAL
MODIFICATION OF
SHOE OR THOMAS
HEEL (CHILD)

Required for the care of foot in
patients with flat foot and heel
valgus
Customized. Made of rubber sole, fixed with
outsole of shoe at medial side of heel and midfoot
area. Child size. Hardness of rubber- 30-35SH,

(Unilateral)

100/-

7.

EXTERNAL

MODIFICATION OF

SHOE OR THOMAS

HEEL (ADULT)

Required for the care of foot in patients with flat foot and heel valgus

Customized. Made of rubber sole, fixed with outsole of shoe at medial side of heel and midfoot area. Adult size. Hardness of rubber- 30-35SH,

(Unilateral)

150/-

8.

INTERNAL SHOE

MODIFICATION OR

ARCH SUPPORT

(CHILD)

Required for the care of foot in patients with flat foot

Customized. Made of rubber sole. Attached at insole of shoe inside the shoe at the area of medial longitudinal arch area. Child size. Hardness of rubber- 30-35SH, (Unilateral)

100/-

9.

EXTERNAL

MODIFICATION OF

SHOE OR ARCH

SUPPORT (ADULT)

Required for the care of foot in patients with flat foot

Customized. Made of rubber sole. Attached at insole of shoe inside the shoe at the area of medial longitudinal arch area. Adult size . Hardness of rubber- 30-35SH, (Unilateral)

150/-

10.

EXTERNAL

MODIFICATION OF

SHOE OR EXCAVATED

HEEL

Required for the care of foot in patients with chronic heel pain as well Locomotor/Mobility

Consists of electric foam covered with leather, attached insole of shoe at the heel area.

(Unilateral)

100/-

11.

EXTERNAL

MODIFICATION OF

SHOE OR MEDIAL SOLE

RAISE OR WEDGE

Required for the care of foot in

patients with chronic flat foot,

knee valgum as well

Locomotor/Mobility

Customized. Made of rubber sole, fixed with

outsole of shoe at medial side of shoe. Hardness

of rubber- 30-35SH, (Unilateral)

150/-

-- p.19 --

19 of 99

Sl no

Item name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

12.

EXTERNAL

MODIFICATION OF

SHOE OR LATERAL

SOLE RAISE OR WEDGE

Required for the care of foot in

patients with chronic foot pain

and genu varum as well

Locomotor/Mobility

Customized. Made of rubber sole, fixed with

outsole of shoe at lateral side of shoe. Hardness of

rubber- 30-35SH, (Unilateral)

150/-

13.

MOLDED OR MODIFIED

SHOE (CHILD)

Required for the care of foot in

patients with different rigid foot

deformity as well

Locomotor/Mobility

Customized shoe. Made out of leather and rubber

sole. 6-8 mm rubber sole 30-35SH for outsole.

Cowhide leather for base and chrome leather, belt

leather for shoe upper. Child size.

1750/-

14.

MOLDED OR MODIFIED

SHOE (ADULT)

Required for the care of foot in patients with different rigid foot deformity as well

Locomotor/Mobility

Customized shoe. Made out of leather and rubber sole. 6-8 mm rubber sole 30-35SH for outsole. cowhide leather for base and chrome leather, belt leather for shoe upper.

2300/-

15.

SURGICAL SHOE SIZE

III

Required for the care of foot in patients with chronic foot problems , after foot surgery as well Locomotor/Mobility

Customized shoe. Made out of leather and rubber sole. 6-8 mm rubber sole 30-35SH for outsole. cowhide leather for base and chrome leather, belt leather for shoe upper.

1750/-

16.

SURGICAL SHOE SIZE II

Required for the care of foot in patients with chronic foot problems , after foot surgery as well Locomotor/Mobility

Customized shoe. Made out of leather and rubber sole. 6-8 mm rubber sole 30-35SH for outsole. cowhide leather for base and chrome leather, belt leather for shoe upper.

1950/-

17.

SURGICAL SHOE SIZE I

Required for the care of foot in patients with chronic foot problems , after foot surgery as well Locomotor/Mobility

Customized shoe. Made out of leather and rubber sole. 6-8 mm rubber sole 30-35SH for outsole. cowhide leather for base and chrome leather, belt leather for shoe upper.

2250/-

18.

CTEV SHOE (CHILD)

Required for the care of foot in

patients with neglected CTEV as well Locomotor/Mobility
Customized shoe. Made out of leather and rubber sole. 6-8 mm rubber sole30-35SH for outsole.cowhide leather for base and chrome leather, belt leather for shoe upper. child size
1550/-

19.

CTEV SHOE (ADULT)

Required for the care of foot in patients with neglected CTEV as well Locomotor/Mobility
Customized shoe. Made out of leather and rubber sole. 6-8 mm rubber sole30-35SH for outsole. Cowhide leather for base and chrome leather, belt leather for shoe upper.
2050/-

-- p.20 --

20 of 99

SI no

Item name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

20.

TOE SEPARATER

Used in patients with hallux valgus in case of CP, Down syndrome diseases

as

well

Locomotor/Mobility

Made out of 12mm rubber. attached with toe loop of sandal or made out of silicone. (Unilateral)
150/-

21.

SHOE FILLER

Used in patient with partial foot amputation , toe amputation and ray amputation etc. as well as Locomotor problems

Made of eva foam foot support with cowhide leather or rubber as base with filler made out of rubber. Worn inside of shoe. (Unilateral)

150/-

22.

SHOE INSOLE FOAM

Used in patients with foot pain,
other foot problems as well as
locomotor problems

Made out of 6mm EVA foam. (Unilateral)

350/-

23.

MEDIAL STRAIGHT

BORDER

Used in CTEV, metatarsus
adductus deformity

Made out of 8mm rubber sole 30-35 SH, attached
inside medial border of shoe at vamp area.

(Unilateral)

100/-

24.

HEEL RAISE (1/4")

Used in heel pain as well

Locomotor/Mobility

Customized. Made of rubber sole, fixed with
outsole of shoe at heel area. Hardness of rubber-
30-35SH, (Unilateral)

100/-

25.

SHOE LAST

MODIFICATION

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Made out of rubber sole 8mm/10mm/12mm. 30-
35 sh. (Unilateral)

150/-

26.

METATARSAL BAR

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized. Made of rubber sole, fixed with
outsole of shoe at metatarsal head area Hardness
of rubber- 30-35SH, (Unilateral)

150/-

27.

METATARSAL PAD

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized. Made of rubber sole, fixed with
insole of shoe at metatarsal head area. Hardness of

rubber- 30-35SH(Unilateral)

100/-

-- p.21 --

21 of 99

Sl no

Item name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

28.

MCR INSOLE(Shoes given
by the patient)

MCR, Customized (Unilateral)

(Unilateral)

700/-

29.

Pair of MCR sandal

MCR, Customized

(Unilateral)

1,500/-

ii. Lower Limb Orthosis:

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Customized Foot Insole

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized from 3mm PP sheets sandwiched
between two layers of 4mm eva foam. Cover
calcaneus to toe area. (Unilateral)

2,500/-

2.

Diabetic Foot Insole

Required for the care of foot in
patients with chronic diseases as
well Locomotor/Mobility

Customized from 3mm PP sheets sandwiched

between two layer of 4mm eva foam with MCR covering at top area. Cover calcaneus to toe area. (Unilateral)

2,500/-

3.

DB Splint

(PREFABRICATED)

Leather / Rubber, Aluminum Customized

(Unilateral)

1,500/-

4.

Steenbeek

Splint

/(CUSTOMISED)

maintain

the

extreme

foot

abduction (70 degrees) in children with treated clubfeet. This brace forms an integral part of the Ponseti Method of Clubfoot treatment, which targets new-born babies with Clubfeet.

Consists of pair of surgical shoe with adjustable/nonadjustable metal abduction bar.

Used in (Unilateral)CTEV in child.

1,500/-

5.

Hallux Valgus/Varus Splint

PP (Child)

Non-operative treatment solutions to help alleviate symptoms and

hallux

valgus

pain,

pressure,

plastic(2mm PP sheets lined with 2mm evathane sheets) big toe part and medial arch support part

,

connected

with

a

hin

je

joint

at

1,000/-

-- p.22 --

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

discomfort

and

skin

irritation.

maintain optimum position of toe in

varus neutral.

metatarsophalangeal jt. Used in CP, Down syndrome.. For child patient. (Unilateral)

6.

Hallux Valgus/Varus Splint

PP(Adult)

Non-operative treatment solutions

to help alleviate symptoms and

hallux

valgus

pain,

pressure,

discomfort

and

skin

irritation.

maintain optimum position of toe in

varus neutral.

Consists of moulded plastic (2mm PP sheets lined with 2mm evathane sheets) big toe part and medial arch support part, connected with a hinge joint at metatarsophalangeal jt. Used in CP, Down syndrome. For adult patient.

(Unilateral)

1,200/-

7.

Toe pick up splint

Used in dorsiflexion weakness.

Leather, Elastic Customized (Unilateral)

700

8.

Foot Plate/ UCBL (CHILD)

Custom molded Polypropylene foot orthosis

used

for

pesplanus

deformity, covered up to toe from
just above the malleoli , covering
medial arch area

Made out of PP sheet- 2 mm/3mm, with
evathane sheet-3mm, worn in shoe, with Velcro
closure. Child size, (Unilateral)

1,000/-

9.

Foot Plate/ UCBL (ADULT)

Custom molded Polypropylene foot
orthosis

used

for

pesplanus

deformity, covered up to toe from
just above the malleoli , covering
medial arch area

Made out of PP sheet- 3 mm/4mm, with
evathane sheet-3mm, worn in shoe, with Velcro
closure Adult size, (Unilateral)

1,500/-

10.

SMO(ADULT)

Custom molded Polypropylene foot
orthosis used for pesplanovalgus
deformity, Covering both malleolus

Made out of PP sheet- 3 mm/4mm, with
evathane sheet-3mm, worn in shoe, with Velcro
closure, Adult size, (Unilateral)

2,500/-

11.

SMO(CHILD)

Custom molded Polypropylene foot
orthosis used for pesplanovalgus
deformity, Covering both malleolus

Made out of PP sheet- 3 mm/4mm, with
evathane sheet-3mm, worn in shoe, with Velcro
closure, Child size, (Unilateral)

2,000/-

12.

Ankle

foot

Orthosis

(AFO)(PP) Child with rubber

sole

Special brace that is designed to
help control the motion of the ankle
joint and also offer

Support to the foot and ankle joints.

Extends from calf area to toe.
Ankle foot orthosis, customized
Made out of PP sheet- 4mm/6mm, with 4mm
evathane foam, Velcro closure Adult size,
(Unilateral)
3,500/-

-- p.23 --

23 of 99

Sl. No.
Item Name
Description
Specification
Maximum
Price including
all Taxes.
(amount in Rs.)
from molded polypropylene. used
in CP, MD , SCI and other
locomotor disabilities
13.
Ankle
foot
Orthosis
(AFO)(PP) Child with Shoe
Special brace that is designed to
help control the motion of the ankle
joint and also offer
Support to the foot and ankle joints.
Extends from calf area to toe.
Ankle foot orthosis, customized
from molded polypropylene. used
in CP, MD , SCI and other
locomotor disabilities
Made out of PP sheet- 3mm/4mm, with 3mm
evathane foam, Velcro closure, Child size,
(Unilateral)
4,000/-
14.
Ankle
foot
Orthosis
(AFO)(PP) Adult with rubber
sole
Special brace that is designed to
help control the motion of the ankle
joint and also offer
Support to the foot and ankle joints.
Extends from calf area to toe.

Ankle foot orthosis, customized
from molded polypropelene. used
in CP, MD , SCI and other
locomotor disabilities
Made out of PP sheet- 4mm/6mm, with 4mm
evathane foam, Velcro closure, Child size,
(Unilateral)
3,500/-

15.

Ankle
foot

Orthosis

(AFO)(PP) Adult with shoe

Special brace that is designed to
help control the motion of the ankle
joint and also offer

Support to the foot and ankle joints.

Extends from calf area to toe.

Ankle foot orthosis, customized
from molded polypropelene. used
in CP, MD , SCI and other
locomotor disabilities
Made out of PP sheet- 4mm/6mm, with 4mm
evathane foam, Velcro closure, Child size,
(Unilateral)
4,000/-

16.

Ankle foot Orthosis hinge/

Ankle
joint

(AFO)(PP)

Special brace that is designed to
help control the motion of the ankle

Made out of PP sheet- 3mm/4mm, with 3mm
evathane foam, Velcro closure, Child size,
4,000/

-- p.24 --

24 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Child with rubber sole

joint and also offer
support to the foot and ankle joints.
Extends from calf area to toe.
Ankle foot orthosis, customized
from mouldedpropelene. used in
CP, MD , SCI and other locomotor
disabilities
(Unilateral)

17.

Ankle foot Orthosis hinge
(AFO)(PP) Child with shoe
Special brace that is designed to
help control the motion of the ankle
joint and also offer
support to the foot and ankle joints.
Extends from calf area to toe.
Ankle foot orthosis, customized
from mouldedpropelene. used in
CP, MD , SCI and other locomotor
disabilities

Made out of PP sheet- 3mm/4mm, with 3mm
evathane foam, Velcro closure, Child size,
(Unilateral)

4,500/

18.

Ankle foot Orthosis hinge
(AFO)(PP) Adult with rubber
sole
Special brace that is designed to
help control the motion of the ankle
joint and also offer
support to the foot and ankle joints.
Extends from calf area to toe.
Ankle foot orthosis, customized
from mouldedpolypropelene. used
in CP, MD , SCI and other
locomotor disabilities

Made out of PP sheet- 4mm/6mm, with 4mm
evathane foam, Velcro closure. Adult size,
(Unilateral)

4,500/

19.

Ankle foot Orthosis hinge
(AFO)(PP) Adult with shoe
Special brace that is designed to
help control the motion of the ankle
joint and also offer
support to the foot and ankle joints.
Extends from calf area to toe.
Ankle foot orthosis, customized

from molded propylene. used in
Made out of PP sheet- 4mm/6mm, with 4mm
evathane foam, Velcro closure. Adult size,
(Unilateral)
5,000/

-- p.25 --

25 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

CP, MD , SCI and other locomotor
disabilities

20.

Ankle foot Orthosis Metallic

SZ-I With LM Joint(Child)

A

metal

ankle

foot

orthosis

(conventional AFO) is used by
patients who have lower extremity
weakness

or

nerve

damage

combined

with

swelling,

neuropathy, and/or sensitive skin.

Used in Polio or other locomotor
disabilities.

Consists of Metallic calf band, with two small
ankle uprights, with two small size limited
motion ankle joint with a pair of surgical shoe.

Used in Polio, SCI, CTEV, severe foot
deformity. (Unilateral)

2,500/-

21.

Ankle foot Orthosis (AFO)

Metallic SZ-II With LM

Joint (Child)

A

metal

ankle

foot

orthosis

(conventional AFO) is used by patients who have lower extremity weakness

or

nerve

damage

combined

with

swelling,

neuropathy, and/or sensitive skin.

Used in Polio or other locomotor disabilities.

Consists of Metallic calf band, with two Medium ankle uprights, with two Medium size limited motion ankle joint with a pair of surgical shoe. Used in Polio, SCI, CTEV, severe foot deformity. (Unilateral)

3,000/-

22.

Ankle foot Orthosis (AFO

)Metallic SZ-III With LM

Joint (Adult)

A

metal

ankle

foot

orthosis

(conventional AFO) is used by patients who have lower extremity weakness

or

nerve

damage

combined

with

swelling,

neuropathy, and/or sensitive skin.

Used in Polio or other locomotor disabilities.

Consists of Metallic calf band, with two Large ankle uprights, with two Large size limited motion ankle joint with a pair of surgical shoe. Used in Polio, SCI, CTEV, severe foot deformity. (Unilateral)

3,500/-

23.

Leaf
Spring
Ankle
foot
Orthosis (LSAFO)(PP)

PP, Customized (Unilateral)

4,500/

24.

Supra Condylar Knee Ankle

Foot

Orthosis

(SCKAFO/KAFO)

PP.

Adult size

Used to support the foot, the

ankle

and

the

knee

in

neurological

or

muscular

dysfunctions or for dysmelia

Customized from moulded plastics (4mm PP

sheet lined with 3mm EVA foam) or

laminated shell, Adult size. (Unilateral)

7,500/

-- p.26 --

26 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

malformations. The flexion and

extension of the knee is free. used

in knee hyperextension prevention

along with foot problems. Used in

CP, muscular dystrophy, down

syndrome.

25.

Supra Condylar Knee Ankle

Foot

Orthosis

(SCKAFO/SKAFO)

PP.

Child size.

Used to support the foot, the

ankle

and

the

knee

in

neurological

or

muscular

dysfunctions or for dysmelia

malformations.

Used

in

knee

hyperextension

prevention

alongwith foot problems. Used in

CP, muscular dystrophy, down

syndrome.

Customized from mouldedplastics(3mm PP

sheets lined with 3mm evathane foam) or

laminated shell, Child size.

7,000/-

26.

Knee Ankle foot Orthosis

(KAFO)(PP) without Knee

joint Child with rubber sole

Custom-molded plastic shell with

contoured metal uprights and a

variety of knee joints designed to

provide support and correction to

the knee, ankle and foot.

Customized

from

moulded

plastic

sheets

(3mm/4mm PP sheet with 3mm/4mm evathane

foam) with knee uprights upper and lower with

moulded ankle foot orthosis, used in case of in

case of CP, POLIO, Paraplegia etc. Child size,

(Unilateral)

5,500/-

27.

Knee Ankle foot Orthosis

(KAFO)(PP) without Knee

joint Child with shoe

Custom-molded plastic shell with contoured metal uprights and a variety of knee joints designed to provide support and correction to the knee, ankle and foot.

Customized from moulded plastic sheets

(3mm/4mm PP sheet with 3mm/4mm evathane foam) with knee uprights upper and lower with moulded ankle foot orthosis, used in case of in case of CP, POLIO, Paraplegia etc. Child size, (Unilateral)

6,000/-

28.

KAFO Metallic SZ-I With ankle Joint

Customized orthosis. metal knee ankle foot orthosis (KAFO) is used by patients that have a lower extremity weakness that affects the knee. It provides support to the leg, Consists of Metallic IT band, thigh band, thigh uprights, calf band, with two small ankle uprights, with two small size limited motion ankle joint with a pair of surgical shoe. Used in Polio, SCI, severe foot deformity. (Unilateral)

6,500/-

-- p.27 --

27 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

knee, ankle, and foot to assist in safe ambulation. The metal KAFO consists of metal and leather bands that contact the thigh and calf. These are held together by metal side bars. Used in patients having mainly flail ankle.

29.

KAFO Metallic SZ-II With
ankle Joint

Customized orthosis. metal knee
ankle foot orthosis (KAFO) is used
by patients that have a lower
extremity weakness that affects the
knee. It provides support to the leg,
knee, ankle, and foot to assist in
safe ambulation. The metal KAFO
consists of metal and leather bands
that contact the thigh and calf.
These are held together by metal
side bars. Used in patients having
mainly flail ankle.

Consists of Metallic Medium IT band, thigh
band, thigh uprights, calf band, with two small
ankle uprights, with two Medium size Limited
motion ankle joint with a pair of surgical shoe.
Used in Polio, SCI, (Unilateral)
7,000/-

30.

KAFO Metallic SZ-III With
ankle Joint

Customized orthosis. metal knee
ankle foot orthosis (KAFO) is used
by patients that have a lower
extremity weakness that affects the
knee. It provides support to the leg,
knee, ankle, and foot to assist in
safe ambulation. The metal KAFO
consists of metal and leather bands
that contact the thigh and calf.
These are held together by metal
side bars. Used in patients having
mainly dorsiflexors weakness. Used
in Polio

Consists of Metallic Large IT band, thigh band,
thigh uprights, calf band, with two Large ankle
uprights, with two Large size Limited motion
ankle joint with a pair of surgical shoe. Used in
Polio, SCI. (Unilateral)
7,500/-

-- p.28 --

28 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

31.

Knee Ankle foot Orthosis

(KAFO)(PP) with Knee joint

Child with rubber sole

PP, Customized (Unilateral)

PP, Customized (Unilateral)

6,500/-

32.

Knee Ankle foot Orthosis

(KAFO)(PP) with Knee joint

Child with shoe

PP, Customized (Unilateral)

PP, Customized (Unilateral)

7,000/-

33.

Knee Ankle foot Orthosis

(KAFO)(PP) with Knee joint

and hinge ankle Child with

shoe SZ-I knee joint

Custom-molded plastic shell with

contoured metal uprights and a

variety of knee joints designed to

provide support and correction to

the knee, ankle and foot.

Customized

from

moulded

plastic

sheets

(4mm/6mm) with 4mm/6mm evathane foam

with knee drop lock joint, Large size knee

uprights upper and lower with moulded ankle

foot orthosis, used in case of in case of CP,

POLIO, Paraplegia etc. (Unilateral)

8,000/-

34.

Knee Ankle foot Orthosis

(KAFO)(PP) with Knee joint

and hinge ankle Child with

shoe SZ-II knee joint

Custom-molded plastic shell with

contoured metal uprights and a

variety of knee joints designed to

provide support and correction to

the knee, ankle and foot.

Customized from moulded plastic sheets (4mm PP sheet with 4 mm evathanesheet)with knee drop lock joint, Medium size knee uprights upper and lower with moulded ankle foot orthosis, used in case of in case of CP, POLIO, Paraplegia etc. (Unilateral)

12,000/-

35.

Knee Ankle foot Orthosis
(KAFO)(PP) with Knee joint
and hinge ankle Child with
shoe SZ-III knee joint

Custom-molded plastic shell with
contoured metal uprights and a
variety of knee joints designed to
provide support and correction to
the knee, ankle and foot.

Customized from moulded plastic sheets (4mm PP sheet with 4 mm evathanesheet)with knee drop lock joint, Medium size knee uprights upper and lower with moulded ankle foot orthosis, used in case of in case of CP, POLIO, Paraplegia etc. (Unilateral)

25,000/-

36.

Knee Ankle foot Orthosis
(KAFO)(PP) with Knee joint
and hinge ankle Child with
shoe SZ-I knee joint

Custom-molded plastic shell with
contoured metal uprights and a
variety of knee joints designed to
provide support and correction to
the knee, ankle and foot.

Customized from moulded plastic sheets (3mm PP sheet with 3mm evathane sheet) with knee drop lock joint, Small size knee uprights upper and lower with moulded ankle foot orthosis, used in case of in case of CP, POLIO, Paraplegia etc. (Unilateral)

8,000/-

37.

Knee Ankle foot Orthosis
(KAFO)(PP) with Knee joint
(Unilateral)
(Unilateral)

12,000/-

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

and hinge ankle Child with

shoe SZ-II knee joint

38.

Knee Ankle foot Orthosis

(KAFO)(PP) with Knee joint

and hinge ankle Child with

shoe SZ-III knee joint

(Unilateral)

(Unilateral)

16,000/-

39.

Knee Ankle foot Orthosis

(KAFO)(Metallic)

with

Knee, ankle joint with shoe

(Child)

(Unilateral)

(Unilateral)

7,000/-

40.

Knee Ankle foot Orthosis

(KAFO)

(Metallic)

with

Knee joint Adult with shoe

(Unilateral)

PP, Customized (Unilateral)

7,500/-

41.

Knee Ankle foot Orthosis

(KAFO)

(Metallic)

with

Knee joint and hinge ankle

Child with shoe

(Unilateral)

PP, Customized (Unilateral)

7,000/-

42.

Knee Ankle foot Orthosis

(KAFO)

(Metallic)

with

Knee, ankle joint with shoe

(Adult)

(Unilateral)

Customized (Unilateral)

7,500/-

43.

Mono (medial/lateral) bar

Knee Ankle foot Orthosis

KAFO without Knee joint

with shoe

Customized from moulded plastic

sheets .used in case of in case of

Genu Vaurm/Valgum for correction

of deformity.

Moulded from 4mm/6mm PP sheet with

4mm/6mm evathane lining with one side large

knee upper and lower uprights (Unilateral),

6,000/-

44.

Floor

Reaction

Orthosis

(FRO) Adult

Floor reaction orthosis, customized

from molded polypropylene or

laminated shell, used for Crouch

gait, CP case. , cover midpatella to

up to toe area.

Made out of PP sheet- 4mm/6mm, with 4mm

evathane foam, Velcro closure ,or laminated

with resin , fiber glass Adult size(Unilateral)

8,000/-

45.

Floor

Reaction

Orthosis

(FRO) Child

Floor reaction orthosis, customized

from molded polypropylene or

Made out of PP sheet- 3mm/4mm, with 3mm

evathane foam, Velcro closure or laminated with

5,000/-

-- p.30 --

30 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

laminated shell, used for Crouch

gait, CP case cover midpatella to up

to toe area,

resin, fiber glass, Child size. (Unilateral)

46.

PTB ORTHOSIS (ADULT)

Custom ankle foot orthosis with

external

bracing

designed

to

unweight the ankle or heel.

Customised

from

moulded

4mm/6mm

polypropelene lined with soft EVA foam or

laminated shell with uprights with rocket

bottom/patten bottom. Used in tibial fracture. As

well as different locomotor disabilities. Adult

size .(Unilateral)

5,000/-

47.

PTB ORTHOSIS (CHILD)

Custom ankle foot orthosis with

external

bracing

designed

to

unweight the ankle or heel.

Customised

from

moulded

4mm/6mm

polypropelene lined with soft EVA foam or

laminated shell with uprights with rocket

bottom/patten bottom. Used in tibial fracture. As

well as different locomotor disabilities. Child

size .(Unilateral)

4,000/-

48.

PTB weight Bearing Orthosis

with rocker bottom and pair

of surgical shoes

Custom ankle foot orthosis with
external
bracing
designed
to

unweight the ankle or heel
PP, Customized (Unilateral)
7,500/-

49.

Knee Orthosis without knee
joint

PP, Customized (Unilateral)
PP, Customized (Unilateral)
4,000/-

50.

Knee Orthosis with knee
joint

PP, Customized (Unilateral)
PP, Customized (Unilateral)
5,000/-

51.

Gaiter

Worn on the leg/elbow joint to keep
the
knee/elbow
straight
and

stabilised. Mostly used in CP child.

Consists of three metal inserts which immobilise
the joint to hold it in extension whilst preventing
excessive movement. Composed of Breathable
cotton fabric with a personalised choice of
linings, colours and patterns with Velcro
closure.

1,000/-

52.

Mermaid splint Aluminum

This Splint is for correction of axial
deformities of the knees, Used in

genu
varum/genu
valgum

in

children. Cover midthigh to just

Made out of Aluminium) and lining in soft eva
foam. Also be made out of aluminium sheet with
connecting bar. (Unilateral)

1,000/-

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

above the malleoli.

53.

Mermaid splint PP

This Splint is for correction of axial

deformities of the knees,. Used in

genu

varum/genu

valgum

in

children. Cover midthigh to just

above the malleoli.

Made out of PP sheet (3mm with) and lining in

soft eva foam. Also be made out of aluminium

sheet with connecting bar. (Unilateral)

1,500/-

54.

Hip

Knee

Ankle

foot

Orthosis (HKAFO)(PP) with

Hip, Knee joint with shoe

(Child)

Custom-molded

plastic

shell

with contoured metal uprights and a

pelvic band that provides support

and correction to the hip, knee,

ankle and foot

Customized from moulded plastic sheets (3mm

PP sheet with 3mm evathane foam) with drop

lock/ double axis hip joint with knee drop lock

joint/cam lock/bail lock/offset , with Small size

knee

uprights

upper

and

lower

with

mouldedankle foot orthosis , used in case of in

case of CP, Polio, Paraplegia etc

9,000/-

55.

Hip

Knee

Ankle

foot

Orthosis (HKAFO)(Metallic)

with Hip, Knee, ankle joint

with shoe (Child)

Hip knee ankle foot orthosis

(HKAFO) is used by patients that

have a lower extremity weakness

that affects the knee. It provides

support to the leg, knee, ankle, and

foot to assist in safe ambulation.

Used in patients having mainly

dorsiflexors weakness. Used in

Polio

Consists of Metallic large size hip joint with

drop lock/double axis hip joint with pelvic band

with IT band, thigh band, thigh uprights, calf

band, with two small ankle uprights, with two

small size limited motion ankle joint with a pair

of surgical shoe. Used in Polio,

10,000/-

56.

Hip

Knee

Ankle

foot

Orthosis (HKAFO)(PP) with

Hip, Knee joint and hinge

ankle with shoe (Adult)

Custom-molded

plastic

shell

with contoured metal uprights and a

pelvic band that provides support

and correction to the hip, knee,

ankle and foot

Customized

from

moulded

plastic

sheets

(4mm/6mm PP sheet with 4mm/6mm evathane

foam)with drop lock/ double axis hip joint with

knee drop lock joint/cam lock/bail lock/offset ,

with Large size knee uprights upper and lower

with moulded ankle foot orthosis , used in case of in case of CP, Polio, Paraplegia etc.

12,000/-

57.

Hip

Knee

Ankle

foot

Orthosis (HKAFO)(Metallic)

with Hip, Knee, ankle joint

Hip knee ankle foot orthosis

(HKAFO) is used by patients that

have a lower extremity weakness

Consists of Metallic Large size hip joint with

drop lock/double axis hip joint with pelvic band

with IT band, thigh band, thigh uprights, calf

7,600/-

-- p.32 --

32 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

with shoe (Adult)

that affects the knee. It provides

support to the leg, knee, ankle, and

foot

to

assist

in

safe

ambulation..Used in patients having

mainly dorsiflexors weakness. Used

in Polio

band, with two Large ankle uprights, with two

Large size limited motion ankle joint with a pair

of surgical shoe. Used in Polio.

58.

Femoral Fracture Brace PP

Customized from mouldedplatic or

laminated shell, used in femur

fracture,

tibia

fracture,

fibular

fracture, orthosis postoperatively

for fracture of hip joint ,

postoperative knee joint, with or

without hip joints and knee joints

Made out of 4mm PP sheets lined with 3mm

evathane foam or laminated shell with Velcro

closure for easy donning and doffing. Bivalve

design. (Unilateral)

4,000/-

59.

Hip abduction Orthosis PP

Customized/Prefabricated, Used to

maintain proper alignment and

stability of the hip joint, limiting

movement and promoting healing

after hip surgery or injury.

Made out of PP sheet (3 mm with evathane foam

3mm).. (Unilateral)

4,000/-

60.

Von Rosen's Splint

Used in CDH patient.

Customized (Unilateral)

3,000/-

61.

Pavlik Harness

Used in CDH patient

PP, Customized (Unilateral)

3,000/-

62.

SWASH Brace

Used in cerebral palsy patients.

PP, Customized / Pre-fabricated (Unilateral)

15,000/-

63.

HO with Hip Joint with

pelvic band

Customized/Prefabricated,

composed of pelvic band with two

thigh shell with hip joint and

uprights with Velcro closure. Used

to maintain proper alignment and

stability of the hip joint, limiting

movement and promoting healing

after hip surgery or injury.

Moulded pelvic band with two thigh shell, Made

out of PP sheet (3 mm with evathane foam

3mm). with large size drop lock/double axis hip

joint with thigh uprights . (Unilateral)

5,000/-

64.

Trilateral

Hip

abduction

Orthosis

Customized from moulded plastics.

Dynamic

maintenance

of

the

femoral head in the acetabulum

Moulded from 4mm PP sheets lined with 4mm
evathane foam or resin impregnated laminated
shell, consists of thigh shell with drop lock knee
10,000/-

-- p.33 --

33 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

with

the hip in

moderate abduction and

some

internal rotation. Used in perthes

disease for unloading weight.

joint, with knee upper and lower uprights with
rocker bottom . (Unilateral)

65.

Ischial

Weight

Reliving

Orthosis with knee joint PP

with shoes

PP, Customized (Unilateral)

PP, Customized (Unilateral)

10,000/-

66.

Ischial

Weight

Reliving

Orthosis with knee, ankle

joint metallic with shoes

PP, Customized (Unilateral)

PP, Customized (Unilateral)

10,000/-

67.

Fracture Shell PP

Customized from moulded plastic or

laminated shell, used in femur

fracture,

tibia

fracture,

fibular

fracture, orthosis postoperatively

for fracture of hip joint ,

postoperative knee joint, with or

without hip joints and knee joints

Made out of 4mm PP sheets lined with 3mm

evathane foam or laminated shell with Velcro

closure for easy donning and doffing. Bivalve

design. (Unilateral)

2,500/-

iii. Upper Limb Orthosis

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

1.

Finger

Splint

/

Orthosis/Gutter Splint

Supports whole finger. Used in mallet

finger, swan neck deformity and other

finger deformity.

LTTP/ Aluminum, Customized,

500/-

2.

Thumb

Spica

(PP/LTTP/Metallic)

Designed to immobilize the thumb in the

abduction

(functionally

neutral)

position.

Made

out

of

high

temperature

thermoplastics,

LTTP/Metallic

mould

over positive casts. Used in various upper

limbs problems and deformity. Cover upto

850/

-- p.34 --

34 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

wrist joint.

3.

Hand

Splint

/

Orthosis

(Static)

Designed to immobilize the thumb in the

abduction

(functionally

neutral)

position.

LTTP/ Aluminum, Customized

1,200/-

4.

Hand

Splint

/

Orthosis

(Dynamic)

Designed to immobilize the thumb in the

abduction

(functionally

neutral)

position.

LTTP/PP, Aluminum, Customized

1,500/-

5.

Wrist Band

Custom

molded

or

prefabricated,

provide support and slight compression at wrist joint. Used as prophylactic brace or immobilization of wrist joint to prevent wrist pain or as a protective equipment in sports activities.

Made out of 2mm PP sheet lined with 2 mm eva foam or made from fabric with Velcro closure.

400/-

6.

Wrist Hand Splint / Orthosis

(Static)

Custom moulded orthosis .used to hold the hand and wrist in a functional and neutral position

LTTP/PP, Aluminum, Customized

2,000/-

7.

Wrist Hand Splint / Orthosis

(Dynamic)

Custom moulded orthosis .used to hold the hand and wrist in a functional and neutral position

LTTP/PP, Aluminum, Customized

2,500/-

8.

Elbow Wrist Hand Splint /

Orthosis (Static)

Custom molded orthosis. Used to prevent loss of range of motion across the elbow, wrist, and hand. Elbow Wrist Hand Orthosis may have joints at the elbow or wrist to allow for adjustments.

LTTP/PP, Aluminum, Customized

3,500/-

9.

Elbow Wrist Hand Splint /

Orthosis (Dynamic)

Custom molded orthosis. Used to prevent loss of range of motion across the elbow, wrist, and hand. Elbow Wrist Hand Orthosis may have joints at the elbow or wrist to allow for adjustments.

LTTP/PP, Aluminum, Customized

4,000/-

10.

Shoulder Elbow Wrist Hand

Splint / Orthosis (Static)

Custom

molded

or

prefabricated

orthosis. Controls movement in the joint

and helps it heal after an injury or

LTTP/PP, Aluminum, Customized

6,000/-

-- p.35 --

35 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

surgery. Reduces movement in arthritis

or

spasticity.

Usually

used

for

supporting the entire upper extremity s/p

Trauma or surgical fixation.

11.

Shoulder Elbow Wrist Hand

Splint / Orthosis (Dynamic)

Custom

molded

or

prefabricated

orthosis. Controls movement in the joint

and helps it heal after an injury or

surgery. Reduces movement in arthritis

or

spasticity.

Usually

used

for

supporting the entire upper extremity s/p

Trauma or surgical fixation.

LTTP/PP, Aluminum, Customized

8,000/-

12.

Forearm

Band(Tennis

/Golfer elbow band)

This elbow brace can be used by any sportsperson

who

suffers

from

tendonitis.

Made with durable fabric that is friendly and breathable to skin, Adjustable hook and loop straps that stick anywhere on the elbow strap

400/-

13.

Aeroplane Splint / Shoulder

abduction Orthosis

Used to support and immobilize the shoulder joint. It is commonly used in the management of shoulder injuries, such as shoulder dislocations, rotator cuff tears, or after shoulder surgery.

LTTP/PP, Aluminum, Customized

7,000/-

14.

Elbow Orthosis (Static)

a custom-molded or prefabricated plastic shell

that

provides

support

and

corrections to the elbow.

LTTP/PP, Aluminum, Customized

2,000/-

15.

Elbow Orthosis (Dynamic)

a custom-molded or prefabricated plastic shell

that

provides

support

and

corrections to the elbow.

LTTP/PP, Aluminum, Customized

4,500/-

16.

Shoulder Orthosis

Custom

molded

or

prefabricated

orthosis. Controls movement in the joint and helps it heal after an injury or

surgery. Reduces movement in arthritis

or

spasticity.

Usually

used

for

supporting the entire upper extremity s/p

LTTP/PP, Aluminum, Customized

3,500/-

-- p.36 --

36 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

Trauma or surgical fixation.

17.

Shoulder Sling or Bobath

Cuff

Custom

molded

or

prefabricated

orthosis. Controls movement in the joint and helps it heal after an injury or

surgery. Reduces movement in arthritis

or

spasticity.

Usually

used

for

supporting the entire upper extremity s/p

Trauma or surgical fixation.

Cloth, Customized

1,500/-

18.

Universal Cuff

Designed to give persons with limited grip or dexterity controlled use of items such as eating utensils and writing tools
Cloth, Customized

700/-

19.

Adaptive Devices for ADL

Adaptive training tools help people with disabilities learn and perform ADLs by bridging the gap between their abilities and the activity

LTTP/PP, Aluminum, Customized

1,500/-

20.

Elbow Gaiter

Worn on the elbow joint to keep the knee/elbow

straight

and

stabilised.

Mostly used in CP child.

Consists of three metal inserts which immobilise the joint to hold it in extension whilst preventing excessive movement.

Composed of Breathable cotton fabric with a personalised choice of linings, colours and patterns with Velcro closure.

1,000/-

21.

Radial Fracture Brace

Customized from moulded plastic or laminated shell, used in, radius fracture, ulnar fracture, orthosis.

LTTP/PP, Aluminum, Customized,

2,000/-

22.

Humeral fracture brace

Customized from moulded plastic or laminated

shell,

used

in

humeral

fracture, postoperatively for fracture of shoulder joint, postoperative elbow joint, joint, with or without elbow joints, supracondylar fracture.

LTTP/PP, Aluminum, Customized,

3,500/-

23.

Sling for Clavicle fracture
Immobilization with either a sling or a
special bandage called a figure-of-8
Cloth, Customized
1,000/-

-- p.37 --

37 of 99

Sl. No.
Item Name
Description
Specification
Maximum Price
including all
Taxes.
(amount in Rs.)
splint

iv.
Spinal Orthosis
Sl. No.
Item Name
Description
Specification
Maximum Price
including
all
Taxes
(amount in Rs.)

1.
L.S Belt or Modified L.S
Belt, Child
Customized or prefabricated soft
orthosis. Used in chronic low back
pain, postoperative rehabilitation of
lumbar region.
Composed of anatomically shaped posterior
metal stays made out of light weight steel or
aluminium. Covered with corset material. At
fronts closure with Velcro strap.

1,000/-

2.
L.S Belt or Modified L.S
Belt, Adult
Customized or prefabricated soft
orthosis. Used in chronic low back
pain, postoperative rehabilitation of
lumbar region.

Composed of anatomically shaped posterior metal stays made out of light weight steel or aluminium. Covered with corset material. At front closure with Velcro strap.

1,500/-

3.

Lumbo

Sacral

Orthosis

(PP/LTTP) Child

Custom made lumbosacral molded brace. Used to support lumbosacral area to relieve from pain, discomfort in low back pain due to fracture, spondylolisthesis.

Made out of 3 mm PP/LTTP sheet lined with soft Eva foam with front abdominal corset.

And Velcro closure. Size- Child.

3,500/-

4.

Lumbo

Sacral

Orthosis

(PP/LTTP) Adult

Custom made lumbosacral molded brace. Used to support lumbosacral area to relieve from pain, discomfort in low back pain due to fracture, spondylolisthesis.

Made out of 3 mm PP/LTTP sheet lined with soft Eva foam with front abdominal corset.

And Velcro closure. Size- Adult.

4,000/-

5.

Lumbo

Sacral

Orthosis

(Metallic)Child

Custom made lumbosacral metallic brace. Used to support lumbosacral area to relieve from pain, discomfort

Made out of aluminum posterior upright with steel thoracic and pelvic band lined with soft eva foam, with abdominal corset. Size- Child

2,000/-

-- p.38 --

38 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including

all

Taxes

(amount in Rs.)

in low back pain due to spondylitis.

6.

Lumbo

Sacral

Orthosis

(Metallic)Adult

Custom made lumbosacral metallic brace. Used to support lumbosacral area to relieve from pain, discomfort in low back pain due to spondylitis.

Made out of aluminum posterior upright with steel thoracic and pelvic band lined with soft eva foam, with abdominal corset. Size- Adult 3,000/-

7.

ThoracoLumbo

Sacral

Orthosis (PP) Child

Custom molded thoracolumbosacral brace. Used to support thoracic and lumbosacral area to relieve from pain, discomfort in back pain due to fracture, trauma, and Potts spine.

Used to control spinal movements.

Made out of 3 mm PP/LTTP sheet lined with soft Eva foam with front abdominal corset.

And Velcro closure. Size- Child

4,500/-

8.

ThoracoLumbo

Sacral

Orthosis (PP) Adult

Custom molded thoracolumbosacral brace. Used to support thoracic and lumbosacral area to relieve from pain, discomfort in back pain due to fracture, trauma, Potts spine. Used to control spinal movements.

Made out of 3 mm PP/LTTP sheet lined with soft Eva foam with front abdominal corset.

And Velcro closure. Size- Adult.

6,000/-

9.

ThoracoLumbo

Sacral

Orthosis (Metallic) Child

Custom made thoracolumbosacral metallic brace. Used to support thoracic and lumbosacral area to relieve from pain, discomfort in low back pain due to fracture, trauma, Potts spine. Used to control spinal movements.

Made out of aluminum posterior upright with steel

thoracic

and

pelvic

band

with

intrascapular band lined with soft eva foam, with axillary strap with abdominal corset.

Size- child

3,500/-

10.

ThoracoLumbo

Sacral

Orthosis (Metallic) adult

Custom made thoracolumbosacral metallic brace. Used to support thoracic and lumbosacral area to relieve from pain, discomfort in low back pain due to fracture, trauma, Potts spine. Used to control spinal movements.

Made out of aluminum posterior upright with steel

thoracic

and

pelvic

band

with

intrascapular band lined with soft eva foam, with axillary strap with abdominal corset.

Size- Adult

4,000/-

11.

Cervical

ThoracoLumbo Devices/braces that may help relieve Made out of aluminum posterior upright with 6,500/-

Sl. No.

Item Name

Description

Specification

Maximum Price

including

all

Taxes

(amount in Rs.)

Sacral

Orthosis(Metallic)

Child

pain caused by problems in the spine.

They are also used to restrict

movement in people with back/neck

injuries or after spinal surgery.

steel

thoracic

and

pelvic

band

with

intrascapular band lined with soft eva foam,

with axillary strap with abdominal corset.

Size- child

12.

Cervical

ThoracoLumbo

Sacral

Orthosis(Metallic)

Adult

Devices/braces that may help relieve

pain caused by problems in the spine.

They are also used to restrict

movement in people with back/neck

injuries or after spinal surgery.

Made out of aluminum posterior upright with

steel

thoracic

and

pelvic

band

with

intrascapular band lined with soft eva foam,

with axillary strap with abdominal corset.

Size- adult

7,000/-

13.

Moulded Modified Spinal

jacket (PP/LTTP)

Custom molded thoracolumbosacral brace. Used to correct scoliosis deformity

or

accommodate

permanent trunk deformity.

Posterior/ anterior opening plastic molded brace. Made out of 3 mm PP sheet lined with soft Eva foam with pad and strap. With Velcro closure.

12,000/-

14.

Milwaukee brace (adult)

Custom made cervical thoracic lumbosacral orthosis, an active corrective spinal orthosis, used in the treatment of postural disorders like idiopathic scoliosis or Scheuerman disease.

Customized pelvic girdle attached with prefabricated components neck ring, anterior uprights, posterior uprights, outriggers and I pad with adjustable closure. Used in scoliosis for the correction of deformity due to idiopathic

cause,

congenital

cause,

neuromuscular cause. adult size

8,000/-

15.

Milwaukee brace child)

Custom made cervical thoracic lumbosacral orthosis, an active corrective spinal orthosis, used in the treatment of postural disorders like idiopathic scoliosis or Scheuerman disease.

Customized pelvic girdle attached with prefabricated components neck ring, anterior uprights, posterior uprights, outriggers and I pad with adjustable closure. Used in scoliosis for the correction of deformity due to idiopathic

cause,

congenital

cause,

neuromuscular. Child sizes

7,000/-

16.

ASH /CASH/JEWETT brace

Anterior

spinal

hyperextension

orthosis- jewett brace, CASH brace,

used in thoracic vertebrae fracture,

upper lumbar vertebrae fracture.

Used in potts spine, SCI.

Customized/prefabricated

from

Moulded

plastic

with

aluminum/

carbon

fiber

adjustable uprights.

6,500/-

-- p.40 --

40 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including

all

Taxes

(amount in Rs.)

17.

Soft cervical collar

Provides minimal immobilization of

the cervical region to offer relief

from neck pain.

Soft collars are made out of felt. They are cut

to mould around the neck and jaw of the

patient, the size being adjusted to the patient

700/-

18.

Semi rigid cervical collar

Recommended to prevent further

cervical

spine

injury

in

the

management of trauma patients.

Anatomically designed collar made from mid density polyurethane foam.

1,000/-

19.

Moulded

Cervical

collar

Ethaflex

Customized

MouldedEthaflex

orthosis. Used to immobilize, support upper and lower cervical area to control cervical spine movement.

Used after trauma to prevent SCI.

Customized from 6 mm Ethaflex sheet lined with Eva foam, encircle around neck with anterior chin support and posterior occipital support.

1,500/-

20.

Moulded

Cervical

collar

Polypropylene

Customized moulded polypropylene

orthosis. Used to immobilize, support upper and lower cervical area to control cervical spine movement.

Used after trauma to prevent SCI.

Customized from 3 mm PP sheet lined with Eva foam, encircle around neck with anterior chin support and posterior occipital support.

2,000/-

21.

Philadelphia /Miami Collar

Used

to

prevent

neck

flexion

(forward

movement),

extension

(backward movement) or rotation

(sideways movement) of the cervical spine.

A Philadelphia neck collar is a rigid, non-toxic hypo allergenic, latex-free foam collar that provides rigid plastic support in front

and behind your neck

3,200/-

22.

SOMI Brace

used to facilitate support and stability

in the case of neck and spine injuries

Three poster brace with mandibular and occipital support.

4,500/-

23.

Two poster Brace

Give better control of the head with

limitation of rotation

Adjustable,two vertical supports for the required

height

adjustment

to

achieve

medically appropriate (flexion, extension or neutral) cervical spine .

4,000/-

24.

Four Poster

Give better control of the head with

limitation of rotation

Adjustable, four vertical supports for the required

height

adjustment

to

achieve

medically appropriate (flexion, extension or

5,500/-

-- p.41 --

41 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including

all

Taxes

(amount in Rs.)

neutral) cervical spine.

25.

Under

Arm

Brace

Polypropelene

(Boston/Miami/nyoh/willingt

on) Adult

Custom molded thoracolumbosacral

brace. Used to correct scoliosis

deformity.

Posterior or anterior opening plastic molded

brace. Made out of 3 mm PP sheet lined with

soft Eva foam with corrective pad and strap.

With Velcro closure.

10,000/-

26.

Under

Arm

Brace

Polypropelene(Boston/Miami

/nyoh/willington) Child

Custom molded thoracolumbosacral

brace. Used to correct scoliosis

deformity.

Posterior or anterior opening plastic molded

brace. Made out of 3 mm PP sheet lined with

soft Eva foam with corrective pad and strap.

With Velcro closure.

8,000/-

27.

Torticollis

brace

(moulded,small, static)

Customized

or

prefabricated

moulded orthosis. Used to correct

torticollis deformity.

Static orthosis. Made out of 3mm PP sheets

with 2mm eva foam covering and Velcro

closure.

850/-

28.

Torticollis brace (moulded,

small, dynamic)

Customized

or

prefabricated

moulded orthosis. Used to correct

mild to severe torticollis deformity.

Static orthosis. Made out of 3mm PP sheets with 2mm eva foam covering and Velcro closure. Adjustable ,
1,850/-

(c)
PROSTHESIS

- i.
Lower Limb Prosthesis
- ii.
Upper Limb Prosthesis
- iii.
Silicone Prosthesis

-- p.42 --

42 of 99

- i.
Lower Limb Prosthesis

Sl.

No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Ethaflex filler with shoes

Used in digit amputations.

Ethaflex Customized

2,500/-

2.

Partial Foot Prosthesis (PP,
AFO design) with pair of shoe,
adult

Partial

foot

prostheses

include

several

different

levels

of

amputations, Chopart Amputations-

Lisfranc

amputations,

Transmetatarsal amputations (TMA),

Toe amputations.

Consists of customized anatomically suspended laminated/ Thermo- forming, socket with proximal trimmings depending on level of amputations with customized prosthetic foot.

Size- adult

6,900/-

3.

Partial Foot Prosthesis (PP, AFO design) with pair of shoe,

Child

Partial

foot

prostheses

include

several

different

levels

of

amputations, Chopart Amputations-

Lisfranc

amputations,

Transmetatarsal amputations (TMA),

Toe amputations.

Consists of customized anatomically suspended laminated/

Thermo-

forming,socket

with

proximal trimmings depending on level of amputations with customized prosthetic foot.

Size- Child

5,000/-

4.

Syme's Prosthesis with pair of

Shoe(ADULT)

Used in ankle disarticulation.

Consists of customized anatomically suspended laminated/ Thermo- forming,socket with SACH

foot, Size- adult , Laminated / Thermo- forming,

Customized

10,000/-

5.

Syme's Prosthesis with pair of

Shoe(Child size)

Used in ankle disarticulation.

Consists of customized anatomically suspended laminated/ Thermo- forming,socket with SACH

foot, Laminated / Thermo- forming, Customized

Size- Child

8,000/-

6.

Trans Tibial Prosthesis (Exo)

with custom made foot with

Pair of shoe

Laminated

/

Thermo-

forming,

Customized

Laminated / Thermo- forming, Customized

15,000/-

7.

Trans Tibial Prosthesis (Exo)

with SACH foot and pair of

Shoe

Used in patient with transtibial

prosthesis

Consists of laminated/ Thermo- forming, socket

with soft insert made out of eva foam, shin

piece, ankle block with SACH foot, socket

adaptor, suspension system with cosmetic

15,000/-

-- p.43 --

43 of 99

Sl.

No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

covers. Adult size

8.

Trans Tibial Prosthesis(Exo)

with SACH foot with soft

insert and pair of Shoe

Used in patient with transtibial

prosthesis

Consists of laminated/ Thermo- forming, socket

with soft insert made out of eva foam, shin

piece, ankle block with SACH foot, socket

adaptor, suspension system

15,000/-

9.

Extension)

Ortho-Prosthesis

(Exo) with SACH foot and

pair of Shoe, Child

Prosthesis for different congenital

anomalies like tibial deficiency,

fibular deficiency etc.

Consists of laminated// Thermo- forming, socket

with ankle block, sach foot and suspension

system.

15,000/-

10. (Extension)

Ortho-prosthesis

(Endo) with SACH foot and

pair of Shoe, Child

Prosthesis for different congenital

anomalies like tibial deficiency,

fibular deficiency etc.

Consists of laminated/ Thermo- forming, socket

with ankle block, sach foot and suspension

system.

15,000/-

11. Stubbies (Exo) (Bilateral)

Short

prosthesis

for

bilateral

transfemoral amputation.

Consists of Laminated / Thermo- forming, two

socket with rocker bottom end partconnected

with pelvic band and hip joint with each other

with strap closure at front.

15,000/-

ii.

Upper Limb Prosthesis

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

1.

Partial Hand Prosthesis with

cosmetic glove

Used in partial hand

amputations

Laminated / Thermo- forming, Customized

6,000/-

2.

Wrist Disarticulation Prosthesis
(Adult) with Mechanical Hand
and Cosmetic glove

Functional

body

powered

prosthesis

for

patient

with

transradial amputation.

Composed of Laminated / Thermo- forming
socket with mechanical terminal device and
cosmetic gloves, with figure 8 harness/ figure
9 harness /shoulder saddle harness system with
single control cable system. Adult size
10,000/-

-- p.44 --

44 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

3.

Wrist Disarticulation Prosthesis
(Child) with Mechanical Hand
and Cosmetic glove

Functional

body

powered

prosthesis

for

patient

with

transradial amputation.

Composed of Laminated / Thermo- forming
socket with mechanical terminal device and
cosmetic gloves, with figure 8 harness/ figure
9 harness /shoulder saddle harness system with
single control cable system. Child size
10,000/-

4.

Trans Radial Prosthesis with

Cosmetic hand Child

Laminated / Thermo- forming,

Customized

Composed of Laminated / Thermo- forming

socket with cosmetic I terminal device and

gloves

6,000/-

5.

Trans Radial Prosthesis with

Cosmetic hand Adult

Laminated / Thermo- forming,

Customized

Composed of Laminated / Thermo- forming

socket with cosmetic device and cosmetic

gloves

8,000/-

6.

Trans Radial prosthesis (Child)

with Mechanical

Hand and

Cosmetic glove

Functional

body

powered

prosthesis

for

patient

with

transradial amputation.

Composed of Laminated / Thermo- forming

socket with mechanical terminal device and

cosmetic gloves, with figure 8 harness/ figure

9 harness /shoulder saddle harness system with

single control cable system. Adult size

8,000/-

7.

Trans Radial prosthesis (Adult)

with Mechanical

Hand and

Cosmetic glove

Functional

body

powered

prosthesis

for

patient

with

transradial amputation.

Composed of Laminated / Thermo- forming

socket with mechanical terminal device and

cosmetic gloves, with figure 8 harness/ figure 9 harness /shoulder saddle harness system with single control cable system. Child size 10,000/-

8.

Elbow Disarticulation Prosthesis
(Child) with external Elbow
Joint with Mechanical Hand and
Cosmetic glove
Functional

body

powered

prosthesis for patient with elbow
disarticulation amputation.

Composed of resin -glass fiber laminated/
Thermo- forming socket with laminated
forearm shell connected with adult size
mechanical lock elbow unit with terminal
device and cosmetic gloves, with figure 8
harness/shoulder saddle harness system with
dual control cable system.

10,000/-

9.

Elbow Disarticulation Prosthesis
(Adult) with external Elbow
Joint with Mechanical Hand and
Cosmetic glove
Functional

body

powered

prosthesis for patient with elbow
disarticulation amputation.

Composed of resin -glass fiber laminated/
Thermo- forming socket with laminated
forearm shell connected with child size
mechanical lock elbow unit with terminal

15,000/-

-- p.45 --

45 of 99

Sl. No.

Item Name

Description

Specification

Maximum Price

including all

Taxes.

(amount in Rs.)

device and cosmetic gloves, with figure 8

harness/shoulder saddle harness system with dual control cable system.

10.

Trans

humeral

Prosthesis

(Child) with Passive Elbow and

Cosmetic glove

for patient with trans humeral amputation.

Composed of resin -glass fiber laminated/

Thermo- forming socket with laminated

forearm shell connected with child size and cosmetic gloves,

12,000/-

11.

Trans

humeral

Prosthesis

(Adult) with Passive Elbow and

Cosmetic glove

prosthesis for patient with trans humeral amputation.

Composed of resin -glass fiber laminated/

Thermo- forming socket with laminated

forearm shell connected with terminal device and cosmetic gloves,

14,000/-

12.

Trans

humeral

Prosthesis

(Child) with Mechanical Elbow,

Mechanical Hand and Cosmetic

glove

Functional

body

powered

prosthesis for patient with trans humeral amputation.

Composed of resin -glass fiber laminated

socket with laminated/ Thermo- forming,

forearm shell connected with child size

internal elbow unit with terminal device and cosmetic

gloves,

with

figure

8

harness/shoulder saddle harness system with

dual control cable system.

12,000/-

13.

Trans

humeral

Prosthesis

(Adult) with Mechanical Elbow,
Mechanical Hand and Cosmetic
glove

Functional

body

powered

prosthesis for patient with trans
humeral amputation.

Composed of resin -glass fiber laminated/
Thermo- forming, socket with laminated
forearm shell connected with adult size
internal elbow unit with mechanical terminal
device and cosmetic gloves, with figure 8
harness/shoulder saddle harness system with
dual control cable system.

15,000/-

-- p.46 --

46 of 99

iii.

Silicone Prosthesis

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Silicone Partial foot prosthesis

Custom made silicone
prosthesis .Used in partial foot
amputation

Customized from medical grade silicone material
with color matched with normal skin color, skin
friendly material, self-suspended or zipper.

15,000/-

2.

Silicone toe prosthesis each

Custom made silicone
prosthesis. Used in toe digits
amputation.

Customized from medical grade silicone material with color matched with normal skin color, skin friendly material, self-suspended or adhesive suspended.

4,500/-

3.

Silicone toe prosthesis with band

Custom made silicone

prosthesis. Used in two or more toe digits amputation.

Customized from medical grade silicone material with color matched with normal skin color, skin friendly material, self-suspended or adhesive suspended.

5,000/-

4.

Silicone great toe prosthesis with band

Custom made silicone

prosthesis. Used in great toe amputation.

Customized from medical grade silicone material with color matched with normal skin color, skin friendly material, self-suspended or adhesive suspended.

6,000/-

5.

Cosmetic Silicone Finger each

Custom made silicone

prosthesis. Used in digits' amputation.

Customized from medical grade silicone material with color matched with normal skin color, skin friendly material, self-suspended or adhesive suspended.

5,000/-

6.

Cosmetic Silicone Finger with Band

Custom made silicone

prosthesis. used in two or more digits' amputation.

Customized from medical grade silicone material

with color matched with normal skin color, skin friendly material, self-suspended or adhesive suspended.
5,500/-

-- p.47 --

47 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

7.

Silicone partial hand prosthesis

Custom

made

silicone

prosthesis. used in two or more

digits' amputation or partial

hand amputation victim.

Customized from medical grade silicone material

with color matched with normal skin color, skin

friendly material, self-suspended or adhesive

suspended.

14,000/-

(d) High End Prosthesis: The High-end Prosthesis will be provided by ALIMCO/NI/CRCs only.

i)

Lower Limb Prosthesis.

ii)

Upper Limb Prosthesis.

iii)

Silicone Prosthesis.

(i)

Lower Limb Prosthesis

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Trans Tibial Prosthesis (Exo)
with SACH foot and with thigh
corset & side bar with pair of
shoe

Used in patient with
transtibial prosthesis

Consists of laminated/ Thermo- forming, socket
with soft insert made out of eva foam, shin piece,
ankle block with SACH foot, socket adaptor,
thigh corset suspension system ,Adult size
20,000/-

2.

Trans Tibial Prosthesis(Endo)
with SACH + foot with Soft
Used

in
patient
with

transtibial prosthesis.

Consists of laminated/ Thermo- forming, socket
with soft insert made out of eva foam pylon,
20,000/-

-- p.48 --

48 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

insert and pair of Shoe

SACH foot with ankle adaptor, socket adaptor,
suspension system. Adult size,

3.

(Extension)

Ortho-Prosthesis

(Exo) with SACH foot and pair
of Shoe Adult

Prosthesis for different
congenital anomalies like
tibial deficiency, fibular
deficiency etc.

Consists of laminated// Thermo- forming, socket
with ankle block,sach foot and suspension system.
20,000/-

4.

(Extension)

Ortho-prosthesis

(Endo) with SACH foot and pair
of Shoe, Adult

Prosthesis for different
congenital anomalies like
tibial deficiency, fibular
deficiency etc.

Consists of laminated/ Thermo- forming, socket
with ankle block, sach foot and suspension system.
20,000/-

5.

Through Knee Prosthesis (Exo)
with external Knee joint with
SACH foot and pair of Shoe,
Adult

Exoskeleton prosthesis used
in through knee amputation.

Consists of laminated/ Thermo- forming, socket
with soft insert made out of Eva foam with
laminated hollow shin piece connected with
external Knee joint with prosthetics foot with
suspension system. Adult size
25,000/-

6.

Through Knee Prosthesis (Exo)
with external Knee joint with
SACH
foot
and
pair
of
Shoe, Child

Exoskeleton prosthesis used
in through knee amputation.

Consists of laminated/ Thermo- forming, socket
with soft insert made out of Eva foam with
laminated hollow shin piece connected with
external Knee joint with prosthetics foot with
suspension system. Adult size
20,000/-

7.

Through Knee Prosthesis (Endo)
with 4 bar Knee joint with
SACH + foot and pair of Shoe,
Adult

Endoskeleton prosthesis used
in through knee amputation.

Consists of laminated/ Thermo- forming, socket
with soft insert made out of Eva foam with four

bar linkage knee joint with aluminum/steel pylon,
with SACH foot and ankle adaptor with
suspension system.

36,000/-

8.

Through Knee Prosthesis (Endo)

with 4 bar Knee joint with

SACH + foot and pair of Shoe,

Child

Endoskeleton prosthesis used

in through knee amputation.

Consists of laminated/ Thermo- forming, socket

with soft insert made out of Eva foam with four

bar linkage knee joint with aluminum/steel

pylon, with SACH foot and ankle adaptor with

suspension system.

30,000/-

9.

Trans Femoral Prosthesis (Endo)

with 4 bar Knee joint with

Endoskeleton prosthesis used

in through knee amputation.

Consists of laminated/ Thermo- forming, socket

with soft insert made out of Eva foam with four

36,000/-

-- p.49 --

49 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

SACH + foot and pair of Shoe,

bar linkage knee joint with aluminum/steel

pylon, with SACH foot and ankle adaptor with

suspension system.

10.

Stubbies (Endo) (bilateral)

Short prosthesis for bilateral

transfemoral amputation

Consists of Laminated / Thermo- forming two

socket connected with socket adaptor, pylon,

SACH foot and hip joint with pelvic band with

strap at front.

30,000/-

11.

Hip Disarticulation Prosthesis
with prosthetic hip joint and 4
bar Knee joint with SACH foot
and pair of Shoe

Modular adjustable
prosthesis with both wooden
and metallic components.

Required in patient with
hemipelvectomy, hip
disarticulation cases.

Consists of Laminated / Thermo- forming socket
with soft insert made out of Eva foam with single
axis hip joint connected with wooden thigh piece
with

four

bar

linkage

knee

joint

with

aluminum/steel pylon, with SACH foot and ankle
adaptor with suspension system.

40,000/-

12.

Hemi pelvic Prosthesis with
prosthetic hip joint and 4 bar
Knee joint with SACH foot and
pair of Shoe

Modular adjustable
prosthesis with both wooden
and metallic components.

Required in patient with
hemipelvectomy, hip
disarticulation cases.

Consists of Laminated / Thermo- forming socket
with soft insert made out of Eva foam with single
axis hip joint connected with wooden thigh piece
with

four

bar

linkage

knee

joint

with

aluminum/steel pylon, with SACH foot and ankle
adaptor with suspension system.

40,000/-

ii. Upper Limb Prosthesis

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes

(amount in

Rs.).

1.

Shoulder

Disarticulation

Prosthesis (Child) with Passive

Elbow and Cosmetic glove

Functional body powered

prosthesis for patient with

shoulder disarticulation

Composed of resin glass fiber laminated/ Thermo-

forming, socket with laminated arm shell and

forearm shell along with passive elbow unit, and

20,000/-

-- p.50 --

50 of 99

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes

(amount in

Rs.).

amputation.

cosmetic gloves, with chest harness system. Child

2.

Shoulder

Disarticulation

Prosthesis

(Child)

with

Mechanical Elbow, Mechanical

Hand and Cosmetic glove

Functional body powered

prosthesis for patient with

shoulder disarticulation

amputation.

Composed of resin glass fiber laminated/ Thermo-

forming, socket with laminated arm shell and

forearm shell along with adult size universal prosthetics shoulder joint, Child size internal elbow unit, mechanical terminal device with cosmetic gloves, with chest harness system and dual control cable system.

25,000/-

3.

Shoulder

Disarticulation

Prosthesis (Adult) with Passive

Elbow and Cosmetic glove

Functional body powered

prosthesis for patient with

shoulder disarticulation

amputation.

Composed of resin glass fiber laminated/ Thermo-forming, socket with laminated arm shell and forearm shell along with passive elbow unit, and cosmetic gloves, with chest harness system. Child

25,000/-

4.

Shoulder

Disarticulation

Prosthesis

(Adult)

with

Mechanical Elbow, Mechanical

Hand and Cosmetic glove

Functional body powered

prosthesis for patient with

shoulder disarticulation

amputation.

Composed of resin glass fiber laminated/ Thermo-forming, socket with laminated arm shell and forearm shell along with adult size universal prosthetics shoulder joint, Adult size internal elbow unit, mechanical terminal device with cosmetic gloves, with chest harness system and dual control cable system.

30,000/-

5.

Trans radial prosthesis (Adult)

with Myo Electric Hand,

Cosmetic Glove

External powered prosthesis

for transradial amputation.

Laminated / Thermo- forming, Myo – electrode,

Customized with Myoelectric hand.

50,000/ -

iii. Silicone Prosthesis

Sl. No.

Item Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Cosmetic Glove

Custom

made

silicone

prosthesis. Used in partial

hand amputation due to

trauma or in acid attack

victim.

Customized from silicone material with color

matched with normal skin color, skin friendly

material, self-suspended or zipper.

18,500/-

2.

Cosmetic Glove with Filler

Custom made silicone

prosthesis. Used in partial

hand amputation due to

trauma or in acid attack

victim.

Customized from silicone material with color

matched with normal skin color, skin friendly

material, self-suspended or zipper.

22,000/-

2. Muscular Dystrophy: All items for muscular dystrophy are covered under Locomotor Disabilities except Prosthetic items.

3. Leprosy Cured Person: All items for Leprosy cured person are covered under Locomotor Disabilities alongwith the following additional items:

Sl No.

Items Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

1.

Silicone liners, heel

cup, finger, foot

Cover

Medical reusable full silicone cosmetic cover
based on the size and position of persons injured
front acid attack.

Made out of Medical reusable
silicone

6,000/-

2.

ADL kit

Kit consists of items for providing assistance for
daily living for leprosy affected /persons those
are having deformity/ disability of upper limb
includes one each:

Universal cuff

Nail cutting Device

2,600/-

-- p.52 --

52 of 99

SI No.

Items Name

Description

Specification

Maximum

Price including

all Taxes.

(amount in Rs.)

Soap Holder

Button Hook to facilitate buttoning

Zipper pull-hook with a ring at one
end.

Writing aid or adapted pen with
positioning splint

Rubber gloves

Insulated Scissors.

Insulated Tumbler or Adapted Glass
Holder

Wider Brim Plate

Long Handled Lever Tap

3.

Foot Care Unit

Foot care kit comprises of Flexi gel socks, Socks
Cushion sandal , Silicon insole, Insole with
pressure
points

designed
for
neuropathic,
Arthritis, foot pain , Diabetic, leprosy cured etc
Effective in reducing shock and impact of the
heel , Designed for superior cushioning and
comfort as compared to generic shoe insole
Provides even pressure distribution throughout
the foot.
Excellent shock absorption & energy return
Easy to clean and maintain
Insole with pressure points
Designed to relieve the local pressure at painful
region of the foot
Ideal for healing wound or ulceration
Removable pegs allow for individual adjustment
Sole base stabilizes the off-loading area, and
keep the remaining pegs in the place.

Made of light weight, breathable
and
stretchable
spandex
fabric
padded with soft sued foam for
comfort
Insole provide perfect cushion
Anti-skid PU sole
Velcro closure for more grip on mid
foot area
Flexi gel socks:
Double layer sock designed with gel
throughout the sole
Fluidlike properties of the gel help
massage and comfort the foot while
walking. Washable and reusable
Insole

3,520/-

-- p.53 --

53 of 99

4. Dwarfism :All items for Dwarfism are covered under Locomotor Disabilities along
with following additional items except Prosthetic items.

SL NO.

ITEMS NAME

DESCRIPTION

SPECIFICATION

Maximum
Price including
all Taxes.
(amount in Rs.)

1.
Adjustable
Chair

Chair for shower/bath/toilet and other ADL activities

Plastic-
Thermo/thermosetting,
Less than 2 kg, Non-skid
foot rest
2,000/-

2.

Reacher

Made e of high quality materials that are both durable and
light-weight. The jaws are coated with rubber to give a good
gripping surface to handle object in far distance. Very useful
in Kitchen and other Home environment

■

Pick up items from the floor/ground – telephone, wallet,
pills, pencil, coins, etc.

■

take items from, or place them on, shelves or into
drawers, pick up or place items from a distance away

■

open/close windows

■

take jackets, hats, scarves, etc. from the coat rack, roll
down/up roller blinds

■

pick up or grab from a distance a catheter or other aid.

Plastic-Aluminum

1. Less than 25 mm
diameter with
Resilience spring in
gripper
2. Length 70-80 cm
3. Weight less than
400 gm

1,000/-

-- p.54 --

54 of 99

5.Acid Attack Victim:

SL NO.

ITEMS NAME

DESCRIPTION
SPECIFICATION

Maximum Price
including

all

Taxes.

(amount in Rs.)

1.

Silicone

eye

lid

Medical reusable silicone

RTV silicone and Customized from medical grade

silicone material with color matched with normal skin

color hardness range of very soft to medium -

usually from 15 Shore A to 40 Shore

compressive strength= 10, Elastic limit= 2.4,

15,000/-

2.

Silicone

ear,

Silicone

cosmetic cover

Medical reusable silicone

RTV silicone and Customized from medical grade

silicone material with color matched with normal skin

color hardness range of very soft to medium -

usually from 15 Shore A to 40 Shore

compressive strength= 10, Elastic limit= 2.4,

8,000/-

3.

Silicone Face

Mask , nose

Full face facial prosthesis for

major acid burn injury to

augment cosmetic appearance

RTV silicone properties:



hardness range of very soft to medium - usually
from 15 Shore A to 40 Shore



compressive strength= 10, Elastic limit= 2.4,



fracture toughness= 0.03, Poisons ratio= 0.47-
0.49, tensile strength= 2.4, young's modulus=
13000-21000



esthetics,



ease of coloring,



easy manipulation, thin margins possible, and adhesive compatibility.



Bio inert



Oxygen permeability



High elongation (typically 600-1000%)



Radiation resistance



High permeability to gases
30,000/-

-- p.55 --

55 of 99



Electrically insulating



Optical clarity



Non-reactive

■ Thermally stable/ non-combustible

6. Cerebral Palsy: All items for Cerebral Palsy are covered under Locomotor Disabilities except Prosthetic items.

7. Speech and Hearing Disabilities:

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

FOR HEARING DISABILITY

1

HEARING AIDS (BTE) (PROGRAMMABLE)

i.

Category: Moderate (Type – II)

Rs.4500/-

(a) Maximum OSPL 90

125 dB (max.)

(b) HF Avg. OSPL 90

115.1 dB - 125 dB

(c) HF Avg. Full on Gain (at 50/60 dB input)

50 dB (min.)

(d) Frequency Range (At least Between)

200 Hz to 4000 Hz

(e) Total Harmonic Distortion:

$\leq 7\%$ at frequency 500, 800 & 1600 Hz at RTG position.

(f) Battery Current

≤ 2 mA

(g) Equivalent Input Noise Level

≤ 30 dB

(h) Induction Coil Sensitivity (min.)

75 dB

ii.

Category: Strong/Severe (Type – III)

Rs. 4500/-

-- p.56 --

56 of 99

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

(a) Maximum OSPL 90

135 dB (max.)

(b) HF Avg. OSPL 90

125.1 dB - 135 dB

(c) HF Avg. Full on Gain (at 50 dB input)

60 dB (min.)

(d) Frequency Range (At least Between)

200 Hz to 4000 Hz

(e) Total Harmonic Distortion:

$\leq 7\%$ at frequency 500, 800 & 1600 Hz at RTG position.

(f) Battery Current

≤ 2 mA

(g) Equivalent Input Noise Level
 ≤ 30 dB

(h) Induction Coil Sensitivity (min.)
75 dB

CONTROLS:

1. Channels Bands (min.)
8

2. Bands (min.)
4

3. User Program (min.)
4

iii.
Digitally Programmable BTE Hearing Aids: Category:
Extra Strong /Profound (Type – IV)

10,000/-

Testing as per IS 16127 : 2013 / IEC60118-7:2005

(a) Maximum OSPL 90
140 dB (max.)

(b) HF Avg. OSPL 90
130 dB - 140 dB

(c) HF Avg. Full on Gain (at 50 dB input)
70 dB (min.)

(d) Frequency Range (At least Between)
200 Hz to 4000 Hz

(e) Total Harmonic Distortion:
 $\leq 7\%$ at frequency 500, 800 & 1600 Hz at RTG
position.

(f) Battery Current

≤ 2 mA

(g) Equivalent Input Noise Level

≤ 30 dB

-- p.57 --

57 of 99

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

(h) Induction Coil Sensitivity (min.)

75 dB

CONTROLS:

1. Channels Bands (min.)

8

2. Bands (min.)

8

3. User Program (min.)

4

ACCESSORIES:

1. Ear Tips with Tubes

Three sets of Ear tip and tubes in different sizes with each BTE.

2. Battery

36 Non-Rechargeable Zinc – Air Button Cell with each BTE Hearing Aid.

3. User / Instruction Manual

In Hindi and English Language.

BTE shall be Bio-compatible As per Medical Device Rule (MDR -2017) as amended time to time

A.

2

HEARING AIDS (NON-PROGRAMMABLE)

Description

Specifications

ISI marked IS: 16127:2013

i.

Category: Mild (Type – I)

-- p.58 --

58 of 99

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

(a) Maximum OSPL 90

115 dB (max.)

Rs.4,500/-

(b) HF Avg. OSPL 90

105 dB - 114 dB

(c) HF Avg. Full on Gain (at 60 dB input)

40 dB (min.)

(d) Frequency Range (at least between)

200 Hz to 4500 Hz

(e) Total Harmonic Distortion

≤ 7% at frequency 500, 800 & 1600 Hz at RTG position.

(f) Battery Current

≤ 2 mA

(g) Equivalent Input Noise Level ≤ 30 dB

(h) Induction Coil Sensitivity:

75 dB (min.)

ii.

Category: Moderate

(Type – II)

Rs.4,500/-

(a) Maximum OSPL 90

125 dB (max.)

(b) HF Avg. OSPL 90

115 dB - 124 dB

(c) HF Avg. Full on Gain (at 50/60 dB input)

50 dB (min.)

(d) Frequency Range (At Least Between)

200 Hz to 4000 Hz

(e) Total Harmonic Distortion

$\leq 7\%$ at frequency 500, 800 & 1600 Hz at RTG

-- p.59 --

59 of 99

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

position.

(f) Battery Current

≤ 2 mA

(g) Equivalent Input Noise Level ≤ 30 dB

(h) Induction Coil Sensitivity:

75 dB (min.)

iii.

Category: Strong/Severe (Type – III)

(a) Maximum OSPL 90

135 dB (max.)

Rs.4,500/-

(b) HF Avg. OSPL 90

125 dB - 134 dB

(c) HF Avg. Full on Gain (at 50 dB input)

60 dB (min.)

(d) Frequency Range (At Least Between)

200 Hz to 4000 Hz

(e) Total Harmonic Distortion

≤ 7% at frequency 500, 800 & 1600 Hz at RTG position.

(f) Battery Current

≤ 2 mA

(g) Equivalent Input Noise Level ≤ 30 dB

(h) Induction Coil Sensitivity:

75 dB (min.)

Controls:

1. Volume Control

By switch or Rotary Type with appropriate marking

-- p.60 --

60 of 99

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

shall be provided.

2. ON / OFF

On / Off switch to apply power either through switch or the battery compartment cover/door.

3. Tone Control (N-H)

Tone control shall be provided either through trimmer or push button.

As per Medical Device Rule (MDR -2017) as amended time to time.

ACCESSORIES:

1. Ear Tips with Tubes

Three sets of Ear tip and tubes in different sizes with each BTE.

2. Battery

36 Non-Rechargeable Zinc – Air Button Cell with each BTE Hearing Aid.

3. User / Instruction Manual

In Hindi and English Language.

3.

Smart Phone

(For Students Class 10th pass and above once in Five Years)

1. RAM :- At least 6.0 GB

2. Connectivity :- 4G VOLTE or Higher

3. SIM :- Single SIM or more

4. Display:- At least 6.3 Inch

5. Display Quality :- HD or Above

6. Operating System:- Android 12.0 or higher

7. Internal memory:- At least 128 GB,

8. Internal + Expandable memory : Provision for expandable memory should be available.

Rs.12,000/-

-- p.61 --

61 of 99

Sl.

No.

Item Name

Specifications

Maximum Price

including all

Taxes.

(amount in Rs.)

9. Battery Capacity :- At least

5000 mAh Lithium-Ion/Lithium Polymer

10. Camera (Rear):- At least 13MP

11. Camera (Front) :- At least 8MP
 12. Must have GPS, Wi-Fi, USB-C & Bluetooth Connectivity.
 13. Charging USB Type C charger with charging cable and OTG
 14. Warranty Standard carry-in warranty for 12 months.
 15. Security update should be provided for at least 3 years through OTA mode.
 16. Smart Phone shall comply the Meity Govt. of India Order “ Electronics& Information technology Goods (Compulsory registration) Order, 2021” published in Gazette of India dated 18th March 2021 (Gazette ID: CG-DL-E-18032021-225996) and as amended from time to time.
 17. SAR Test report certificate must be submitted
- FOR SPEECH DISABILITY

IV.

ARTIFICIAL ELECTRO LARYNX

Frequency range 100-300 Hz Loudness 60-90dB

Rs. 10,000/-

-- p.62 --

62 of 99

8.Visual Impairment(Blindness& Low Vision)

Sl. No.

Item Name

Specification

Maximum Price

including all Taxes.

1.

Smart Cane for

Visually Impaired

■ Foldable Braille cane with an ultrasonic sensor arrangement inside ABS/PC housing attached to it which increases its usability.

■ Angle adjustment to be provided for the sensor.

■ Product should have at least two distinguished working ranges.

■ Must be available in three different sizes for need of users with different heights.

■ Assembled with Li-ion Rechargeable Cell/ Battery IS/ IEC Marked (IS 16046/IEC62133)

■ ISI Marked IS 13252 (Part 1) / IEC60950-1 Smart Phone Battery Charger with cable interface micro USB Type-B/ USB Type-C

Dimensions

Overall Length

Size - I : 1110 ± 30 mm

Size - II : 900 ± 30 mm

Size - III : 700 ± 30 mm

5,000/-

2.

IL Braille Slate

■ Improved version of Braille Slate with two plates made of ABS material with slots and dots and hinged together to accommodate A4 size page in between.

■ It provides for writing on A4-size page without re-aligning the stencils/dots again and again.

■ It provide user with the ability to write on both sides of the paper.

■ The stylus should have a perfect hemispheric indenting pin with a comfortable and beautifully contoured grip to give clear impression of dots on the paper.

Dimensions

Overall Length: 300 ± 15 mm

300/-

-- p.63 --

63 of 99

Sl. No.

Item Name

Specification

Maximum Price

including all Taxes.

Overall Width: 220 ± 15 mm

Min No. of line on each side : 16

3.

Smart Phone

(For Students

Class 10th and

above, once in

Five year)

1. RAM :- At least 6.0 GB

2. Connectivity :- 4G VOLTE or Higher

3. SIM :- Single SIM or more

4. Display:- At least 6. 3 Inch

5. Display Quality :- HD or Above

6. Operating System:- Android 12.0 or higher

7. Internal memory:- At least 128 GB,

8. Internal + Expandable memory : Provision for expandable memory should be available.

9. Battery Capacity :- At least 5000 mAh Lithium-Ion/Lithium Polymer

10. Camera (Rear):- At least 13MP
11. Camera (Front) :- At least 8MP
12. Must have GPS, Wi-Fi, USB-C & Bluetooth Connectivity.
13. Charging USB Type C charger with charging cable and OTG
14. Warranty Standard carry-in warranty for 12 months.
15. Security update should be provided for at least 3 years through OTA mode.
16. Smart Phone shall comply the Meity Govt. of India Order “ Electronics& Information technology Goods (Compulsory registration) Order, 2021” published in Gazette of India dated 18th March 2021 (Gazette ID: CG-DL-E-18032021-225996) and as amended from time to time.
17. SAR Test report certificate must be submitted

12,000/-

-- p.64 --

64 of 99

Sl. No.
Item Name
Specification
Maximum Price
including all Taxes.
4.
Visual Impaired
Kit(For Class
10th and above,
once in Five
years)

It consists of the following four items:

I.
Smart Phone with screen reading software and magnifier apps for person with blindness / low vision as per following specifications:

1. RAM :- At least 6.0 GB
2. Connectivity :- 4G VOLTE or Higher
3. SIM :- Single SIM or more
4. Display:- At least 6. 3 Inch
5. Display Quality :- HD or Above
6. Operating System:- Android 12.0 or higher

7. Internal memory:- At least 128 GB,
8. Internal + Expandable memory: Provision for expandable memory should be available.
9. Battery Capacity :- At least 5000 mAh Lithium-Ion/Lithium Polymer
10. Camera (Rear):- At least 13MP
11. Camera (Front) :- At least 8MP
12. Must have GPS, Wi-Fi, USB-C & Bluetooth Connectivity.
13. Charging USB Type C charger with charging cable and OTG

15,000/-

-- p.65 --

65 of 99

Sl. No.
Item Name
Specification
Maximum Price
including all Taxes.

14. Warranty Standard carry-in warranty for 12 months.
15. Security update should be provided for at least 3 years through OTA mode.
16. Smart Phone shall comply the Meity Govt. of India Order “ Electronics& Information technology Goods (Compulsory registration) Order, 2021” published in Gazette of India dated 18th March 2021 (Gazette ID: CG-DL-E-18032021-225996) and as amended from time to time.
17. SAR Test report certificate must be submitted

- II.
Cane For Visually Impaired as per ISI marked IS: 11646 (Part-2)
- III.
Bluetooth Neckband wireless in ear earphone with mic.
- IV.
Shoulder Bag big enough to accommodate above two items comfortably and should be provided with a sling belt.
5.
Braille Slate –
Type A,ISI

marked IS:11279

Braille slate made from ABS material with précised design. The stylus should have a perfect hemispheric indenting pin with a comfortable and beautifully contoured grip to give clear impression of dots on the paper. The board has provision for 9 sets of holes writing of 18 lines.

Special Features:-

- Light in weight(650 ± 20 gms)
- Made of ABS plastic
- Precision moulded components to allow interchangeability and easy replacement of parts.
- The Braille Slate to be fitted with hard board (3mm thick) at the back to provide additional stiffness and rigidity for easy writing on uneven surface.

450/-

6.

Cane For Visually

1. Fabricated from min 12mm diameter special aluminium alloy tube

500/-

-- p.66 --

66 of 99

Sl. No.

Item Name

Specification

Maximum Price

including all Taxes.

Impaired,ISI

marked IS: 11646

(Part-2)

having thickness 1.2mm approx. making the cane sturdy.

2. Flaring and tapering of links to ensure excellent fit and interchangeability.

3. Tip end is scientifically shaped and moulded from nylon material.

4. The elastic cord with diameter 3mm approx and min. 16 strands for longer life without causing any permanent set.

5. The hand grip moulded from natural rubber of non-marking quality designed to give good grip to the user.

6. The cane links to be powder coated to give excellent surface finish.

7.

Standard Universal

Braille Kit

The Braille kit for Blind People should comprise of comprehensive set of tools designed to aid visuallyimpaired children to learn basics of Braille Language and Geometry.

This kit is targeted for recommendation to school going Visually impaired children and schools imparting education to visually impaired

children.

The Kit consists of: -

1. Braille Slate A4 Size
 2. Saddle Stylus
 3. Taylor's Mathematical Frame
 4. Type Sets for Mathematical Frame
 5. Alphabet Trainer Plate-Hindi or Regional Language
 6. Alphabet trainer Plate-English Language
 7. Braille Cube
 8. Braille word forming block-five letter
 9. Geometry Set-Large
 - 10.
 - Tracer Wheel
 - 11.
 - Abacus
 - 12.
 - Braille Paper
 - 13.
 - User Manual- English & Hindi or Regional Language
 - 14.
 - Backpack
- 1700/-

-- p.67 --

67 of 99

Sl. No.

Item Name

Specification

Maximum Price

including all Taxes.

■ Materials used in kit like plastic/wood/paper/paper board/stainless steel etc. to be non-toxic as per ISI:9873 Part 3 and Part 9, wherever applicable.

■ Coating materials like paint/varnishes, lacquers, inks, polymer, etc. to be non-toxic as per ISI:9873 Part 3 & Part 9, wherever applicable.

8.

Braille Kit

It is a kit with the relevant products for visually impaired. Following items should be included in the kit:

1. Standard Universal Braille Kit
 2. Braille Slate – Type A, ISI marked IS:11279
 3. Cane For Visually Impaired, ISI marked IS: 11646 (Part-2)
 4. IL Braille Slate
- 2800/-

9.

Laptop

For the Students

Class Xth and
above, once in Ten
Years

- Intel Core i5 (12 Gen) or higher
 - RAM min 8GB or higher
 - SSD 512 or higher
 - Operating System Window 11 Professional or higher,
 - Fingerprint sensor enabled (optional)
 - Display size 15 inches or higher
 - Bluetooth 5.3
 - Wi-fi 6E
 - 3.5 audio jack
 - 3 USB 4.1 port
 - 1 HDMI port
 - Inbuilt graphic card
 - Battery Backup atleast 6 hours
- Carry case, 3 years warranty

30,000/-

-- p.68 --

68 of 99

Sl. No.

Item Name

Specification

Maximum Price

including all Taxes.

10.

Kit : Primary

Kit (Blind)

Class 1st to 5th

1. Interline Braille Slate(LARGE) with stylus
2. Taylor frame (LARGE) with arithmetic types (250 grams) with packing box
3. Abacus (Inclusive Design)
4. Drawing Board with 30 sheets
5. Two Plastic Braille scales in cms (small and large) (Inclusive Design)
6. Puzzles (Inclusive Design)
7. Peg Board (Inclusive Design)
8. Representation of 2D/3D objects related to their class subject
9. One adapted accessible board game with Dice
10. Auditory balls (2 in nos.)
11. Scrabble board (Inclusive Design)
12. Small white folding cane (Four folds with packing)
13. Talking wrist watch

14. Tactile Twisting Cube

15. Kit Bag

9500/-

11

Kit: Upper

Primary Kit

(Blind) Class

6th to 9th

1. Interline Braille Slate with stylus

2. Inter Point Braille Slate

3. Taylor frame(LARGE) with arithmetic types & Algebra types
(250 grams) with packing box

4. Tactile Geometry Kit with 20 raising sheets

5. Drawing Board with 30 raising sheets

6. Tactile Draught Board (Inclusive Design)

7. Tactile Chess Board (Inclusive Design)

8. One adapted accessible board game with Dice

9. Tactile diagram set for Science teaching

10. Pocket Frame (Seven Line)

11. Currency Identifier & Signature guide

12. Braille Wrist Watch

13. White Folding Cane (5 Folds)

9,850/-

-- p.69 --

69 of 99

Sl. No.

Item Name

Specification

Maximum Price

including all Taxes.

14. Measuring kit (measuring tape, Braille Scale Stainless Steel
6" & 12")

15. Auditory balls (2 in nos.)

16. Peg in Puzzle

17. Tactile Twisting Cube

18. Kit Bag

09.Intellectual Disability:

Sl.

No.

Kit Type

Age Group

No. of Item

Maximum Price

including all Taxes.

1

Kit- 1 (Early Intervention
Group) (Code: EI) (including
Bag)

0-3 Years

21

6150/-

2

Kit- 2 (Early Intervention
Group) (Code: PP) (including
Bag)

3-6 Years

24

6800/-

3

Kit- 3 (Early Intervention
Group) (Code: PR)
(including Bag)

7-11 Years

22

7150/-

4

Kit- 4 (Secondary &
Prevocational) (Code:
SEC/PV) (including Bag)

12-15 Years & 16-

18 Years

22

9350/-

Note:- Bags for Kit-1, Kit-2, Kit-3, Kit-4 should have different colour for each type of kit for easy identification. No Chinese products will be accepted. All the items supplied in the kit should be non-toxic.

-- p.70 --

70 of 99

Kit- 1 Age Group 0 – 3 years: Early Intervention group (Code: EI)

Item code

Item Description

Units

Specifications (Material to be used)

EI-1

Rattle 3 types

3 types

Rattle 3 pieces:

Rattle-1 – Wooden rattle which is not brittle or breaks easily (Colour :
Red/Blue). Total length 8 inches or above

Rattle-2 - Wooden rattle (with stem 2 inches long or above). Rattle-3 –
Wooden rattle with curved rim for holding.

Should be packed in good quality Ziplock cover /cloth cover.

Rattle preferably with sealed head containing beads / bells inside, so that when the rattle is shaken the sound of the beads / bells inside can be heard loudly.

EI-2

Teethers

1 piece

Teether:

Non – toxic (washable) plastic (which is not brittle or breaks easily) and safe to mouth, with rounded edges so that the child does not hurt gums, tongue, palate or lips. Edges should be smooth enough to avoid hurting the child. Filling may be fruit substance which will be harmless even if swallowed. The shape of the teether preferably must be in round or oblong shape with Size: 2 inches diameter or above

From a reputed manufacturer with ISI standards. No Chinese products to be supplied.

EI-3

ADL Kits (4 Types)

4Types

ADL Kit:

Stainless steel glass with 4" length or above and diameter of 2" or above with thick gauge with rim bending outwards to prevent spilling of water and facilitating child with secured holding with lips and should have handle for Glass for holding.

A tea spoon head to be with blunt edge to prevent cutting gums or tongue. Edge of the spoon should be smooth to avoid hurting the child, Length of the spoon with the handle should be age appropriate. Tea spoon with wooden handle to aid easy handgrip with thickness-25mm and 5" total length (2.5" for wooden and 2.5" for spoon or above

Non-Toxic Plastic Sip-in cup with two sided handles having the capacity of storing 220ml water/liquid

-- p.71 --

71 of 99

Item code

Item Description

Units

Specifications (Material to be used)

Should be packed in good quality Ziplock cover /non-woven cover

EI-4

Palm grip

(4 types)

4

pouches

4 pouches with different textures.

Pouch 1 – Size 5" x 5" or above.

Denim cloth pouch filled with sand, sealed on all four sides. " Pouch 2 – Size 5" x 5 or above".

Jute cloth pouch filled with tamarind seeds, sealed on all four sides. "

Pouch 3 – Size 5" x 5' or above'.

Satin cloth pouch filled with sponge, sealed on all four sides. " Pouch 4 – Size 5" x 5' or above'.

Poplin cloth material pouch filled with small bells tamarind seeds, sealed on all four sides. Above two pouches will have Velcro stitched on one flat side

Should be packed in good quality Ziplock cover /non-woven cover

EI-5

Drum

1 drum with

2

sticks

A Drum with plastic or wooden rim, with rounded edges. Two wooden or plastic stick. The drum should be light weight and non-breakable.

Size – 50 cm circumference or above Thickness – 70 mm or above, Size of stick: Min 150mm Length AND Min. 10mm Diameter

No Chinese products to be supplied.

Should be packed in good quality Ziplock cover /non-woven cover

EI-6

Sensory footsteps

3 mats

3 rectangular pads connected with cloth strip appended. Size 7 .5" X 6" or above for each pad with 3 different texture. Thickness 3mm (foam mat)

Should be packed in good quality Ziplock cover /non-woven cover Pad 1 – with rubber scrubber. Size 7 .5" X 6"

Pad 2 – with rough felt surface. Size 7 .5" X 6"

Pad 3– with soft velvet surface. Size 7 .5" X 6"

EI-7

Crib Toy

1 piece

Crib Toy:

A non - toxic plastic (washable) toy of good quality with a hook on top with bunch of bright colored plastic hangings suspended freely, secured with a string to prevent them from falling, and when the toy is rotated, the plastic hangings can rotate with the head of the toy. The total length of the toy must be 3 inches or above long having Min 1mm Wall Thickness.

-- p.72 --

72 of 99

Item code

Item Description

Units

Specifications (Material to be used)

EI-8

Squeaking Toys (3

Types)

3 types

Squeaking Toys:

A non toxic (washable) rubber toy in shape of animals, fruit, bird or vehicles with hollow inside. Under the toy a whistle to be fixed so that when the toy is squeezed and air escapes from whistle it makes squeaking noise.

Height - 2 inches or above Width – 1.5 inches or above, Min. Wall thickness 1mm.

Should be packed in good quality Ziplock cover /non-woven cover.

EI-9

Pyramid Rings

1

Pyramid pillar
with 9 rings of
different color

Pyramid Rings:

A non toxic (washable) plastic toy,

9 non toxic (washable) plastic rings graded in different sizes (from largest size at the bottom and the smallest size on top)

Size Largest Ring Circumference – 48 cm Thickness – 3 cm or more

The other rings from 2 to 8 numbers will gradually decrease proportionately and 9th ring i.e.

Smallest ring size Circumference - 27 cm Thickness – 2 cm or more

Should be packed in good quality Ziplock cover /non-woven cover

EI-10

Soft Ball

1 Piece

Soft Ball:

Felt cloth (bright color with combination of Red & Yellow with polka dots)

ball of medium size Size : 24 cms or above circumference with

sponge/foam filling, with bells inserted inside, so that sound can be heard when the ball is rolled or thrown.

Should be packed in good quality Ziplock cover /non-woven cover

EI-11

Wooden Blocks

(6no's)

6 pieces

Wooden cubes (6 nos) with smooth finish and light weight of 1" width and length with pictures of Animals, Fruits, Vehicles, Vegetables in 01 wooden cube on all six sides and colors in 02 wooden cubes in all six sides wherein the colors in 02 wooden cubes should be printed in the same manner.

Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

EI-12

Pull Toy

1 piece

Wooden toy with wheels (such as toy car / wooden animal with wheels)

connected with a string (length of 2 ft with sturdy and thick rope / nylon

Item code

Item Description

Units

Specifications (Material to be used)

string) for easy pulling (as shown in the visual).

Size - 3"x3" or above of wooden toy and 2' or above the length of rope.

Should be packed in good quality Ziplock cover /non-woven cover

EI-13

Sensory Mat

6 cloth blocks

for stimulation

Cloth mat with material with 6 rectangular blocks for stimulation.

The base of the cloth should be in bright colors like Dark blue, Red, Green.

The cloth of the material should be in cotton on the top and foam inside

Size 20" X 16.5 " or above Thickness 9mm (foam mat).

Should be packed in good quality Ziplock cover /non-woven cover Block 1

– jute and rubber scrubber surface for tactile stimulation. Block 2 – with zip for pincer grasp.

Block 3 – with 2 broad Horizontal Velcro fasteners for fine motor co-ordination.

Block 4 – with string of 5 plastic beads fixed in diagonal direction across the block for fine motor co-ordination.

Block 5 – with bright colored cloth (fast colors) piping stitched across the block with a gap of 1 inch each. For visual stimulation (Background cloth – Cream with rough surface cloth.

Piping stitched colours – Yellow, Blue Red, Green and Orange).

Block 6 – 3 cotton ropes suspended from top of block and brass bells hung on the lower end of ropes. Bells must be secured well to prevent them from falling out. To provide a small pouch on lower end of block to insert the hanging rope with bells. For fine motor co-ordination.

EI-14

Stimulation Toys (3

no's)

3no's

3 varieties of toys for easy holding in palm with radius of 3.5 cm in tubular/ cubical / oval

/sphere in shape:

Smiley Soft Ball.

Ball with light emitting.

-- p.74 --

Item code

Item Description

Units

Specifications (Material to be used)

Ball with spikes & sound emitting. Size : 20 cm Circumference Should be packed in good quality Ziplock cover /non-woven cover

EI-15

Nesting Cups (1 set)

6 cups graded in sizes

A set of 6 graded or above plastic cups between the diameter of 1 to 3 inches from smallest to biggest size graded.

The cups can be in square or round shapes too

The cups must be in non –toxic (washable) and non breakable plastic material with bright contrasting colors which do not repeat across the set of 6 cups

EI-16

Any soft Toys (3no's)

3no's

A set of 3 soft toys stuffed with cotton / sponge / foam / cut pieces of cloth with secured lining of thick felt / satin / casement cloth:

Durable soft foam to be used

A soft puppet shaped as animal

A soft puppet shaped as human figure

A snake shaped long soft toy with length of 2 ft long with tapering thickness from head to tail

Size -2 inches to half inch or above

Should be packed in good quality Ziplock cover /non-woven cover

EI-17

Musical Book

1 piece

A handy plastic toy with pressing buttons to teach A-Z letters with word mode & Spell mode and numbers (1-10).

When the button is pressed with tactile sensor effect sounds of alphabets and numbers are made.

Features piano sound.

The toy must be battery operated

The book should not have any health hazards for children between age group of 0-3years as per the label.

-- p.75 --

75 of 99

Item code

Item Description

Units

Specifications (Material to be used)

Screw driver may be included for fixing the battery Make in India and

Good branded quality No Chinese products to be supplied.

EI-18

Squeaky Shoes

1 pair

A pair of baby shoes appropriate for children between age group 1 ½ to 3 years.

The baby shoes must contain a whistle under the heel portion of the shoe, that makes squeaky sounds when the baby takes steps.

The whistle must be embedded in sole under the heel of the shoe. Standard size or above.

Should be packed in good quality Ziplock cover /non-woven cover

EI-19

NIEPID Book-RAPID 1

publication

NIEPID library publication (publication sl.no.74) available in NIEPID

Library. The specifications are given below :

Size – 1/8 demy

Quality

Inner Pages – 80 GSM Maplitho Papers Cover Page – 220 GSM Art Card

Total No. of Inner pages – 160 pages having 198 Pictures in single color

with text Total No. of Cover pages – Cover pages – 04 pages (02 inner side Blank+02 outer side with multi color)

The agency should supply appropriate language publication as per the state to which it is

being supplied or as per the directions of competent authority.

EI-20

Kit Bag

Rain/water proof duffle bag designed to hold all 20 items in Kit-4 specified above must fit into the bag. The bag must have Zip for fastening so that items are enclosed securely. Bag shall have a trolley with sturdy wheels to move from one place to another.

-- p.76 --

76 of 99

Item code

Item Description

Units

Specifications (Material to be used)

The bag should also have an additional zip with pocket for keeping the manuals.

The zip should be of good quality. The handle must be strong enough to hold the items while moving.

The bag should be printed on the side with kit type and NIEPID Institutes name & address. In the final packing, the bag should be covered with thick plastic cover and each bag should be put in 5 ply corrugated box size appropriate to each bag. Over the corrugated box the Kit number should be clearly written with Institutes name and address.

EI-21

User Manual

Manual with laminated cover page, content page listing title of kit material, and inside pages giving brief description of itemwise of materials and colored picture against each kit material (Maximum 3 items in colored pictures in one page). All the pages must be laminated.

Dimension of Book – 210 x 297mm (A4 size).

-- p.77 --

77 of 99

Kit- 2 Age Group 3-6 years Pre Primary group (Code: PP)

Item code

Item Description

Units

Specifications (Material to be used)

PP-1

Number picture tray

Wooden set

puzzle with 10

toes and 2soles

shaped puzzle

(01 Set)

Soft wooden plank in square shape (8½" x 10" or above).

Puzzle with 2 foot shaped figures with puzzle pieces of 10 toes (numbered from left to right with serial number 1 to 5 on left foot. From left to right with serial number 6 to 10 on toes of right foot, as shown in the picture).

2 foot shaped soles as shown in the picture.

The color of foot must be in contrast with puzzle pieces for toes (Toes in Yellow and Foot in Blue). Provide separate knobs for foot and each toes.

The wooden plank will also display another set of serial numbers from 1 to 5 vertically next to left foot and 6 to 10 next to right foot, painted vertically as shown in the picture.

Should be packed in good quality Ziplock cover /non-woven cover

PP-2

Building blocks

30 plastic
/ wooden
building blocks
(01 Set)

Plastic / wooden blocks with 30 fixo – blocks facility so that the blocks can be fixed with each other by assembling, to make a meaningful shapes like house / bridge / crane / bus. The blocks may be ranging in shapes of tubular, rectangular, square, rod or round shapes. The sizes of the blocks can range from ½" to 2" length and ½" width.

Care is to be taken to use non – toxic plastic / non – toxic paints (washable) in bright colors.

The manual should be mandatory so that the children will see the picture and make the blocks.

No Chinese products to be supplied.

PP-3

Abacus Slate

1 No.

(01 Set)

A wooden/plastic frame having dimension of 26 cm x 21cm and thickness 1.5 cm.

One side of the frame contains black slate and the other side is having abacus with colourful beads from 1 to 10 numbers made of good quality and durable non-toxic and unbreakable material. The abacus slate may also consist of a duster and chalks.Or

First half of the frame will consist of black slate (non breakable and non – toxic (washable)). Slate pencil with duster may be included.

A second half consists of rods embedded securely into the side frame (on 2

-- p.78 --

78 of 99

Item code

Item Description

Units

Specifications (Material to be used)

ends as in the picture) with beads (6 bright contrasting colors) of good quality and durable.

No Chinese products to be supplied.

Should be packed in good quality Ziplock cover /non-woven cover

PP-4

Fine Motor Skill Mat

6 pockets with

provision for 6

different fine

motor

operations

(01 Set)

The base of the cloth should be in bright colors like Dark blue, Red, Green.

The cloth of the material should be in cotton on the top and foam inside. 2

ft / 1½, divided into 6 segments of rectangular shape. Thickness – 10mm
Should be packed in good quality Ziplock cover /non-woven cover
Each segment is cushioned with sponge / foam / layers of soft cloth inside
and sealed with piping cloth with contrast color:
First segment consisting of velcro strips to hold pieces of velcro lined with
bright colored edges and placed at 10 cm from each other (T-Shirt, Pant,
Frock, Middi). 02 items should be Velcro and 02 items with push buttons.
b. A triangular shaped printed cloth with zip in the centre stitched
vertically.

A joker faced appliqué figure with facial portrait and bow
(bright colored satin ribbon) at the neck. The bow must
facilitate opening and tying activity.
Cloth flaps stitched from edges on two sides with hook facility
on inside of 1 flap and eye of the hook of the other flap
corresponding with respective hook. A sequence of 6 hooks
and corresponding eye stitched in vertical order.
A cloth block with 3 rope strands suspended with small brass
/ steel bells (securely fastened or stitched so that bells do not
fall apart, risking children mouthing them accidentally). This
facility helps to shake the bells with hand for making sound.
A cloth segment stitched with shirt buttons in on inside of
one flap and eye of the button on inside of opposite flap on.
Provision for four buttons and four eyes corresponding
stitched in vertical sequence. Precaution to be taken for using

-- p.79 --

79 of 99

Item code

Item Description

Units

Specifications (Material to be used)

coat button and stitching large button eye for easy handling
by children.

PP-5

Peg Board

1 No.

(01 Set)

A rectangular soft wood base with 12 embedded holes of ½ inch deep
corresponding holes (1 row – 6 holes and 2nd row – 6 holes), to fix soft and
light wooden pegs with ½ inch thickness and
3 inch length made of non-toxic wooden (washable) material. Wooden pegs
should be in Red, Blue, Green, Yellow, Orange, White Colour (2 each)
Total Size of peg boards – 10 ½ x 3 inch or more The pegs should be
properly fitted to the holes.

Should be packed in good quality Ziplock cover /non-woven cover

PP-6

Dolls (2 nos – Male1
&Female1)
1 Set
(01 Set)

2 Good non-toxic plastic doll plastic / rubber dolls having shapes of 1
female and 1 male figure
(3/4 ft each) Having Min. wall thickness 1.5mm
These dolls should have hands and legs (with hairs in black).
Good quality from a reputed manufacturer company with Good standard
and durability
No Chinese products to be supplied.
Should be packed in good quality Ziplock cover /non-woven cover

PP-7

Beads

Set of 20 large
tubular beads
with thick nylon
strings.

(01 Set)

20 Nos - 1" or more dia (medium size) and 0.8" or more (small size). The
beads should be in cylinder/sphere shape Bright colored non- toxic
(washable) colored plastic beads of small and medium size with 10 bright
colors in each size like Red/blue/Yellow/Green and 05 each, stringed in a
thick nylon string of 2 ½ ft length.

Should be packed in good quality poly propylene transparent plastic box
having thickness of 1 mm or above.

PP-8

Raised Shape Tray

4 shapes (01
Set)

Soft wooden plank non-toxic (washable material) with spaces to fit 4 soft
wood in shapes of circle, square, triangle and rectangle in space

-- p.80 --

80 of 99

Item code

Item Description

Units

Specifications (Material to be used)

corresponding on the plank in single piece (The shapes to be in single piece
only) Size- 8 " X 2" or above

Puzzles- 1 inch to 1 ½ inch or above Hollow – ½" and raised ½" or above

Should be packed in good quality Ziplock cover /non-woven cover

PP-9

Picture Sets

(Everyday objects)

Laminated 10

water proof

pictures (01 Set)

10 post-card size picture prints of laminated non tearable flash cards with pictures of common objects like Ice-cream (Cup Ice Cream), Chair, Plate& Spoon, Almirah, Table, Fan, Cot & Bed with pillow, TV, Glass, Mobile.

Background of the pictures should be in white. All picture should resemble as per actual

Should be packed in good quality Ziplock cover /non-woven cover

.

PP-10

Blowing Toys (4 nos)

4 Nos

4 types of non-toxic (washable) plastic and bright colored blowing toys.

Flute-8"

Blowing bubble toy- 8" Trumpet - 14" Small size whistle Should be packed in good quality Ziplock cover /non-woven cover

PP-11

Coloring books with

Crayons

1 No

(01 Set)

Coloring book with minimum 40 sheets having coloured picture and blank picture for colouring A4 size book with crayon set big size having 12 shades.

The pictures should be starting from simple to complex for e.g. single colour, double colour and follows in the sequence.

Should be packed in good quality Ziplock cover /non-woven cover

PP-12

Puzzles

4 piece puzzles

of fruits

4 soft wooden pieces of fruit (Mango, Apple, Banana, Orange) puzzles colored with non-toxic paints, with corresponding shaped in sets on a plank of soft wood. Unpeeled banana should be given in the puzzle. The puzzles must be painted in colors natural to fruits / vegetables with provision for knobs to lift the pieces and place. The wooden board should be with white background with fruit written on top as heading with one button for removing fruit. Wooden board- 10"X10" Thickness-10mm

Should be packed in good quality Ziplock cover /non-woven cover

PP-13

Count and match

Nos. from 1 to

10 with

2 sets of 10 Soft wooden blocks in each set with numbers "1 – 10" printed on one half of the blocks.

Item code

Item Description

Units

Specifications (Material to be used)

corresponding

number of

objects with

each number

Pictures of objects in corresponding numbers on other half of the block of second set of wooden blocks.

Both blocks of wooden plank must have corresponding outline in curved or zigzag shape on inner edge so that the paired blocks can be arranged to fix the puzzle by pairing number with corresponding number of objects.

Size 4"x4".

Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

PP-14

Sensory books (2nos)

2 sensory

stimulation

books / kits for

Sound & Touch

n feel books)

2 types of sensory stimulation books having sound & touch n feel books made of thick card board. Size of the sound book is 22cm (L) x 18 cm (W) x 1 cm thickness or more. Sound book may produce sound of relevant object printed on the book.

Touch n feel book shall have some pictures with different fabric and other materials to feel the tactile stimulation. Book size minimum

L-22cm (L) x 18 cm (W) x 1 cm thickness or more thickness. The audio rhymes and stories should be culturally appropriate. No Chinese products to be supplied.

Should be packed in good quality Ziplock cover /non-woven cover

PP-15

LKG books (2 no)

2 books

Work books for nursery level with content on common items in regular use and objects used in daily use .

Ex: Common objects in household, vegetables, fruits, vehicles, animals /birds, numbers etc

English reader LKG- 74 pages with pictures and text in multi color English workbook-96 pages with pictures and text in multi color Size

:A4 size (W-21cm, H-28 cm)

PP-16

Hand Puppet

2 No.

Hand puppet with characters from common stories resembling popular familiar animals (e.g cat, dog, monkey, duck, hen, rabbit). The colour

-- p.82 --

82 of 99

Item code

Item Description

Units

Specifications (Material to be used)

should match the character (e.g rabbit in white)

Size: 10"X9 ½" each or above

Should be packed in good quality Ziplock cover /non-woven cover

PP-17

Magic Slate

1 No.

A plastic frame with dimension of as 30 cm x 21 cm or above. slate (non breakable and non – toxic plastic surface).

A pencil shaped stencil to draw lines or scribble on slate. When stencil is used for scribbling by applying pressure on slate it makes impressions that are visible, but when a button on the side of slate is pressed the impressions on slate are erased, making the slate ready for re-use or writing again.

This slate is easy to use and prevents need for wiping and drying the slate.

Smooth finishing and of good quality and availability from a reputed manufacturer.

No Chinese products to be supplied.

Should be packed in good quality Ziplock cover /non-woven cover

PP-18

Alphabet Cubes

26 pieces

Wooden cubes (26 no) with smooth finish and light weight of 1 inch width and length with capital alphabets printed on the cube with corresponding picture on other side of the same cube.

Size – 1 inch or above

The cube should be printed with one side capital alphabets and other side small alphabets and corresponding 4 sides with common familiar pictures (like A- Apple, Ant, Axe & Aeroplane)

Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

PP-19

Lacing Shoes

1 Pair of Shoe

shaped soles

Pair of shoes shaped sole in soft wood with holes along the shoe edge.

Pair of shoe laces in white color.

Size of shoe shaped sole- 6"X3" or above String- 2 ft
Should be indicated with L& R words at back and dot on side of right shoe
to identify right side

-- p.83 --

83 of 99

Item code

Item Description

Units

Specifications (Material to be used)

Should be packed in good quality Ziplock cover /non-woven cover

PP-20

Nesting Cups

6 cups graded

insizes

A set of 6 graded or above plastic cups between the diameter of 1 to 3
inches from smallest to biggest size graded.

The cups can be in square or round shapes too.

The cups must be in non –toxic (washable) and non breakable plastic
material with bright contrasting colors which do not repeat across the set of
6 cups.

PP-21

Face Puzzle

Face puzzle

The image of the face should be intact. Knob should be placed for removing
parts of the face like head, ears, eyes, nose and mouth.

Hair should be black in color to resemble human figure Dimension:

10"X10"

Should be packed in good quality Ziplock cover /non-woven cover

PP-22

NIEPID book –

Towards

Independence series

(All 10books in one
booklet)

Enhancing Gross

Motor skills

Fine Motor Skills

Feeding on their own

Toilet Training

Teaching Brushing

Skills

We can Dress

Ourselves

Train your Child to

Bathe

Teaching Grooming

Skills

1 Booklet

- NIEPID

publications for

primary

curriculum

listed in NIEPID

publication

catalogue

NIEPID (publication sl.no.10 to 19) available in English language The specifications are given below for 1-9 books

Size – 1/8 demy Quality

Inner Pages – 170 GSM Art Papers 23" x 36" Cover Page – 350 GSM Art Card 22" x 28"

Total No. of Inner pages – 172 pages with multi color having 454 pictures with text in multi color

Total No. of Cover pages – Cover pages – 04 pages(02 inner side Blank+02 outer side with multi color)

All the books from 1 to 9 combined together are to be wire binded.

10. Manual for Towards Independence series Inner Pages – 80 GSM Maplitho Papers 23" x 36" Cover Page – 300 GSM Art Card 22" x 28"

Total No. of Inner pages – 48 pages with single color only text

Total No. of Cover pages – Cover pages – 04 pages(02 inner side Blank+02 outer side with multi color)

The agency should supply appropriate language books as per the state to which it is being supplied or as per the directions of competent authority.

-- p.84 --

84 of 99

Item code

Item Description

Units

Specifications (Material to be used)

Teaching Basic Social

Skills

Manual for Towards

Independence Series

PP-23

Kit Bag

Rain/water proof duffle bag designed to hold all 20 items in Kit-4 specified above must fit into the bag. The bag must have Zip for fastening so that items are enclosed securely. Bag shall have a trolley with sturdy wheels to move from one place to another.

The bag should also have an additional zip with pocket for keeping the manuals.

The zip should be of good quality. The handle must be strong enough to hold the items while moving.

The bag should be printed on the side with kit type and NIEPID Institutes name & address.

In the final packing, the bag should be covered with thick plastic cover and each bag should be put in 5 ply corrugated box size appropriate to each bag. Over the corrugated box the Kit number should be clearly written with Institutes name and address.

PP-24

User Manual

Manual with laminated cover page, content page listing title of kit material, and inside pages giving brief description of item wise of materials and colored picture against each kit material (Maximum 3 items in colored pictures in one page).

All the pages must be laminated.

Dimension of Book – 210 x 297mm (A4 size).

-- p.85 --

85 of 99

Kit- 3 Age Group 7-11 years: Primary group (Code: PR)

Item code

Item Description

Units

Specifications (Material to be used)

PR-1

Picture Puzzle

1 Set

8 vegetable puzzles on a soft wooden board plank. Vegetables selected can represent common vegetables like, brinjal, onion, tomato, potato, carrot, Lady's Finger, cauliflower and cabbage,. The colour of vegetables printed on the board should represent the actual/Natural colour.

Size: 14" x 9" , Thickness 8mm (min)

02 vegetable to be added bitter and bottle guard Should be packed in good quality Ziplock cover /non-woven cover

PR-2

Slate & Abacus

1 No.

A wooden/plastic frame having dimension of 26 cm x 21cm and thickness 1.5 cm.

One side of the frame contains black slate and the other side is having abacus with colourful beads from 1 to 10 numbers made of good quality and durable non-toxic and unbreakable material. The abacus slate may also consist of a duster and chalks.

Or

First half of the frame will consist of black slate (non breakable and non – toxic (washable)). Slate pencil with duster may be included.

A second half consists of rods embedded securely into the side frame (on 2 ends) with beads (6 bright contrasting colors) of good quality and durable.

No Chinese product to be supplied

Should be packed in good quality Ziplock cover /non-woven cover

PR-3

Pictures & Word

Cards

10 Nos

Laminated 10 non tearable water proof picture cards with corresponding words printed

on cards (Wake-up, Brush, Toileting, Bathing, Dressing, Eating, Prayer, reading, Playing, Sleeping). The Velcro should be pasted on the bottom of the picture card. 02 additional 4' length and 2" or above width Velcro strip for pasting pictures sequence wise.

Picture Card size:8"X6" or above Word cards size: 3.5"X1.5" or above

Should be packed in good quality Ziplock cover /non-woven cover

-- p.86 --

86 of 99

Item code

Item Description

Units

Specifications (Material to be used)

PR-4

Assembling Kit

1 set

Kit containing different parts of house / vehicle / animal with simple harmless hand tools and nut and bolts for easy assembling of any one of the figures

No Chinese products to be supplied

PR-5

Number Cards

1 Set

2 sets of wooden single digit numbers from serial number (0 to 9), plus four types of symbol (+, -, x, =) cards. Edges/corners of the cards should be smooth enough to avoid hurting the child. This set should also include number "0".

Size: 2"X2"

Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

PR-6

Adapted Daily Living

Items

3 types of

dailyuse items

3 types of daily use items:

Adapted towel: A bath towel with Velcro attached at both the ends to fix tight to teach privacy concept. The cloth of the towel should be soft cotton.

Size – 70cms x 140 cms

Toothbrush – Good Quality medium size with bells tied at the bottom

Glass - Stainless steel glass with 4" length and diameter of 2" or above with thick gauge with rim bending outwards to prevent spilling of water and facilitating child with secured holding with lips.

Should be packed in good quality Ziplock cover /non-woven cover

PR-7

Pound Toys

1 Set

A wooden bench with provision of 6 pegs and a hammer.

(Each peg when hammered into the hole of ½" circumference will slide into the hole but does not slip down below the bench.) Pound Toy: 5"X7.7"

Hammer size : 3"x6"

Bench surface Thickness:15mm

Peg Size : ½" tubular shape with 2" length

Should be packed in good quality Ziplock cover /non-woven cover

PR-8

Jigsaw Puzzle

02 Nos

02 wooden puzzles with one having names of 7 week days and one having 12 months names printed and arranged sequentially. (When the puzzle pieces are assembled in sequence in correspondence with weekdays and

-- p.87 --

87 of 99

Item code

Item Description

Units

Specifications (Material to be used)

months sequentially, the assembled puzzle resembles a figure of a joker/bus/Train etc)

Board size : 8" x 12" or above

Should be packed in good quality Ziplock cover /non-woven cover.

PR-9

Telling Time Kit

1 set

Wooden clock with movable hands for hours (longer hand) and minutes(shorter hand) and rubber stamps in shape of clock dial in 3 types of shapes round, square and oval). Also provide one small stamp pad for putting the impression of clock shape rubber stamps. The color of the clock needle should be different from the base colour.

Wooden clock circular shape with circumference-9 or above " Rubber stamps – 2" sides in square shape, 2" in oval shape and 2"circumference in round shape.

Wooden stand for mounting the clock-4" circumference X 1"

thicknessWorksheet-9 sheets of A4 size with set of 3 sheets for each shape (3 sheets with round shaped dails, 3 sheets with square shaped dails, 3 sheets with oval shaped dails).

The work sheet should be in booklet form so that the papers does not fold
Should be packed in good quality Ziplock cover /non-woven cover

PR-10

Count and Match

2 sets of wooden

tablets with Nos.

and dominoes

2 Sets of wooden planks Numbers 1 to 10 number in numeric in otherside
in word from one to ten

Size of the shoe shaped sole:7.5"X3"

Should be packed in good quality Ziplock cover /non-woven cover

PR-11

Puzzle – Body parts

A wooden

puzzle with

human figure

A wooden puzzle with human figure with detachable body parts with knobs
on top to pull and fix. The knobs should be placed at the corners or any
other placed of the part.

Size:14"X9" or above, Thickness: 8mm (min)

Should be packed in good quality Ziplock cover /non-woven cover

-- p.88 --

88 of 99

Item code

Item Description

Units

Specifications (Material to be used)

PR-12

Alphabet Worm

Wooden

puzzle with

worm shape

Wooden puzzle in shape of worm with detachable parts (approximately 20
pieces)

Each piece of puzzle must be painted in bright contrast colors and show
alphabets from a to z in sequential order when assembled

Board Size: 18"X8" or above, Thickness: 8mm (min)

Should be packed in good quality Ziplock cover /non-woven cover

PR-13

Functional

Literacy Workbook

Language

workbook

A guide book to introduce language skills among children in a sequenced manner.

Book must have simple exercises for practice.

Content: Alphabet writing practice book consisting of small letters to practice tracing and writing.

Size: 27X18 cm

Pages: Inner 56 pages with pictures and text in multi color. Outer 04pages with multi color

PR-14

Functional Numerical

Workbook

Numeracy

workbook (1 to

50)

A Guide Book to introduce number skills in a sequenced manner, with simple exercise for practice

Content: To practice numbers from 1-50 along with pictures. Size: 27X18 cm

Pages: Inner 56 pages with pictures and text in multi color. Outer 04pages with multi color

PR-15

UKG Level Books

02 Nos

Language books are used for additional practice at home to learn basic concepts of language and numbers at UKG level. Content: Number book consisting of numbers from 1-100 Pages: Inner 32 pages with pictures and text in multi color. Outer 04pages with multi color

Size: 28X22 cm

Content: Language book to promote reading. Consists of 7 stories (Known story books like Panchatantra/ Tenali Rama, etc. may be given as story books).

Pages: Inner 40 pages with pictures and text in multi color. Outer 04pages with multi color

Size: 24X18.5cm

PR-16

Class 1 Book

02 Nos

NCERT books for Class 1

-- p.89 --

89 of 99

Item code

Item Description

Units

Specifications (Material to be used)

Maths and English subjects should be provided.

Math text book (Math Magic) English text book (Marigold) NCERT text book (Rain drop)

PR-17

Magic Slate

1 No - A

plastic frame

with slate that

shows

impressions

when

scribbled with

stencil

A plastic frame with dimension of as 30 cm x 21 cm or above. slate (non breakable and non – toxic plastic surface).

A pencil shaped stencil to draw lines or scribble on slate. When stencil is used for scribbling by applying pressure on slate it makes impressions that are visible, but when a button on the side of slate is pressed the impressions on slate are erased, making the slate ready for re- use or writing again.

This slate is easy to use and prevents need for wiping and drying the slate.

Smooth finishing and of good quality and availability from a reputed manufacturer.

No Chinese products to be supplied.

Should be packed in good quality Ziplock cover /non-woven cover

PR-18

Coloring Books

with Crayon

As available

in the market

Coloring book with minimum 40 sheets having coloured picture and blank picture for colouring

A4 size book with crayon set big size having 12 shades.

The pictures should be starting from simple to complex for e.g. single colour, double colour and follows in the sequence which should not repeat with kit-2(PP-11)

Should be packed in good quality Ziplock cover /non-woven cover

PR-19

Beads

20

plastic colorful

large beads

20 Nos - 1" or more dia (medium size) and 0.8" or more (small size). The

beads should be in cylinder/sphere shape Bright colored non-

toxic(washable) colored plastic beads of small and medium size with 10

bright colors in each size like Red/blue/Yellow/Green and 05 each, stringed in a thick nylon string of 2 ½ ft length.

Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

-- p.90 --

90 of 99

Item code

Item Description

Units

Specifications (Material to be used)

PR-20

NIEPID Publications

Set of 6 NIEPID

publications for

primary

curriculum as

listed in NIEPID

publication

catalogue

NIEPID Publications available in NIEPID Library :

(a) Teaching Functional Academics for Students with Mental Retardation

Size – ¼ Crown,

Inner 152 pages having 85 pictures with text in single color, Cover pages

– 04 pages(02 inner side Blank+02 outer side with multi color)

(b) Functional literacy flipcharts (1-4)

Poly Propylene (PP) Stand (for flip chart) size open 16" x 17". Trump Card

Matt finish 11 sheets of trump card open size 16" x 5.25" with front multi

colour and back single colour with wire-o-binding and five half cuttings.

Functional literacy workbooks (1-3) Size – ¼ demmy. Animals : Inner 80

pages having Pictures 258 with text in single color and pictures 10 with text

in multi color, Cover pages – 04 pages(02 inner side Blank+02 outer side

with multi color)

Fruits : Inner 96 pages having Pictures 305 with text in single color and

picture 01 with text in multi color with single color, Cover pages – 04

pages(02 inner side Blank+02 outer side with multi color)

Vegetables : Inner 80 pages having Pictures 351 with text in single color

and picture 01 with multi color, Cover pages – 04 pages(02 inner side

Blank+02 outer side with multi color)

Functional Numeracy workbook Size – ¼ demmy

Inner 136 pages having Pictures 458 with text in single color and picture 01

with multi color, Cover pages – 04 pages(02 inner side Blank+02 outer side

with multi color)

– Towards Independent Series

(Detailed specifications as per PP-22 given above in category 3-6 years)

– Play Fun "n" Learn Size – ¼ crown,

Inner 108 pages with single color having 296 pictures with text in single

-- p.91 --

91 of 99

Item code

Item Description

Units

Specifications (Material to be used)

color and 12 pictures in multi color,

Cover pages – 04 pages(02 inner side Blank+02 outer side with multi color)

Quality

Inner Pages – 80 GSM Maplitho Papers

Cover Page – 220 GSM Art Card

The agency should supply appropriate language books as per the state to which it is being supplied or as per the directions of competent authority.

PR-21

Kit Bag

Rain/water proof duffle bag designed to hold all 20 items in Kit- 4 specified above must fit into the bag. The bag must have Zip for fastening so that items are enclosed securely. Bag shall have a trolley with sturdy wheels to move from one place to another.

The bag should also have an additional zip with pocket for keeping them annuals.

The zip should be of good quality. The handle must be strong enough to hold the items while moving.

The bag should be printed on the side with kit type and NIEPID Institutes name & address.

In the final packing, the bag should be covered with thick plastic cover and each bag should be put in 5 ply corrugated box size appropriate to each bag. Over the corrugated box the Kit number should be clearly written with Institutes name and address.

PR-22

User Manual

Manual with laminated cover page, content page listing title of kit material, and inside pages giving brief description of item wise of materials and colored picture against each kit material (Maximum 3 items in colored pictures in one page). All the pages must be laminated.

Dimension of Book – 210 x 297mm (A4 size).

-- p.92 --

92 of 99

Kit 4 Age Group 12 – 15 & 16 – 18 years

Secondary & Pre-Vocational (Code: SEC/PV)

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

SEC/ PV-1

Community helpers

1 Set

Laminated Post Card size 15 non tearable water proof picture flash cards containing pictures of Indian people who help us all in community we live in with corresponding word card:

Picture of Doctor

Picture of Teacher

Picture of a Police Man

Picture of Bus Conductor

Picture of an Fireman

Picture of a Postman

Picture of Driver

H. Picture of Sweeper

Picture of Watch Man

Picture of Traffic police

Picture of Nurse

Picture of Tailor M Picture of Farmer

Picture of Milkman

Picture of Plumber, Electrician, Carpenter

Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-2

Wooden Block of

Alphabets

16 wooden

blocks with 4

alphabets on

each block

16 Soft Wooden Blocks (non-toxic printed/painted) light weight with English alphabets painted on 4 sides of the blocks, with picture and name of object printed/painted on diagonal ends, where first letter in spelling starts with corresponding alphabet on the block.

Size of each block : 1 ½" x 1 ½" on all six sides Each block should have single alphabet Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

-- p.93 --

93 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

SEC/ PV-3

Needle Work kit

Set of Needle

work

A needle work kit with:

Set of three or more needles with varying length of needle and sizes of needle eye from big, smaller and average size

The kit also contains white thread reel, thread reels of three colours like

green, red and yellow.

Handkerchief size white poplin cloth, with 2 light coloured poplin pieces additionally can be added for stitching practice. Size – 15"x12"

Provision of a small scissors, stitch remover, measuring tape, pencil, 6inch ruler and 6 safety pins.

Block Printing Colour with Red Ink Pad

Wooden Log with Impression of a flower on the top for stamping on the cloth. Size – Total Height – 5 ½" and Impression on top – 3".

The impression of flower should be embossed the design of the

Flower which should be extended from the base for getting design size 2 mm

SEC/ PV-4

Duplicate Currency

Set of dummy

money in notes

and coins

Set of dummy money in notes and coins as per the current usage

Set of three dummy note currency in denominations of Rs. 2,000/- ,Rs.500/- , Rs 200, Rs. 100/-, Rs. 50/-, Rs.20/-, Rs. 10/-

Set of three dummy coin currency in denominations of Rs. 1/- , Rs.2/-, Rs. 5/- & Rs. 10/- .

All should resemble the original currency used for easy learning. Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-5

General Knowledge

Flashcards

Laminated

Water proof

picture cards for

10 objects for

training

occupational

skills

Laminated 10 non tearable water proof post card size picture flash cards for common objects for training occupational skills like gardening, cooking,

serving,

ironing,

laundry,

packing,

cycling,

carpentry

etc

with

corresponding word cards. Edges and corners of the cards should be smooth to avoid hurting the children. Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-6

Alphabets – Words

Wooden Cubes (8)

8 Soft wood

wooden cubes

The wooden blocks may be made as per details given below

8 soft and light weight wooden blocks non toxic with English lower case

-- p.94 --

94 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

with capital and

small letters on

four sides

painted/printed on four sides of the block. The blend of letters on the blocks

are so printed (eg 'app', 'le', 'cyc', 'bott', 'bo', 'ok', 'ro', 'ad',

'tab', 'pick', 'temp', 'co', 'ho', 'be', 'he', 'bre' and so on) that by joining 2

blocks a familiar word can be made.

Size – 1" x 1 "on each side

Should be packed in good quality poly propylene transparent plastic box

having thickness of 1 mm or above.

SEC/ PV-7

Fitting and

Assembling Kit (170

pc)

Kit containing different parts of animal / items of daily use / vehicles etc

with simple harmless hand tools and nut and bolts for assembling of the

figures (Kit should contain parts to assemble minimum 05 figures).

No chinese product to be supplied

SEC/ PV-8

Number Tiles (25 pc)

2 sets of Soft

wood Number

Tiles and maths

symbols

Number tiles "0 to 9", symbols of "+, -, x, =, ÷"

2 sets of Soft wood number tiles and maths symbols tiles printed in black

with single digit numbers & four types of maths computational symbol

cards. Soft wooden peg board with holes for holding wooden sticks/rods for inserting number tiles.

Size of peg board – Square shape of 30 cms on all sides Size of tile –

1.8"x1.8"Peg Size – 4"

Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-9

On India Puzzle

India map

puzzle showing

states in India

with tourist

spots

Soft wood Puzzle of Indian Map showing Indian States with capitals and famous tourist spots. It should be updated with all recent states & Union territories

Size : 15"x12"

Knobs to be added on top to pull & fix. The knob can fix at any corner. Should be packed in good quality Ziplock cover /non-woven cover SEC/ PV-

10

Measuring sets (tape and cups – 8 nos)

Measurement

tools for

materials like

measuring

liquid, volume

or mass/

Set of 8 tools to measure:

Measuring tape for length of 20 ft.

Measuring cans for 1, $\frac{1}{2}$ & $\frac{1}{4}$ litre of liquid like milk, water etc. with handles and adaption of marking.

Digital Weighing scale measuring volumes upto 5 Kg capacity. The weighing scale should be of reputed manufacturing company with package

-- p.95 --

95 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

length/height of

object / length

of distance

box for easy handling.

Height Measuring Scale Tape Measure Stature Meter 200cms/78inch/2M Wall Mounted.

No. of items is reduced to 6 Nos due to replacing weighing balance with Digital weighing scale.

Should be packed in good quality Ziplock cover /non-woven cover SEC/ PV-

11

Story Book

Pictorial Books

with common

stories

Common stories with morale to learn as in Panchatantra and other popular

children story books for being read aloud (Story should have more pictures and less text).

Repetition will help them to identify sight words and understand the matter. Minimum 07 stories should be given. It can be in the form of 01book containing 07 stories or multiple books.

Size of the Book : 10"x7"

Inner pages : Minimum number of pages for 07 stories should be 80 -100 pages both sides with pictures and text in multi color Outer Cover : 04 pages for single book with multi color with pictures and for multiple books as per the quantity.

Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-

12

India General

Jai hind game, A

set of picture

Cards of tourist

spots

(10) and

corresponding

Word Cards

(10),

Post card size non tearable water proof picture flash cards of tourist places in India with corresponding word card.

Picture cards, could be used for playing a game by identifying as in quiz game:

Names of the places should not be printed on the front side of the cards.

Size of the Picture card : 6"x4.2" or above

Size of word card : 3.25"x1.6" or above

Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-

13

Mobile Phone

1 No. Basic

Model

Store Important numbers including yours in the basic mobile phone, so that you can reach them when they are out people can also reach you from this phone in case of any emergency, let them use the mobile several times at

-- p.96 --

96 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

home till they are familiar with IT before letting them go out with IT Alone

the mobile should have provision of Sim Card slot, Memory card slot, 2MP

Camera, MP3/MP4 Player, Bluetooth, FM Radio, Flash Torch. The mobile should be of branded quality, should specify the brand to be quoted no Chinese product should be supplied.

SEC/ PV-

14

Calculator

1 No.

Basic model

This simple calculator helps them while shopping to give and collect the right change. Also helps them to make basic calculations for other requirements. Let them practice at home before using independently. Which should be of reputed manufacturing company with good quality and durability (No Chinese product)

Size : 5.25"x4.75"or above "

No Chinese product to be supplied

Specify the brand to be quoted :

SEC/ PV-

15

Digital Watch

1 No.

Basic model

A digital branded watch helps them to tell time more easily than one with hands on it – therefore give them sufficient practice with the play clock and the task them to tell time on the digital watch after wearing on wrist. The watch should be water proof, should have LED display for clear visibility of time during night. The digital sports watch should be of good quality, waterproof and with LED display placed in a watch box. The watch should be of reputed manufacturing company. Specify the brand to be quoted :

Size : Standard

No Chinese product to be supplied

Size: Standard

Should specify the brand to be quoted

SEC/ PV-

16

Number Cubes

5 Soft wood

Cubes for

Number game

5 Soft Wooden Blocks (non-toxic printed/painted) light weight with painted/printed on 4 sides of the blocks,.

with no. printed on four sides from serial no. 1 to 10

Set of wooden cards printed with mathematical symbols (+, -, /, x) Size of the cube on each side :1 ½"x1 ½" or above

Size of the card : 1 ½"x1 ½" or above

-- p.97 --

97 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

Should be packed in good quality poly propylene transparent plastic box having thickness of 1 mm or above.

SEC/ PV-

17

Multiplication Tactile

Board, Pocket

multiplier, Worksheet,

Pen and duster

Pocket Braille

Kit

Use touch and feel wooden board to learn multiplication tables in quick manner, even for children with low vision.

The manufacturers must refer to standards specified by National Institute for Visually Handicapped, Dehradun for Pocket Braille Kit

Size of the Tactile Board : 14"x8" or above Size of Pocket multiplier :10"x2.5"

Size of Duster including sponge :2"x1 ½"Size of worksheet : 12"x8.5"

Should be packed in good quality Ziplock cover /non-woven cover

SEC/ PV-

18

Class 2 Books

02 Nos

Text books from

class 2nd

NCERT Books for Class 2

Maths and English subjects should be provided

Textbook in English (Marigold) Textbook in Mathematics (Math Magic)

Should be packed in good quality Zip lock cover /non-woven cover

SEC/ PV-

19

Class 3 Books

02 Nos

Text books from

class 3rd

NCERT Books for Class 3

Maths and English subjects should be provided

Textbook in English (Marigold) Textbook in Mathematics (Math Magic)

Should be packed in good quality Zip lock cover /non-woven cover

SEC/ PV-

20

NIEPID Publications

Set of 4 NIEPID
publications for
primary
curriculum as
listed in NIEPID
publication
catalogue

NIEPID Publications available in NIEPID Library :

(a) Teaching Functional Academics for Students with Mental Retardation
Size – ¼ Crown,

Inner 152 pages having 85 pictures with text in single color, Cover pages
– 04 pages(02 inner side Blank+02 outer side with multi color)

(b) Functional literacy workbooks (1-3)Size – ¼ demmy Animals : Inner 80
pages having Pictures 258 with text in single color and pictures 10 with text
in multi color, Cover pages – 04 pages (02 inner side Blank+02 outer side

-- p.98 --

98 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)
with multi color)

Fruits : Inner 96 pages having Pictures 305 with text in single color and
picture 01 with text in multi color with single color, Cover pages
– 04 pages (02 inner side Blank+02 outer side with multi color) Vegetables
: Inner 80 pages having Pictures 351 with text in single color and picture 01
with multi color, Cover pages – 04 pages (02 inner side Blank+02 outer
side with multi color)

Functional Numeracy workbooks Size – ¼ demmy

Inner 136 pages having Pictures 458 with text in single color and picture01
with multi color, Cover pages – 04 pages (02 inner side Blank+02 outer
side with multi color)

– Play Fun “n” Learn Size – ¼ crown,

Inner 108 pages with single color having 296 pictures with text in single
color and 12 pictures in multi color,

Cover pages – 04 pages(02 inner side Blank+02 outer side with multicolor)

Quality

Inner Pages – 80 GSM Maplitho Papers Cover Page – 220 GSM Art Card

The agency should supply appropriate language books as per the state to
which it is being supplied or as per the directions of competent authority.

SEC/ PV-

21

Kit Bag

Rain/water proof duffle bag designed to hold all 20 items in Kit-4 specified
above must fit into the bag. The bag must have Zip for fastening so that
items are enclosed securely. Bag shall have a trolley with sturdy wheels to
move from one place to another.

The bag should also have an additional zip with pocket for keeping the manuals.

The zip should be of good quality. The handle must be strong enough to hold the items while moving.

The bag should be printed on the side with kit type and NIEPID Institutes name & address.

-- p.99 --

99 of 99

Item code

Illustrative Pictures

Units

Specifications (Material to be used)

In the final packing, the bag should be covered with thick plastic cover and each bag should be put in 5 ply corrugated box size appropriate to each bag. Over the corrugated box the Kit number should be clearly written with Institutes name and address.

SEC/ PV-

22

User Manual

Manual with laminated cover page, content page listing title of kit material, and inside pages giving brief description of item wise of materials and colored picture against each kit material (Maximum 3 items in colored pictures in one page). All the pages must be laminated.
Dimension of Book – 210 x 297mm (A4 size).

10. Chronic Neurological Conditions/ Multiple Sclerosis: All items for Chronic Neurological Conditions are covered under Locomotor Disabilities except Prosthetic items.

11. Parkinson's Disease: All items for Parkinson's Disease are covered under Locomotor Disabilities except Prosthetic items, Active folding wheel chair, Tricycles, Motorized wheel chairs, Motorized Tricycle, CP Chair, Corner Chair.

12. Multiple Disabilities: In case multiple disability, the items will be provided as per the individual disability based on the above list.

-- p.100 --

100 of 99

13. Deaf blindness:

Sl.

No.

Name of Appliance
Technical Specification
Maximum Price
including all Taxes.

01

REFRESHABLE BRAILLE
DISPLAY
(Class 6TH and above)

Braille Display
20 cells with 06 Dots
25,000/-
Key Board Type Braille Keyboard
Cursor Key
4-way control keys
Ports
USB, Micro USB, SD Card Slot, Charging slot
Interface
USB v2.0, Bluetooth smart v4.2, SD card up to
32 GB
Language
Multi-language
Supported file
formats
.TXT, .BRF, .BRL
Screen Readers

NVDA 2017.2 + Android Braille Back 0.95.1 +
ios11+, Voiceover MacOS High Sierra+: Voice
over windows 7+;
Battery
12 Hours battery Life; 1 hour to charge (Adapter
as required)
Electrical
Parameters
Charging 12V/2A Charger AC socket; AC 100-
240V, 50-60Hz,1.0A
Certification
CE, FCC, IC
Warranty
One Year is mandatory.
Additional one year with payment.
Supplied with
Carrying case, Charger, SD card 32 GB (User
Manual), USB cord, Convertor USB to Micro
USB, Quick navigation guide in Braille with a
Printed copy

-- p.101 --

Sl.

No.

Name of Appliance

Technical Specification

Maximum Price

including all Taxes.

2.

Smart Phone

(For Students Class 10th

and above once in Five

Years)

1. RAM :- At least 6.0 GB

2. Connectivity :- 4G VOLTE or Higher

3. SIM :- Single SIM or more

4. Display:- At least 6. 3 Inch

5. Display Quality :- HD or Above

6. Operating System:- Android 12.0 or higher

7. Internal memory:- At least 128 GB,

8. Internal + Expandable memory : Provision for expandable memory should be available.

9. Battery Capacity :- At least 5000 mAh

Lithium-Ion/Lithium Polymer

10. Camera (Rear):- At least 13MP

11. Camera (Front) :- At least 8MP

12. Must have GPS, Wi-Fi, USB-C & Bluetooth Connectivity.

13. Charging USB Type C charger with charging cable and OTG

14. Warranty Standard carry-in warranty for 12 months.

15. Security update should be provided for at least 3 years through OTA mode.

16. Smart Phone shall comply the Meity Govt. of India Order “ Electronics& Information technology Goods (Compulsory registration) Order, 2021” published in Gazette of India dated 18th March 2021 (Gazette ID: CG-DL-E-18032021-225996) and as amended from time to time.

17. SAR Test report certificate must be submitted

12,000/-

R9.2 -- DEPwD Procedures / Guidelines archive (index)

Source: DEPwD | URL: <https://depwd.gov.in/procedures-guidelines-archive/>

-- p.1 --

Procedures / Guidelines Archive | Department of Empowerment of Persons with Disabilities (DEPwD) | India

Procedures / Guidelines Archive

Procedures / Guidelines Archive

Title

Date

View / Download

Revised Scheme of Assistance to Persons with Disabilities to Purchase /fitting of Aids/appliances with effect from 01.04.2024

10/07/2024

Accessible Version :

View

(1 MB)

Inclusion of Smartphone/Tablet under the ADIP Scheme for Persons with Hearing Impairment date

22.03.2.24

22/03/2024

Accessible Version :

View

(469 KB)

Mandatory requirement of UDID Card for availing benefits under ADIP Scheme dated 15.03.2024

15/03/2024

Accessible Version :

View

(366 KB)

Maintaining record of beneficiaries against utilization of GIA to IAs dated 20.4.2023

31/03/2024

Accessible Version :

View

(391 KB)

Mobile order for Visually Impaired dated 20.7.2023

20/07/2023

Accessible Version :

View

(77 KB)

Revision in name of the scheme dated 26.07.2023

26/07/2023

Accessible Version :

View

(465 KB)

Inclusion of aids & assistive devices for distribution under ADIP Scheme in respect of disabilities included in the RPwD Act, 2016. dated 13.06.2023

13/06/2023

Accessible Version :

View

(2 MB)

Scheme of Assistance to Disabled Persons for Purchase/Fitting of Aids/Appliances (ADIP SCHEME)

applicable w.e.f 01.04.2022 (old scheme)

01/04/2022

Accessible Version :

[View](#)

(1 MB)

R9.3 -- DALM Project (Accessible Learning Materials, SIPDA)

Source: DEPwD | URL:

<https://cdnbbsr.s3waas.gov.in/s3e58aea67b01fa747687f038dfde066f6/uploads/2024/01/20240726146360045.pdf>

-- p.1 --

Page 1 of 16

GUIDELINES
ON
PROJECT ON FINANCIAL SUPPORT FOR
DEVELOPMENT OF ACCESSIBLE LEARNING
MATERIALS

UNDER SCHEME FOR IMPLEMENTATION OF
PERSONS WITH DISABILITIES ACT (SIPDA)

applicable w.e.f. 01.07.2024

1. BACKGROUND

Education is fundamental for achieving full human potential. Further, providing universal access to quality education is the key to India's continued ascent, and leadership on the global stage in terms of economic growth, social justice and equality, scientific advancement, national integration, and cultural preservation (NEP, 2020). So, Education plays an important role in the life of an individual whether he is from any group in society. It holds the same importance for students with visual disabilities.

According to the Census 2011, there were about 2.68 crore persons with disabilities in India, constituting 2.21% of the total population in the country. The following are the figures related to the population of school and college students with visual impairment:

Age Group

Male

Female

Total

5-9

1,91,404

1,67,714

3,59,118

10-19

4,21,447

3,52,587

7,74,034

20-29

1,55,987

79,448

2,35,435

Total

7,68,838

5,99,749

13,68,587

As per Government of India's latest Unique Disability ID(UDID) data(as on 11.06.2024), there are 12,91,470 Persons with Visual Impairment, out of which 5,33,978 are below the age of 35 years and would be considered as School/College going students.

Students with visual disabilities are an umbrella group that represents low

vision and blindness. The Rights for Persons with Disabilities (RPWD) Act, 2016 indicates "low-vision" as a distinct category of disability. Students with blindness are majorly dependent on Braille books and resources. Whereas, students with low vision have the potential to use their residual vision in the planning and execution of the assigned tasks.

Most of the organizations and special schools for students with visual disabilities are striving for providing different accessible formats for making them access to different textbooks and learning contents. Braille Books, Tactile Diagrams. Large Print Books, Talking Books (Narrated Voice), and E-Pub are popular formats that are being used to provide accessible material for students with visual disabilities.

The mandate of the Constitution is to ensure equality, freedom, justice, and

-- p.3 --

Page 3 of 16

dignity of all individuals, which implies an inclusive society for all, especially the disadvantaged. Article 16 (Fundamental Rights) of the Constitution of India has given direction about the right of equality.

The Central Government enacted the Rights of Persons with Disabilities (RPWD) Act, 2016 which is the basic legislation that deals with the rights and empowerment of Persons with Disabilities (PwDs). Section 31 (1) of Chapter VI (Free Education for Children with Benchmark Disabilities) of the Act, inter-alia, provides every child with benchmark disability between the age of 06 to 18 years with the right to free education in a neighbourhood school, or in a special school of his choice. The Act, vide Section 31(2) further emphasizes that the appropriate Government and local authorities shall ensure that every child with benchmark disability has access to free education in an appropriate environment till he attains the age of 18 years.

Section 17(f) and (g) of Chapter III (Education) further provide enabling provisions for promotion of augmentative means of communication (including Braille) and also for providing books and other learning materials and appropriate assistive devices to students with benchmark disabilities free of cost up to the age of 18 years.

Accordingly, the Central Sector Scheme of "Support for Establishment/ Modernization/Capacity Augmentation of Braille Presses" was started in the year 2014-15 to provide the Braille material and literature to the school-going visually impaired children in India. Till 2023-24 financial assistance has been provided to 28 Braille Presses (Establishment of New Braille Presses-13, Modernized Braille Presses-12 and Capacity Augmented of old Braille Presses- 03) with total financial support of Rs. 52.24 crores (non-recurring grants to 28 Braille Presses to the extent of Rs. 33.09 crore and recurring grants of Rs. 18.54 crore to 19 Braille Presses).

The first principle of Universal Design for Learning (UDL) is providing 'multiple means of Representation.' Hence, it is imperative that learning content and textbook should be made available in multiple formats for students with visual disabilities in addition to Braille.

Therefore, it is imperative that the project Braille Press should extend its coverage to students across age groups from the foundational level to the Higher

Education level. At the same time, it is very imperative that the scheme should cater to all the popular accessible formats including Talking Books (Narrated), E-Pub/Digital, and Large Print materials under the project for college-going students and others.

2. OBJECTIVES OF THE PROJECT:

-- p.4 --

Page 4 of 16

The followings are the major objectives of the Project:

i.

To provide financial support as a Recurring Grant-in-Aid to the 'approved and functional implementing agencies' for providing free-of-cost Accessible Learning Materials to school-going children with visual impairment and students with visual impairment pursuing higher education programs.

ii.

To provide financial support as Non-Recurring Grant-in-Aid for setting up of:

a) New Braille Presses/Capacity Augmentation/Modernization of existing Braille Presses.

b) Capacity Augmentation/Modernization of Existing Talking Book Studios.

c) New

Digital

Book

Production

Centre/Capacity

Augmentation/Modernization of existing Digital Book Production

Centre.

d) New

Large

Print

production

Centre/Capacity

Augmentation/Modernization of existing Large Print production

Centre.

3. OPERATIONAL DEFINITIONS

3.1 Accessible Learning Material –

For this project, Accessible Learning Material means Text Books, Reference Books, Syllabus and Workbooks and other prescribed material by the Central or State Boards of School Education (including NIOs and other Open Schooling Boards), Statutory Professional Councils, or Universities either in the following formats: -

a) Braille

b) Digital Accessible Books/E-Pub/Inclusion of pdf format along with

narrative feature.

- c) OCR – Structure E-Pub
- d) Human Narrated Recording
- e) Large Print
- f) Large Print with Braille
- g) Tactile Books

3.2 Implementing Agencies-

3.2.1 Definition

Those organizations who are directly involved in development and production of Accessible Learning Materials under the Project and receive GIA for recurring and non-recurring expenditures will be implementing agencies.

3.2.2 Penalty for Delays

-- p.5 --

Page 5 of 16

Based on past years' trends pertaining to demand of Accessible learning Materials (including Braille Books), Implementing Agencies are advised to anticipate the demand of the material and keep stock of the same well in advance. The Implementing Agencies shall ensure that the material (including Braille Books) must reach the Schools/Colleges/Institutions within 01 month of commencement of the Academic Session. In case the material is not supplied within time, penalty will be imposed as under:

S.No.	Delay in supplying of materials	Penalty
for	delays on the	Implementing
	Agencies	1
	Material	received
	in	Schools/Colleges/Institutions 02 - 03 calendar
		months after the commencement of academic
		session

25% of total
cost
2
Material
received
in
Schools/Colleges/Institutions
04
-
06
calendar months after the commencement of
academic session
50% of total
cost
3
Material
received
in
Schools/Colleges/Institutions more than 06
calendar months after the commencement of
academic session
100% of total
cost

3.2.3 Adherence to penalty provisions

It shall be the responsibility of the nodal agency to ensure the adherence to the above penalty provisions by the Implementing Agencies and to submit the proposals accordingly.

3.3 Nodal Agency-

For this project, the National Institute for Empowerment of Persons with Visual Disabilities (Divyangjan), Dehradun would be the Nodal Agency for the implementation of the Scheme. The institute would be responsible for scrutinizing the proposal, obtaining reports from Implementing Agencies, evaluating their performance, and preparing agenda for consideration of proposals by the Competent Authority/Body.

3.4 Prescribed Formats–

Prescribed application formats mean formats and Performa duly approved by the Screening Committee of the project for

- applying to be empaneled as implementing agency under the project for non-recurring GIA
- Periodical Reports (Monthly Reports/Online Dynamic Data Entry and Reports) to obtain information of the beneficiaries for recurring GIA

-- p.6 --

- Evaluation Formats (including pre-installation and post-installation

inspection) for monitoring and evaluation purpose

4. Screening Committee-

The Screening Committee will act as a guiding and executive committee to execute actions as per the objectives of the Project and the Committee meeting is to be organized at least twice a year. The committee will have the following composition:

1.
Joint Secretary/Deputy Director General
(DDG) dealing with this project at DEPwD
Chairman
2.
Deputy Secretary/Director, DEPwD handling
this Project.
Member
Secretary
3.
Director, NIEPVD

Member
4.
Deputy Secretary/Director (Finance), DEPwD
Member
5.
One expert to be nominated by the DEPwD
Member
6.
One expert to be invited by the Nodal Agency
Member

The Screening Committee will be responsible for the followings:

- 4.1. To consider the proposals for implementing agencies under the project.
- 4.2. To consider the proposal of Non-Recurring Grant-in-Aid for implementing agencies.
- 4.3. To consider the proposals for Recurring Grant-in-Aid for implementing agencies.
- 4.4. To review the actions of the nodal agency and direct for necessary action to be taken under the project.
- 4.5. To review and finalize the rates against the development of accessible learning material under reimbursement of recurring grant in aid.
- 4.6. To approve the proposal of the nodal agency regarding the conduction of training programs, workshops, meetings, etc. under the project.
- 4.7. To develop a monitoring mechanism for the project.
- 4.8. To approve and reimburse the administrative expenses by the Nodal Agency.
- 4.9. To take any related decision concerning the project to achieve the objectives.

4.10. To take decision for continuation of Grant to the Implementing Agencies.

5. ROLE OF NODAL AGENCY:

5.1 Following will be the role of the Nodal Agency:

a) Issue advertisements & notify through the website of the Nodal Agency

-- p.7 --

Page 7 of 16

inviting proposals for development of accessible materials for the Children/Students with Visual Impairment.

b) Receive the applications from the organizations for Establishment as implementing agency along with the financial implication for the project in the prescribed application format and scrutinize the same with reference to eligibility criteria.

c) Competent Authority of the Nodal Agency will constitute the inspection team. The Team will conduct assessment and physical verification of the scrutinized organization/institute in a prescribed assessment format-applying under the project.

d) Submitting the Inspection report to DEPwD for perusal and information.

e) Examine the applications and recommend the same for consideration by the Screening Committee. Nodal Agency will ensure all the correct and checked documents to be sent to DEPwD/Screening Committee.

f) The Competent Authority of the Nodal Agency will constitute an inspection committee to visit the Implementing Agency/Grantee organization for post-installation inspection with a prescribed assessment format along with required documents.

g) To develop/establish a monitoring mechanism including web based online platform.

h) Nodal agency will develop appropriate mechanisms to ensure the tracking of progress of students over the years.

i) The inspection committee (refer f) above) will submit the Inspection report to the Nodal Agency and will forward the same along with the required documents to DEPwD for consideration and necessary action.

j) Receive the requisition from implementing agencies for Recurring GIA and the same will be placed before the screening committee for approval.

k) Obtain the periodic Progress Report in prescribed reporting format from the implementing agencies and maintain its record and place the same before the screening committee for needful action.

l) Prepare and submit the performance-cum-achievement report to DEPwD on the basis of the periodic progress report.

m) The Nodal Agency should organize periodical training programs/workshops for all machine operating staff, record keepers, accountants, and assistants in the implementing agencies to ensure higher productivity, adoption of all rules as per GFR, and maintain transparency in the activities of the project.

n) Nodal Agency will develop/maintain a portal that will include a) restricted access of master copies to the implementing agencies, b) public access to the catalog of different implementing agencies, and c) scope of resource mobilization among implementing agencies. Nodal Agency will keep the

record of all generated master copy through implementing agencies on behalf of DEPwD.

o) Nodal agency will develop appropriate mechanisms to ensure the tracking of progress of students over the years.

6. ELIGIBILITY FOR IMPLEMENTING AGENCIES

The eligible organizations may apply for being an implementing agency for the production of either-or multiple formats of accessible learning material. If any organization wishes to become implementing agency under the project, they should have to fulfill the essential criteria as specified in 6.1 and additional criteria as specified in 6.2:

6.1 Essential Criteria/Eligibility Condition for Implementing Agency
States/UTs or their agencies working in this area are eligible to apply for the Project.

Or, The Non-Governmental Organizations (NGO) must be registered under the Societies Registration Act, 1860 (XXI of 1860), or any relevant Act of the State/Union Territory; or the trust must be registered under the Indian Trust Act, 1882.

The organization must be registered either under the erstwhile Persons with Disabilities Act, 1995 or the Rights of Persons with Disabilities Act, 2016.

The Non-Governmental Organizations (NGO) must be registered under Darpan Portal of NITI Aayog (NGO Portal) and possess a unique ID of NGO Darpan.

Renewal/validity of registration as of the date of application will be mandatory as per the extant norms as applicable for concerned State.

6.2 Additional Criteria

Additional Criteria for Braille Press

■ There should be no high-speed computerized Braille press in the concerned State/UT. However, this condition can be relaxed in the case of large states.

■ For the Braille press setup, a minimum of exclusive 1500 square feet of the built-up area should be available for the establishment of the Braille press along with an additional built-up area of at least 400 Square feet for the exclusive storage of Braille paper and Braille books;

Additional Criteria for E-Pub/Digital Book Production

■ There should be no E-Pub/digital book production Centre/implementing agency in the concerned State/UT already established under the project. However, this condition can be relaxed in the case of large states.

■ A minimum of exclusive 500 square feet of the built-up area should be available for the establishment of the E-Pub/digital book production

centre;

Additional Criteria for Human-Narrated Talking Book Production

- Organization should have Human-Narrated Talking Book Production facilities.
- There should be no other implementing agency in the concerned State/UT already established under the project.
- A minimum of exclusive 1000 square feet of built-up area should be available for the establishment of the Human-Narrated Talking Book Production Centre.

Additional Criteria for Large Print Book Production

- There should be no Large Print Book Production Centre/implementing agency in the concerned State/UT already established under the project. However, this condition can be relaxed in the case of large states.
- A minimum of exclusive 1000 square feet of built-up area should be available for the establishment of the Large Print Book Production Centre.

Additional Criteria for all Format Accessible Learning Material Production

- There should be no "all Format Accessible Learning Production" Centre/Implementing agency in the concerned State/UT already established under the project. However, this condition can be relaxed in the case of large states.
- A minimum of exclusive 4000 square feet of built-up area should be available for the establishment of the all Format Accessible Learning Material Production Centre.

Note: -Criteria may be relaxed for government bodies/agencies. In the case of the application originating from a voluntary organization, the applicant should have been in existence as a registered organization for the last five years and should be running educational programs for persons with visual impairment continuously for the last five years; and there should be a proper system of auditing of accounts in case of NGOs. Bank guarantee will be required in case of non-government organizations compulsory as per guidelines of govt. of India.

7.

ROLE AND RESPONSIBILITIES OF IMPLEMENTING AGENCIES:

7.1 The implementing agencies should have to submit the periodic progress report to the Nodal Agency in the prescribed reporting format and keep the record of the same.

7.2 Apply for reimbursement against the production of accessible learning material which has been specified for reimbursement against recurring grant

-- p.10 --

Page 10 of 16

by the Screening Committee and not claimed for payment and even not applied for grant against any other schemes.

7.3 If they didn't print/produced in any month/period (as decided by the Screening

Committee) they should have to send the 'NIL' report for that particular period to the Nodal Agency.

7.4 Keep the record of orders received from the schools/institutes/any other organization working for children with visual impairment along with details of students getting benefits under this project.

7.5 Keep the record of proof of dispatch and obtain the acknowledgment of receipt

of

accessible

learning

material

by

the

schools/colleges/institutes/organizations.

7.6 Keep the records of bills/vouchers and audited accounts related to the project and provide the same to the Nodal Agency as and when required.

8.

BENEFICIARIES

8.1 Students with visual disabilities (and having UDID No.) enrolled from the foundational level to the secondary level of schooling will be eligible for the followings:

(Through implementing agencies or defined mechanisms)

8.1.1 Textbooks including, but not limited to, Computer Books, Workbooks Music Books from Preschool to class XII.

8.1.2 A set of Braille books for Teacher with visual impairment having CRR no. (for a batch of up to 20 students) may also be included in the Project.

8.1.3 Tactile maps/pages (up to 10 pages per student per academic year upto class XII)

8.1.4 Textbooks in Braille may also be provided to students with visual impairment enrolled in various recognized central boards and State boards including open schooling boards (NIOS).

8.1.5 The Braille Calendar can be given to Children/Persons with Visual Impairment from class V onwards once in a year.

8.2 Students with visual disabilities enrolled in higher education will be eligible to getting following under the project:

(Through implementing agencies or defined mechanisms)

■ Maximum ceiling of 2000 Braille pages per student will be given to the students with visual impairments enrolled in General Higher Education Programmes (e.g. B. A, M.A, B.Sc., B. Com, etc.) and;

■ Maximum ceiling of 5000 Braille pages per student will be given to the students with visual impairments enrolled in Professional Higher

-- p.11 --

8.3 Large Print books may be provided to the students with low vision enrolled in school education.

8.4 E-Pub books should be made available for all students with visual impairment.

8.5 OCR– Structured E-Pub without proofreading format needs to be provided to students pursuing higher education programs or needs to be available on short notice.

8.6 Refresher display format for students with visual impairment as well as deaf-blind students

9.

CAPACITY BUILDING

9.1 Capacity Building of different stakeholders will be part of the project to strengthen the availability of accessible learning material for persons with visual impairment across the age and places in the country.

9.2 Nodal Agency will organize Capacity Building Programs for the followings:

■

Technicians/Braille Press Operators

■

Braille Press Managers/Administrators

■

Development of E-Pub and digital books

■

Data management and metadata entry

■

Talking books narrators or any other emerging issues.

9.3 Training of officials at Nodal Agency for creation and maintenance of an online portal regarding the availability of accessible learning material with all formats in the digital copy.

10.

FUNDING PATTERN OF NON-RECURRING AND RECURRING GIA

10.1 Release of Non-Recurring Grant

10.1.1 The Non-Recurring GIA will be released to the organization by the nodal agency after approval of the project and sanction of the grant by the Screening Committee with the following upper limits:

Sl.No.

Item

Suggested Items /

Equipment & Machinery

Upper limits

1.

Braille Press

1. Heavy Duty Braille

Embosser

2. Desktop Computers
3. Computer Table/Chair Establishment / Modernization / Capacity Augmentation:

Up to 2 Crores

-- p.12 --

Page 12 of 16

4. Software/Braille Translators
5. Staplers
4. Large Print Press
1. Monochrome Production Printer
2. Digital Colour Production Printer
3. 10 KVA online UPS
4. Desktop Computers
5. Paper Cutting Machine
6. Heavy Duty Stapling Machine
7. Desktop publishing and designing software application.
8. Air Conditioner
9. Computer Tables & Chairs Establishment / Modernization:

Up to 70 Lakhs

5. Talking Book Studio(Human Narrated)
1. Desktop Computers
2. Required Software
3. Sound-Cards
4. Micro Phones
5. Speakers/ Headphones
6. Online UPS
7. Modification/Upgradation of existing studios (for better acoustic features/air conditioning)
8. Computer Tables & Chairs Upgradation/Modernization:

Up to 10 Lakhs

6.

E-Pub

Production

Unit

1. Required Software

(OCR/Screen Reader /

Epub Player, etc.)

2. Desktop Computers

3. Computer Tables & Chairs

4. Scanner (High Capacity)

Establishment / Modernization /

Capacity Augmentation:

Up to 6 Lakhs

*Additional furniture, fixtures and civil or electrical work not to be considered as part of project proposal. Rates will be dynamic and to be reviewed by Screening Committee Meeting on periodical basis.

10.1.2 The Non-recurring cost of implementation of the project will be released in two equal installments i.e. 50% of the total cost as the first installment in advance under the GFR norms and remaining 50% as the Second installment after a need-based assessment of the requirement of installation of a second set of machine/equipment. Assessment criteria to be fixed by Screening Committee.

10.1.3 On the basis of the post installation assessment report, the Nodal Agency would submit the requirement of the 2nd instalment of eligible Implementing Agencies for consideration by the Screening

-- p.13 --

Page 13 of 16

Committee.

10.1.4 The non-recurring grant may also be released against major maintenance for such implementing agencies, whose production will be relatively high as per norms. Such a proposal may be put forwarded to Screening Committee after assessment and financial implications structured by the Nodal Agency.

10.1.5 The non-recurring grant should be issued to Nodal Agency for the creation of an online portal monitoring system subject to the approval of the Screening Committee.

10.2 Release of Recurring Grant

10.2.1 Under this project, recurring financial assistance will be provided to the 'approved and functional implementing agencies' to enable them to provide free-of-cost accessible learning materials to students with visual impairment as per the objectives subject to approval of the Screening Committee and with the following upper limits:

Sl.No.

Item

Item

Rate of Reimbursement

1.

Braille Press

Braille Page Embossing

Braille Master Copy

(special cases where
master copy not available
and to be supplied to less
than 20 beneficiaries)

Expert

Committee

has

estimated the cost at Rs. 3/-

per

page

However,

reimbursement

under

the

DALM Project will be made

@ Rs. 2.50/- per page Rs.40/-

per page

2.

Large Print

Large Print Books

(up to Class VIII)

Rs.

1.5

per

page

A4

(monochrome)

Rs.5 per page for colour

(cover page)

3.

Talking Book (Human

Narrated)

Human Narrated Audio

Accessible Book

Rs.1500/- per Hour

(Finished Recording Hour)

4.

E-Pub (Master copy

including .brf format)

Accessible E-Pub

(Validated; eg. ACE
validator) Output format:

1. Epub&.brf& 3. Master

Word Copy

(Images integrated with
description text with no
spelling error)

Rs.70 per page (Print Pages)

-- p.14 --

Page 14 of 16

5.

Tactile

Tactile pages

Tactile maps

(upto 10 pages per student
per academic year)

Rs. 25/- per page

*Recurring GIA to be done on reimbursement mode and subject to submission of reports in desired format with beneficiary details. Rates will be dynamic and to be reviewed by Screening Committee Meeting on periodical basis.

* All master copy (should be integrated with disclaimer/copyright notice and will be property of Nodal Agency/DEPwD.

10.2.2 "Implementing Agencies being operated by State Government/
UT Administration/NGO which have been sanctioned non-
recurring grants under the Project, are functional to provide free of
cost accessible learning materials to students with visual
impairment and are regular in submitting/uploading periodic
progress reports to the Nodal Agency.

10.2.3 The administrative expenditure (up to 5 %) at Nodal Agency will
be reimbursed under recurring grant in aid.

10.2.4 The portal management expenses and capacity building training
expenses should also be reimbursed under recurring grant in
aid to the Nodal Agency.

11.

MONITORING MECHANISM

11.1

Compliance of GFR, 2017(as amended) and other relevant

provisions

The procurement shall be effected as per the GFR provisions.

Furthermore, nodal agency and the implementing agencies shall

maintain an Asset Inventory and ensure that there is no

duplication of assets

11.2

Monitoring and Verification of the Assets Created

Pre Installation and Post Installation Inspection shall be conducted for monitoring and inspection of the assets created.

11.3

Quality of Service Delivery and Beneficiary Identification

In order to ensure the targeted delivery and quality of service periodically, implementing agencies shall submit an Online monthly report to the nodal agency. Furthermore, the details pertaining to the beneficiaries shall be compiled duly submitted to the Department online in a Quarterly Report.

11.4

Monitoring of outcomes

To monitor the performance of the Project, nodal agency shall take periodic reviews to ascertain that the progress in respect of the identified indicators is following the right trajectory. In case if the progress is not found to be in order during the course of the Financial Year, nodal

-- p.15 --

Page 15 of 16

agency shall submit a detailed report identifying the bottlenecks and suggestive remedial actions to be followed for the discussion of the Screening Committee and Department's consideration and necessary corrective actions.

11.5

Physical verification

The Central Project Monitoring Unit (CPMU) of this Department shall conduct periodic verifications of quality and outcomes of service delivery claimed

by

the

implementing

agencies

directly

with

the

beneficiaries(students) through the Schools/Institutes, the details of which shall be made available by the nodal agency. Such verification should be conducted for not less than 10% of the total beneficiaries.

12.

GENERAL CONDITIONS

12.1 The implementing agencies shall be open for inspection by an officer deputed by the DEPwD/Nodal Agency anytime without prior notice.

12.2 The implementing agencies must submit/upload the progress report to the nodal agency on or before the 5th day of every month in a prescribed format.

12.3 Implementing agencies will ensure that equipments procured under the project should complete a minimum machine life as per term and condition and with optimal productivity.

12.4 The implementing agencies shall use the full capacity of the machine/equipment/resources and the same will be monitored by Nodal Agency.

12.5 The organization shall utilize the Non-Recurring Grant-In-Aid within 3 months from the date of obtaining the grant from the nodal agency. The time of utilization of funds may be extended for the next 3 months after the approval of the Nodal Agency. If the organization fails to utilize the grant-in-aid, then the organization shall have to return the grant-in-aid with 18% of interest.

12.6 The implementing agencies shall submit the utilization certificate of the Non-Recurring grant-in-aid after obtaining the grant along with detail of expenditures.

12.7 It is expected that the nodal agency and implementing agencies should abide by provisions made by the Copyright Amendment Act, 2010.

12.8 It is expected that accessible learning material should be developed in a manner that it could be used for students with other disabilities or students with print disabilities.

12.9 Non-Governmental Organizations will forward the complete proposal

-- p.16 --

Page 16 of 16

through State Government.

12.10 The existing implementing agencies under the "Project on Financial Support to Braille Presses" will be merged with this project.

12.11 Nodal

Agency

in

consultation

with

DEPwD

may move

any

infrastructure/machine/equipment/resources procured/created under the project to any other implementing agencies or Nodal Agency.

12.12 The Project is majorly aimed to cater the needs of person with visual disabilities, but the content developed under the project should consider the needs of person with print disabilities as well as other disabilities.

12.13 Whosoever implementing agencies will not comply the norms and guidelines and/ or violating the norms will be blacklisted and legal action

may be taken against such implementing agencies/organization.

12.14 In case of any discrepancies the DEPwD decision will be prevailing and final.
