100 DAYS QUALITY MANAGEMENT CHALLENGE — DAY 88

Integrated Refinery Quality Engineering

Petroleum Product Quality Testing, Process Control and Root Cause Analysis

ORGANISATION
Indian Oil Corporation Limited (IOCL)

AUTHOR
Jagriti Singh

1. Introduction

In modern petroleum refining, Quality Engineering is critical to ensuring operational safety, environmental compliance, and consistent product performance. Petroleum products such as High-Speed Diesel (HSD), Motor Spirit (Petrol), and Aviation Turbine Fuel (ATF) must adhere strictly to predefined physical and chemical specifications.

Meeting stringent quality standards guarantees engine safety, prevents equipment damage, and minimises harmful emissions. Rigorous quality control, continuous process monitoring, and standardized laboratory testing are vital safeguards against off-spec production and costly re-refining or operational downtime.

2. Practical Case Study (Educational Scenario)

> **Scenario:** During routine batch testing of High-Speed Diesel (HSD) from a refinery rundown tank, sample test results exhibit unexpected variation in Flash Point measurements, with one sample failing to meet the minimum specified requirement of 35°C.

• **What the Quality Problem Is:** Off-specification Flash Point variation in an HSD rundown batch, indicating potential light-end contamination or localized temperature control instability during distillation.

• **Why It Matters:** A reduced flash point increases fuel volatility and flammability risks during storage and transport, compromising safety standards and violating regulatory specs.

• **What the Engineer Should Check:** Inspect recent fractionating column operating parameters (top/side stream temperatures, stripping steam rates), check rundown line valve isolations, and review laboratory testing equipment calibration logs.

• **How the Possible Cause Can Be Investigated:** Conduct cross-verification testing using a calibrated secondary flash point tester, perform gas chromatography to detect light-end hydro-carbon ingress, and audit the distillation unit stream logs for sudden pressure or reflux fluctuations.

• **What Corrective Action May Be Appropriate:** Isolate the affected intermediate tankage, adjust the side-stripping column steam flow rate to strip off excess light components, and re-route the off-spec batch for controlled reprocessing or re-blending.

• **How to Verify Whether the Action Worked:** Draw statistically representative composite samples across top, middle, and bottom tank levels post-recirculating/re-blending, confirming flash point compliance across three consecutive standardized tests.

3. Important Quality Tools

1. Check Sheet

Purpose: A structured, real-time data collection form used to record frequency and patterns of quality defects or measurement variations during testing.

Case Study Example: Used by lab technicians to log daily flash point test variations, sampling locations, operator shifts, and testing apparatus IDs.

2. Root Cause Analysis (RCA)

Purpose: A structured problem-solving methodology designed to identify the fundamental underlying cause of a failure rather than merely treating symptoms.

Case Study Example: Investigating whether the flash point drop was driven by process instrument drift, mechanical valve leakage, or operator sampling error.

3. Five Whys

Purpose: An iterative interrogative technique used to dig through cause-and-effect relationships to reach the root cause of a specific problem.

Case Study Example: *Flash point low?* Light ends present. *Why?* Stripping column temperature dropped. *Why?* Steam valve stuck. *Why?* Actuator air line clogged. *Why?* Filter replacement overdue (Root cause: preventive maintenance gap).

4. Failure Mode and Effects Analysis (FMEA)

Purpose: A proactive risk assessment tool used to identify potential failure modes, evaluate their severity, occurrence, and detection, and prioritize corrective actions.

Case Study Example: Evaluating the risk score of a side-stripper steam controller failure resulting in off-spec diesel entering final storage tanks.

4. Key Engineering Takeaways

- **Standardized Product Testing:** Strict adherence to standardized test methods (e.g., ASTM / IS methods) is non-negotiable for reproducible quality evaluation.
- **Measurement Reliability:** Regular calibration and gauge repeatability and reproducibility (GR&R) checks prevent false off-spec alarms and lab measurement errors.
- **Structured Investigation:** Process variations should be systematically analyzed using root-cause techniques rather than making immediate unverified adjustments.
- **Targeted Corrective Action:** Effective corrective actions address the underlying root cause (e.g., maintenance schedules) to prevent problem recurrence permanently.
- **Rigorous Verification:** No product batch should be cleared without multi-sample statistical re-verification and documented quality assurance sign-offs.

5. Technical Interview Practice

Q1: What is the significance of Flash Point in diesel fuel specification?

A: Flash point measures the lowest temperature at which fuel vapor ignites in air. It ensures safety during fuel handling, storage, and transportation.

Q2: Why is repeatable sampling critical in refinery quality control?

A: Non-representative or contaminated samples lead to inaccurate lab results, causing unnecessary batch re-processing or undetected off-spec dispatch.

Q3: How does stripping steam affect the flash point of HSD in a distillation column?

A: Increasing stripping steam strips off volatile, low-boiling light components from the liquid stream, effectively raising the fuel's flash point.

Q4: What is the primary difference between Quality Control (QC) and Quality Assurance (QA) in refining?

A: QC focuses on testing and identifying product defect levels (product-oriented), whereas QA establishes procedures and process controls to prevent defects (process-oriented).

Q5: How does a Check Sheet assist in lab process quality control?

A: It captures real-time testing occurrences and failure trends, facilitating easy data collection for Pareto analysis or process stability tracking.

Q6: What role does calibration play in measurement reliability?

A: Calibration aligns instrument readings against a standard reference, eliminating systematic bias and ensuring measurement accuracy and repeatability.

Q7: How does the Five Whys tool prevent superficial problem solving?

A: By repeatedly asking 'Why', it moves past immediate visible symptoms to uncover human, procedural, or system-level root causes.

Q8: What are the three risk parameters evaluated in FMEA?

A: Severity (S), Occurrence (O), and Detection (D), which are multiplied together to determine the Risk Priority Number (RPN).

Q9: Why is re-blending considered a corrective action for off-spec fuel?

A: Controlled mixing of off-spec fuel with a compliant, higher-margin fuel batch restores final properties to within specification limits safely.

Q10: What is Statistical Process Control (SPC) in refinery operations?

A: SPC utilizes control charts to monitor process parameter variability over time, enabling proactive adjustments before products go off-spec.

Q11: How does ambient temperature variation impact laboratory fuel density measurements?

A: Density varies inversely with temperature; hence, lab measurements must be temperature-corrected or measured at standard reference temperatures (e.g., 15°C).

Q12: What is the purpose of conducting a Gauge R&R study in quality engineering?

A: It quantifies the proportion of total test variance caused by the measurement system itself (repeatability) and operators (reproducibility).

Q13: How can mechanical valve leakage cause off-spec petroleum products?

A: Passing or leaking cross-over valves can allow light naphtha or kerosene streams to contaminate heavier streams like HSD, reducing flash point.

Q14: What constitutes effective verification of corrective action?

A: Re-testing multiple representative samples post-correction over time to confirm consistent compliance and absence of recurrence.

Q15: Why are standard operating procedures (SOPs) essential for refinery quality labs?

A: SOPs standardize testing sequences and sample handling across all technician shifts, minimizing operator-dependent measurement error.

6. References & Disclaimer

References

- Official Indian Oil Corporation Limited (IOCL) Corporate Website (www.iocl.com) - Overview of Refining Operations & Quality Control.
- ISO 9001:2015 Quality Management Systems — Requirements.
- Montgomery, D. C., *Statistical Quality Control: A Modern Introduction*, 7th Edition, John Wiley & Sons.

Disclaimer: This is an independent educational case study created for learning purposes. The scenario is hypothetical and does not represent an actual IOCL incident, internal procedure, or official IOCL publication. This work is not affiliated with or endorsed by IOCL.