

Git Workflow for Shopping Project

Multiple Developers Collaboration Report

Repository: github.com/Jahangeer1207/shopping_mart

Date: 26-05-2026

TEAM MEMBERS

Developer	GitHub Username	Role	Contribution
Jahangeer	Jahangeer1207	Developer A (Lead)	Repo creation, initial commit (products.txt & orders.txt), reset & revert
Tharun Patnayak	tharunpatnayak	Developer B	Branch products-features, added 3 new products, raised PR #1
Rohitash Seervi	rohitashseervi	Developer C	Branch orders-features, added 3 new orders, raised PR #2

Part A — Initial Setup (Developer A: Jahangeer)

Jahangeer created the repository on GitHub, added both collaborators, and pushed the initial data files.

Step 1: Create Repository on GitHub

Repository created at: github.com/Jahangeer1207/shopping_mart

Step 2: Add Collaborators

Tharun Patnayak and Rohitash Seervi were added as collaborators via GitHub Settings → Collaborators.

Step 3: Initialize Local Repo & Push Initial Files

```
git init
git add products.txt orders.txt
git commit -m "added initial 5 products and 5 orders by jahangeer"
git remote add origin https://github.com/Jahangeer1207/shopping_mart.git
git push -u origin main
```

Initial Commit Log

Commit hash: d18d033 — "added initial 5 products and 5 orders by jahangeer"

The screenshot shows the Visual Studio Code interface with the following components:

- Explorer:** Shows the file structure with 'products.txt' and 'orders.txt' under the 'shopping_mart' folder.
- Editor:** Displays 'products.txt' containing a table with 5 products.
- Terminal:** Shows the execution of git commands and their output.
- Chat:** Displays a chat window with a message: 'give 5 products details in product.txt'.

No	Product Name	Category	Brand	Price	Key Features
1	Apple iPhone 15	Smartphone	Apple	Approx. \$799	A16 Chip, 48MP Camera, USB-C
2	Samsung Galaxy S24	Smartphone	Samsung	Approx. \$899	AMOLED Display, 5G, Triple Camera
3	Sony WH-1000XM5	Headphones	Sony	Approx. \$399	Noise Cancellation, 30hr Battery
4	Dell XPS 15	Laptop	Dell	Approx. \$1599	Intel i7, 16GB RAM, 512GB SSD
5	Apple Watch Series 9	Smartwatch	Apple	Approx. \$399	Fitness Tracking, GPS, Water Resistant

```
PS F:\shopping_mart> git init
Initialized empty Git repository in F:\shopping_mart/.git/
error: key does not contain a section: global
PS F:\shopping_mart> git config --global user.name "jahangeer1207"
PS F:\shopping_mart> git add .
PS F:\shopping_mart> git commit -m "added initial 5 products and 5 orders by jahangeer"
[master (root-commit) d18d033] added initial 5 products and 5 orders by jahangeer
2 files changed, 18 insertions(+)
create mode 100644 orders.txt
create mode 100644 products.txt
PS F:\shopping_mart> git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/Jahangeer1207/shopping_mart.git'
PS F:\shopping_mart> git push -u origin master
```

Part B — Feature Development: Developer B (Tharun Patnayak)

Tharun cloned the repository, created a feature branch `products-features`, added 3 new products to `products.txt`, and raised Pull Request #1.

Step 1: Clone Repository

```
git clone "https://mohammadjahangeer4002@gmail.com/shopping_mart"
```

Step 2: Configure Git Identity

```
git config --global user.name "tharunpatnayak"
git config --global user.email "vankudothtarunpatnayak9390@gmail.com"
```


Step 3: Create Branch & Add Products

```
git branch products-features
git switch products-features
# Edit products.txt – added 3 new products (rows 6, 7, 8)
git add .
git commit -m "added 3 more products by tharun via branch products-features"
```

Step 4: Fix Remote & Push

```
git remote remove origin
git remote add origin https://github.com/Jahangeer1207/shopping_mart.git
git push -u origin products-features
```

Screenshot — Tharun: products.txt with 8 products



git log (after Tharun push)

```
$ git log --oneline
3985a6c (HEAD -> products-features, origin/products-features)
    added 3 more products by tharun via branch products-features
d18d033 added initial 5 products and 5 orders by jahangeer
```


Part C — Feature Development: Developer C (Rohitash Seervi)

Rohitash cloned the updated repository, created a feature branch orders-features, added 3 new order entries to orders.txt, and raised Pull Request #2.

Step 1: Clone & Switch to orders-features Branch

```
git clone https://github.com/Jahangeer1207/shopping_mart.git
git checkout -b orders-features
# Edit orders.txt — added ORD006, ORD007, ORD008
git add orders.txt
git commit -m "added 3 more orders by rohitash via branch orders-features"
git push origin orders-features
```

Screenshot — Rohitash: Terminal showing push to orders-features




```
PS D:\26FSD Training\shopping_mart\shopping_mart> git push origin orders-features
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 479 bytes | 479.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'orders-features' on GitHub by visiting:
remote:   https://github.com/Jahangeer1207/shopping_mart/pull/new/orders-features
remote:
To https://github.com/Jahangeer1207/shopping_mart.git
 * [new branch]   orders-features -> orders-features
PS D:\26FSD Training\shopping_mart\shopping_mart> git log --oneline
4916aa6 (HEAD -> orders-features, origin/orders-features) added 3 more orders by rohitash via branch orders-features
e1fd7d5 (origin/main, origin/HEAD, main) Merge pull request #1 from Jahangeer1207/products-features
3985a6c added 3 more products by tharun via branch products-features
d18d033 added initial 5 products and 5 orders by jahangeer
PS D:\26FSD Training\shopping_mart\shopping_mart>
```

git log (on orders-features branch — Rohitash machine)

```
$ git log --oneline
4916aa6 (HEAD -> orders-features, origin/orders-features)
    added 3 more orders by rohitash via branch orders-features
```

```
elfd7d5 (origin/main, origin/HEAD, main)
Merge pull request #1 from Jahangeer1207/products-features
3985a6c added 3 more products by tharun via branch products-features
d18d033 added initial 5 products and 5 orders by jahangeer
```

Screenshot — Rohitash: Pull Request #2 on GitHub



Part D — Reset & Revert (Developer A: Jahangeer)

Jahangeer demonstrated git reset and git revert to handle incorrect commits, showing both local undo and history-preserving undo.

D.1 — git reset (Undo local commit, keep changes staged)

An incorrect commit was made locally. `git reset --soft HEAD~1` was used to undo it without losing the file changes.

```
# Make an incorrect commit
git add products.txt
git commit -m "wrong commit - incorrect product data"

# Undo the last commit (keep changes staged)
git reset --soft HEAD~1

# Fix the content, then commit correctly
git add products.txt
```

```
git commit -m "3 more products added by jahangeer after reset total 8 products"
git push origin main
```

D.2 — git revert (Undo a pushed commit, preserve history)

After the orders-features PR was merged, Jahangeer used git revert to create a new commit that undoes commit 4916aa6 while keeping the full history intact.

```
git revert 4916aa6
# Resolve any conflicts if needed, then:
git add orders.txt
git revert --continue
# Revert commit message: Revert "added 3 more orders by rohitash via branch orders-features"
```

Screenshot — git revert output & final git log

The screenshot shows the VS Code interface with the following components:

- Explorer:** Shows the file structure with `orders.txt` and `products.txt` under the `SHOPPING_MART` folder.
- Output Window:** Displays the content of `orders.txt`, which is a table of orders.
- Terminal:** Shows the output of the `git revert` command and the `git log` command.
- Chat:** Shows a chat window with the message "give 5 products details in product.txt".

Git Log Output:

```

PS F:\shopping_mart> git add orders.txt
PS F:\shopping_mart> git revert --continue
[main 1a5cc58] Revert "added 3 more orders by rohitash via branch orders-features"
1 file changed, 3 insertions(+), 1 deletion(-)
PS F:\shopping_mart> git log --one-line
1a5cc58 (HEAD -> main) Revert "added 3 more orders by rohitash via branch orders-features"
1c06a49 updated orders
269276a update size of orders by jahangeer
a144e11 3 more products added by jahangeer after reset total 8 products
c39288b (origin/main, origin/HEAD) Merge pull request #2 from Jahangeer1207/orders-features
4916aa6 added 3 more orders by rohitash via branch orders-features
e1f47d5 Merge pull request #1 from Jahangeer1207/products-features
3985abc added 3 more products by tharun via branch products-features
c186033 added initial 2 products and 5 orders by jahangeer

```

orders.txt Content:

OrderID	Customer Name	Product Name	Quantity	Total Price	Order Status
ORD001	Rahul Sharma	Apple iPhone 15	1	\$799	Delivered
ORD002	Priya Reddy	Samsung Galaxy S24	2	\$1798	Shipped
ORD003	Anjun Kumar	Sony WH-1000XMS	1	\$399	Processing
ORD004	Sneha Patel	Dell XPS 13	1	\$1199	Delivered
ORD005	Vikram Singh	Apple Watch Series 9	3	\$1197	Pending
ORD006	Neha Gupta	HP Pavilion Laptop	1	\$899	Shipped
ORD007	Karan Mehta	Bose QuietComfort 45	2	\$658	Delivered
ORD008	Ananya Iyer	iPad Air M2	1	\$599	Processing

Final git log — Complete Commit History

The following table shows the complete commit history after all operations (git log --oneline on main branch):

Commit Hash	Commit Message
1a5cc58	Revert "added 3 more orders by rohitash via branch orders-features"
1c06a49	updated orders
249276a	update size of orders by jahangeer
a144c11	3 more products added by jahangeer after reset - total 8 products
c35288b	Merge pull request #2 from Jahangeer1207/orders-features
4916aa6	added 3 more orders by rohitash via branch orders-features
e1fd7d5	Merge pull request #1 from Jahangeer1207/products-features
3985a6c	added 3 more products by tharun via branch products-features
d18d033	added initial 5 products and 5 orders by jahangeer

Command used to view log

```
$ git log --oneline
```

Summary of Commands Used

Team Setup

```
git init
git clone <repo-url>
git config --global user.name "<name>"
git config --global user.email "<email>"
```

Branching & Feature Work

```
git branch <branch-name>
git switch <branch-name>
git checkout -b <branch-name>
git add .
git commit -m "<message>"
git push origin <branch-name>
git push -u origin <branch-name>
```

Remote Management

```
git remote add origin <url>
git remote remove origin
```

Merging

```
git checkout main
git merge <branch-name>
# or merge via GitHub Pull Request
```

Reset & Revert

```
git reset --soft HEAD~1    # undo last commit, keep changes staged
git revert <commit-hash>    # create new commit that undoes a pushed commit
git revert --continue       # after resolving conflicts
```

Inspection

```
git log --oneline
git branch
git status
```
