

# FARI

## Manual Fill Template

### FARI Manual Template v1.3.0

Report-author worksheet aligned with the finalized workflow and field names

FARI v1.3.0 | 2026-08-23

This is the versioned release edition of the FARI documentation bundle. Canonical working sources for this release are stored under the same version folder.

Use this template when FARI is filled manually outside the web application. The sections and field names match the current workflow in the application.

## Document control

- Generated with: FARI v1.3.0
- Assessment ID: [ASM-YYYY-NNNN]
- Investigation ID: [INV-YYYY-NNNN or local reference]
- Claim ID: [CLM-YYYY-NNNN or local reference]
- Revision label: [v0, v1, v2 ...]
- Report author: Fari-Agent
- Technical reporter: [name or team]
- Report state: [draft | closed]
- Report maturity: [draft | provisional | final | superseded]

## 1. Frame

- Client name: [client]
- Assessment title: [assessment title]
- Mission context: [short mission or operational context]
- Scope: [exact assessment boundary]
- Authorization: [authorization or engagement reference]
- Exclusions: [what is explicitly out of scope]

## Asset

- Asset ID: [AST-...]
- Asset name: [name]
- Segment: [space | ground | user | link | supply\_chain | cloud | other]
- Access basis: [public | private | other]
- Coverage: [tested | reviewed | inferred | not\_assessed | out\_of\_scope]
- Description: [what this asset is]

## Claim

- Claim description: [expected secure behavior being evaluated]
- Gating claim: [yes | no]

## 2. Acquire

### Supplied material and evidence

- Evidence reference 1: [file, note, screenshot, capture, script, report]
- Evidence reference 2: [optional]
- Evidence reference 3: [optional]

### Normalized material

#### Facts

- [fact directly supported by evidence]
- [fact directly supported by evidence]

#### Assertions

- [statement supplied by the technical reporter]

#### Inferences

- [report-author interpretation]

#### Assumptions

- [assumption used for current analysis]

#### Contradictions

- [material conflict affecting confidence or conclusion]

#### Gaps

- [missing information that blocks a stronger conclusion]

#### Sufficiency

- Technical sufficiency: [sufficient | partial | insufficient]
- Reachability sufficiency: [sufficient | partial | insufficient]
- Mission sufficiency: [sufficient | partial | insufficient]

### Optional asset source inventory

- Asset source ID: [SRC-...]
- Related asset: [AST-...]
- Filename and format: [firmware.bin | capture.sigmf-meta | capture.pcap | dependency.json | ...]
- Detected format: [cyclonedx | spdx | jsonl | sigmf-meta | sigmf-data | binary | pcap | pcapng | text | ...]
- SHA-256: [...]

- Intake result: [components normalized | raw source preserved]
- Component ID: [CMP-...]
- Component name: [package or library]
- Current version: [version]
- Inventory status: [tracked | vulnerable | update\_in\_progress | fixed | accepted | not\_affected]
- Inventory event: [imported | vulnerability\_detected | version\_updated | fix\_verified | status\_changed | note]
- Event summary: [what changed and why]

### 3. Relate

#### Finding

- Finding ID: [FND-...]
- Title: [concise reportable condition]
- State: [observation | candidate | confirmed | remediated | verified\_closed]
- Condition text: [what is wrong or notable]
- Observed effect: [what was directly observed]
- Credible impact: [why this matters]

#### Framework mapping

- Framework: [optional external framework]
- External identifier: [optional]
- External name: [optional]
- Mapping state: [confirmed | candidate | not\_applicable]
- Mapping rationale: [why the mapping is appropriate]

### 4. Inform

- Conclusion: [meets | does\_not\_meet | inconclusive | not\_assessed]
- Scenario disposition: [demonstrated | plausible | not\_demonstrated | not\_evaluated]
- Confidence: [high | medium | low]
- Required action: [accept | remediate | extend\_investigation | retest | no\_action]
- Priority: [immediate | planned | routine | none]
- Scope boundary: [exact limit of the conclusion]
- Rationale: [short evidence-based reason for the conclusion]

## Recommendations

- [recommended next action]
- [recommended next action]

## Acceptance criteria

- [what evidence would allow closure or validation]
- [what evidence would allow closure or validation]

## 5. Closure check

- [ ] Frame is complete and specific.
- [ ] Evidence or normalized supplied material is present.
- [ ] Facts, assertions, and inferences are separated.
- [ ] Scenario disposition is selected.
- [ ] Conclusion and required action are compatible.
- [ ] Asset sources and inventory state are updated when relevant to the scope.
- [ ] A revision was captured if the assessment meaning changed materially.
- [ ] Scope boundary and rationale are written.
- [ ] Record is understandable without re-explaining the engagement verbally.

## 6. Simple example

- Client name: Example Aerospace
- Assessment title: SpaceCAN Monitor Validation
- Claim description: The monitor distinguishes forged reply-like frames before presenting trusted state.
- Facts:
  - Forged traffic was transmitted.
  - The displayed value changed from 12 to 255.
- Technical sufficiency: sufficient
- Reachability sufficiency: partial
- Mission sufficiency: partial
- Finding title: Forged reply-like frame influences displayed telemetry
- Framework mapping: [optional external reference]
- Conclusion: does\_not\_meet
- Scenario disposition: plausible
- Required action: remediate

- Scope boundary: Lab monitor path only; physical and on-orbit effects excluded.
- Rationale: The tested display accepted attacker-controlled traffic as trusted state.