PERSONALISED NEWS AGGREGATOR

Submitted by

MOGARALA JAHNAVI (RA2411003020351)
NIKETHANA S (RA2411003020369)
PRATHIKSA G (RA2411003020373)

Under the guidance of

Dr.J.Jean Justus

Associate Professor

Department Of Computer Science and Engineering

In partial fulfillment for the award of the degree

of

BACHELOR OF TECHNOLOGY

in

COMPUTER SCIENCE AND ENGINEERING

of

FACULTY OF ENGINEERING AND TECHNOLOGY

RAMAPURAM, CHENNAI-600089

APRIL 2026

SRM INSTITUTE OF SCIENCE AND TECHNOLOGY

(Deemed to be University Under Section 3 of UGC Act, 1956)

BONAFIDE CERTIFICATE

Certified that the Mini Project titled "**Personalised News Aggregator**" is the bonafide certificate of **Mogarala Jahnavi (RA2411003020351), Nikethana S (RA2411003020369), Prathiksa G (RA2411003020373)** of II Year CSE submitted for the course 21CSC206T – Artificial Intelligence for the Academic Year 2025-26 Even Semester.

SIGNATURE

Dr.J.Jean Justus

Associate Professor

Computer Science and Engineering

SRM Institute of Science and Technology

Ramapuram, Chennai-89

TABLE OF CONTENTS

TITLE NO.	TITLE NAME	PAGE NO
	ABSTRACT	1
1	INTRODUCTION	2
2	SCOPE AND MOTIVATION	4
3	DESCRIPTION	6
4	ALGORITHM OR PSEUDOCODE	12
5	IMPLEMENTATION	17
6	OUTPUT	22
7	APPLICATIONS	23
8	CONCLUSION	24

ABSTRACT

In the era of digital information overload, users are constantly exposed to a vast amount of news content from multiple sources, making it increasingly difficult to identify relevant and personalized information. This project presents a **Personalized News Aggregator using Artificial Intelligence**, designed to filter, analyze, and recommend news articles based on individual user preferences. The system leverages techniques from Natural Language Processing and machine learning to deliver tailored news content in real time.The application integrates with the News API to fetch the latest news articles across various categories such as technology, business, health, science, and sports. The retrieved articles are then processed using text preprocessing techniques, including tokenization, stopword removal, and normalization, to prepare the textual data for analysis. A key component of the system is the use of TF-IDF vectorization, which converts textual content into numerical feature vectors. These vectors represent the importance of words in each article relative to the entire dataset. To personalize recommendations, the system compares the processed user input (interests or keywords) with the article vectors using Cosine Similarity. Based on similarity scores, the most relevant articles are ranked and displayed to the user. The application also includes additional functionalities such as user authentication, category-based filtering, search history tracking, and the ability to save favorite articles for future reference.The front-end of the system is implemented using Streamlit, which provides an interactive and user-friendly interface with minimal development overhead. The backend is developed in Python, handling data retrieval, preprocessing, and recommendation logic. Instead of a traditional database, the system uses session-based storage to manage user-specific data such as history and favorites, ensuring simplicity and efficiency for prototype-level deployment.This project demonstrates how AI-driven techniques can enhance user experience by delivering personalized content in a scalable and efficient manner. The proposed system can be further extended by incorporating advanced features such as deep learning-based recommendation models, sentiment analysis, and automatic news summarization. Overall, the Personalized News Aggregator serves as a practical application of AI in content recommendation systems, addressing the challenges of information overload in modern digital platforms.

INTRODUCTION

The exponential growth of online information has transformed how people consume content. Every second, thousands of news articles, blog posts, social media updates, and multimedia content pieces are generated across the internet. While this abundance of information provides users with access to diverse perspectives and real-time updates, it also creates a major challenge: information overload.

Users are often overwhelmed by the sheer volume of content available, making it increasingly difficult to identify relevant and meaningful information that aligns with their personal interests.Traditional news platforms typically present content in a generalized format, such as chronological feeds or trending sections. While these methods ensure broad coverage, they fail to account for individual user preferences.

As a result, users spend significant time searching, filtering, and navigating through irrelevant content, which can lead to frustration, decreased engagement, and a suboptimal user experience. This project introduces a system that leverages Artificial Intelligence to deliver tailored news recommendations based on user preferences.

The primary objective of the system is to create a customized and efficient news consumption experience by filtering and prioritizing content that aligns with individual interests.The proposed system integrates advanced techniques from the field of Artificial Intelligence, particularly focusing on Natural Language Processing (NLP), to understand and analyze textual data. NLP enables machines to interpret human language in a meaningful way, making it possible to extract insights from unstructured text such as news articles.

By combining NLP with machine learning algorithms, the system can identify patterns, relationships, and similarities between user preferences and available news content.The TF-IDF representation plays a crucial role in distinguishing meaningful content within news articles.

For example, words that appear frequently in a specific article but are rare across other articles are considered highly relevant and receive higher weights. This allows the system to capture the essence of each article and represent it in a structured mathematical format.After

converting the text into TF-IDF vectors, the system uses Cosine Similarity to measure the similarity between user preferences and news articles. Cosine Similarity is a widely used metric that calculates the cosine of the angle between two vectors in a multi-dimensional space.

The resulting value ranges from 0 to 1, where a value closer to 1 indicates a higher degree of similarity.By comparing the TF-IDF vector of user input (such as selected topics or keywords) with the vectors of news articles, the system can identify which articles are most relevant to the user.

Articles with higher similarity scores are prioritized and recommended to the user, ensuring a personalized and meaningful content experience.The impact of a Personalized News Aggregator extends beyond individual user convenience, the system can improve user engagement and retention on news platforms. It also helps reduce the spread of misinformation by prioritizing credible sources and filtering out irrelevant or misleading content.

Furthermore, such systems can contribute to a more informed society by ensuring that users receive content that aligns with their interests while still being exposed to diverse perspectives.From an educational perspective. It showcases how mathematical models and algorithms can be used to analyze and interpret human language, bridging the gap between technology and everyday life.

The integration of various components, including data preprocessing, feature extraction, similarity measurement, and user interface design, highlights the interdisciplinary nature of modern AI systems.In conclusion, the Personalized News Aggregator represents a significant step toward improving the way users interact with digital content.

By leveraging Artificial Intelligence and Natural Language Processing, the system addresses the challenges of information overload and enhances the overall user experience.Future developments may include deeper integration of machine learning models, real-time user behavior analysis, and the incorporation of multimedia content such as videos and podcasts. Ultimately, the goal is to create intelligent systems that not only deliver information but also understand and adapt to the unique needs of each user.

SCOPE AND MOTIVATION

The scope of the Personalized News Aggregator project is centered around the design, development, and implementation of an intelligent system capable of delivering highly relevant and customized news content to users. The system aims to enhance the overall experience of news consumption by integrating advanced Artificial Intelligence techniques with user-centric design principles.

At its core, the system focuses on real-time news retrieval using APIs. By integrating with reliable news sources through APIs, the application ensures that users have continuous access to the latest and most up-to-date information. This real-time capability is essential in today's fast-paced digital environment, where news evolves rapidly and users demand instant updates.

Another major aspect of the system's scope is text processing and analysis. News articles are typically unstructured and contain large amounts of textual data. The system processes this data using Natural Language Processing techniques to clean, organize, and transform it into a structured format. This includes steps such as tokenization, stop-word removal, normalization, and feature extraction. These preprocessing steps are crucial for enabling accurate analysis and meaningful interpretation of the content.

A key component of the scope is the development of a user-friendly interface for interaction. The application is designed to be simple, intuitive, and accessible to users with varying levels of technical expertise. Using frameworks like Streamlit, the interface allows users to easily input their preferences, browse recommended articles, and interact with the system in a seamless manner.

In addition, the system includes functionality for storing user preferences, such as favorite articles, reading history, and search queries. This feature not only enhances personalization but also enables the system to learn from user behavior over time, thereby improving recommendation accuracy. Persistent storage mechanisms, such as databases or local storage, can be used to manage this data efficiently.

Furthermore, the scope allows for future enhancements such as integration with advanced machine learning models, recommendation engines based on deep learning, and real-time user behavior tracking. Features like multilingual support, voice-based interaction, and push notifications can also be incorporated to further improve usability and reach.

The motivation for developing the Personalized News Aggregator arises from the growing challenges associated with information consumption in the digital age. With the rapid expansion of online platforms, users are constantly exposed to an overwhelming volume of content. While access to information has become easier than ever before, the ability to efficiently filter and utilize that information has become increasingly difficult.

One of the primary motivations is the issue of information overload. Every day, millions of news articles are published across various platforms, covering a wide range of topics. Users often find it challenging to sift through this vast amount of data to identify content that is relevant to their interests. This leads to cognitive fatigue and reduces the overall efficiency of information consumption.

The advancements in Machine Learning and Natural Language Processing have further motivated the development of such systems. These technologies enable machines to understand, analyze, and interpret human language with remarkable accuracy. By leveraging these capabilities, it is possible to build intelligent systems that can learn from user behavior and continuously improve their performance.

The project is also motivated by the desire to explore practical applications of Artificial Intelligence in real-world scenarios. It provides an opportunity to implement theoretical concepts such as text processing, feature extraction, and similarity measurement in a meaningful way. This not only enhances technical knowledge but also demonstrates the potential of AI in solving everyday problems.

Furthermore, the increasing use of mobile devices and digital platforms has created a demand for smarter and more adaptive applications. Users expect systems that can understand their needs, adapt to their preferences, and provide a seamless experience across different devices. This project aims to meet these expectations by developing a system that is both intelligent and user-centric.

DESCRIPTION

Role of Machine Learning and Natural Language Processing in Personalized News Aggregation:

The rapid growth of digital content in recent years has made it essential to develop intelligent systems that can efficiently process and deliver relevant information to users. Machine Learning (ML) and Natural Language Processing (NLP) have emerged as powerful technologies that enable systems to understand human language and provide personalized experiences. In the context of a Personalized News Aggregator, these technologies play a crucial role in analyzing user preferences, processing textual data, and generating meaningful recommendations.

Machine Learning refers to the ability of a system to learn from data and improve its performance without explicit programming. Instead of relying on fixed rules, ML algorithms identify patterns and relationships within data, allowing systems to make predictions and decisions dynamically. This capability is particularly important in news aggregation systems, where user preferences and content are constantly evolving.

Natural Language Processing, on the other hand, focuses on enabling machines to understand and interpret human language. Since news articles are primarily composed of text, NLP techniques are essential for extracting useful information from unstructured data. By combining ML and NLP, the system becomes capable of understanding both the content of news articles and the preferences of users.

Importance of Machine Learning in Personalization

One of the key contributions of Machine Learning in this system is its ability to enable personalization. Traditional systems present the same content to all users, without considering individual preferences. However, ML-based systems analyze user behavior and tailor content accordingly.

The system collects data such as search queries, clicked articles, reading duration, and user interactions. This data is then used to build a user profile that reflects the interests and

preferences of the individual. Over time, the system learns from this data and improves its recommendations.

For example, if a user frequently reads articles related to technology and startups, the system will prioritize similar content in future recommendations. This adaptive behavior ensures that the system remains relevant and useful.

In addition, ML helps in predicting user interests even when explicit input is limited. By identifying patterns in user behavior, the system can recommend articles that the user is likely to find interesting, even if they have not specifically searched for them.

Role of Natural Language Processing in Text Analysis

Natural Language Processing is essential for analyzing and understanding the content of news articles. Since the data is unstructured, it must be processed and converted into a format suitable for analysis.

The NLP process begins with text preprocessing. This involves cleaning the data by removing punctuation, special characters, and irrelevant words. Tokenization is then performed to break the text into individual words or tokens. Stop words such as “the,” “is,” and “and” are removed, as they do not contribute significant meaning.

Further processing includes stemming and lemmatization, which reduce words to their root forms. This ensures consistency and improves the accuracy of analysis. For instance, words like “running,” “runs,” and “ran” are reduced to a common base form.

NLP also includes techniques such as part-of-speech tagging and named entity recognition. These methods help identify important elements within the text, such as names, locations, and organizations, which can be useful for categorization and recommendation.

Feature Extraction and Representation

After preprocessing, the next step is to convert textual data into numerical form. This is necessary because machine learning algorithms operate on numerical data rather than raw text.

One of the most commonly used techniques for this purpose is TF-IDF (Term Frequency-Inverse Document Frequency). This method assigns weights to words based on their importance within a document. Words that appear frequently in a specific article but are rare across other articles are given higher importance.

This representation allows the system to capture the essence of each article in a mathematical format. It helps differentiate between relevant and irrelevant content, improving the quality of recommendations.

In addition to TF-IDF, advanced methods such as word embeddings can also be used. These methods represent words as vectors in a multi-dimensional space, capturing semantic relationships between them.

Similarity Measurement and Recommendation

Once both user preferences and news articles are represented numerically, the system must determine how closely they match. This is achieved using similarity measures such as Cosine Similarity.

Cosine Similarity calculates the angle between two vectors. A smaller angle indicates a higher similarity, meaning the article is more relevant to the user's interests.

By comparing the user profile vector with article vectors, the system can rank articles based on their relevance. The top-ranked articles are then recommended to the user.

This approach ensures that recommendations are not random but are based on a well-defined mathematical model.

Deep Learning and Advanced NLP Techniques

Recent advancements in deep learning have significantly improved the capabilities of NLP systems. Traditional methods rely on simple statistical models, which may not capture the full complexity of language.

Deep learning models, such as neural networks, can learn complex patterns and relationships within data. Techniques such as Recurrent Neural Networks (RNNs), Long Short-Term Memory (LSTM), and transformer-based models have revolutionized NLP.

Transformer models, in particular, are highly effective in understanding context. They analyze words in relation to their surrounding text, enabling the system to capture meaning more accurately.

For example, the meaning of a word can change depending on the context in which it is used. Advanced models can interpret these nuances, leading to better content analysis and improved recommendations.

Behavioral Analysis and Continuous Learning

A major advantage of ML-based systems is their ability to learn continuously. The system does not remain static but evolves over time based on user interactions.

Behavioral data plays a key role in this process. The system analyzes how users interact with content, including:

- Articles they click on
- Time spent reading
- Frequency of visits
- Topics they ignore

This information is used to refine recommendations and improve accuracy. As the system gathers more data, it becomes better at predicting user preferences.

This continuous learning process ensures that the system adapts to changing interests and remains relevant over time.

Hybrid Recommendation Approaches

To improve performance, modern systems often use a combination of different recommendation techniques. These include content-based filtering and collaborative filtering.

Content-based filtering recommends articles similar to those the user has previously interacted with. Collaborative filtering, on the other hand, suggests content based on the preferences of similar users.

By combining these approaches, the system can overcome individual limitations and provide more accurate recommendations.

Real-Time Data Processing

News aggregation systems must handle real-time data, as new articles are published continuously. ML and NLP techniques enable the system to process and analyze this data efficiently.

The NLP process begins with text preprocessing. This involves cleaning the data by removing punctuation, special characters, and irrelevant words. Tokenization is then performed to break the text into individual words or tokens. Stop words such as “the,” “is,” and “and” are removed, as they do not contribute significant meaning.

Beyond basic preprocessing, NLP also focuses on understanding sentence structure and relationships between words. Techniques such as syntactic parsing help identify how words are connected within a sentence, enabling the system to extract more meaningful insights. This is particularly useful in news articles, where context and structure play a significant role in conveying information.

Another advanced capability of NLP is sentiment analysis. This involves determining the emotional tone of a text, such as whether it is positive, negative, or neutral. In a news aggregator, sentiment analysis can be used to categorize articles and provide users with content that matches their emotional preferences.

Furthermore, topic extraction techniques allow the system to automatically identify the main themes of an article. This helps in categorizing content and improving the accuracy of recommendations.

Multilingual Capabilities

With the globalization of information, it is important for systems to support multiple languages. Advanced NLP techniques enable the processing of multilingual content.

This allows users to access news from different regions and cultures, enhancing the diversity of information. Language detection and translation techniques can be used to make content accessible to a wider audience.

User Experience Enhancement

The integration of ML and NLP significantly improves user experience. Instead of manually searching for information, users receive personalized recommendations.

This reduces effort and saves time, making the system more efficient. Features such as interactive interfaces, topic selection, and recommendation explanations further enhance usability.

Content-based filtering recommends articles similar to those the user has previously interacted with. Collaborative filtering, on the other hand, suggests content based on the preferences of similar users.

Challenges and Ethical Considerations

Despite their advantages, ML and NLP systems face several challenges. These include data privacy, algorithmic bias, and the risk of over-personalization.

User data must be handled securely to prevent misuse. In addition, the system must ensure that recommendations are fair and unbiased.

Over-personalization can lead to filter bubbles, where users are exposed only to content that matches their existing views. This can limit diversity and reduce awareness of different perspectives.

ALGORITHM / PSEUDOCODE

```
START

INPUT user_interest

CALL fetch_news(user_interest)

STORE articles in dataset

FOR each article:
  COMBINE title + description
  CONVERT to lowercase
  REMOVE punctuation
  REMOVE stopwords

APPLY TF-IDF vectorization

CONVERT user_interest into vector

CALCULATE cosine similarity

SORT articles based on similarity

SELECT top N articles

DISPLAY results

IF user clicks save:
  ADD article to favorites
```

STORE search query in history

END

Introduction to the Algorithm

The Personalized News Aggregator system uses an intelligent recommendation algorithm to filter and display relevant news articles based on user interests. The algorithm combines techniques from Natural Language Processing and information retrieval to process textual data and generate personalized results.

The main goal of the algorithm is to compare user-provided input with a collection of news articles and rank them based on similarity. This ensures that users receive only the most relevant articles instead of browsing through a large volume of unrelated content.

The algorithm operates in multiple stages, including data collection, preprocessing, feature extraction, similarity computation, ranking, and result display.

2. Algorithm Overview

The system follows a structured pipeline to generate recommendations:

1. Accept user input
2. Fetch news data
3. Clean and preprocess text
4. Convert text into numerical vectors
5. Compare user input with articles
6. Rank articles based on similarity
7. Display top results

This pipeline ensures that the system processes data efficiently and produces accurate recommendations.

3. Detailed Step-by-Step Algorithm

Step 1: User Input

The algorithm begins by accepting input from the user in the form of keywords or phrases. This input represents the user's area of interest.

Example: User Input: "Artificial Intelligence Technology"

Step 2: Data Collection:

- Article title
- Description
- URL
- Source

These articles are stored in a dataset for further processing.

Step 3: Data Preprocessing

The raw text data contains unnecessary elements such as punctuation, special characters, and common words that do not contribute to meaning. Therefore, preprocessing is performed.

Preprocessing Steps:

- Convert text to lowercase
- Remove punctuation
- Remove stopwords (e.g., "the", "is", "and")
- Tokenize text into words

This step improves the quality of the data and ensures better performance in later stages.

Step 4: Text Combination

For each article, the title and description are combined into a single string:

content = title + " " + description

This provides more context for analysis and improves recommendation accuracy.

4. Complete Pseudocode

```
BEGIN

INPUT user_interest

IF user_interest is empty:
  DISPLAY "Enter valid input"
  STOP

CALL fetch_news(user_interest)

STORE articles in dataset

FOR each article IN dataset:
  title = article.title
  description = article.description

  IF title is NULL:
     title = ""
  IF description is NULL:
     description = ""

  content = title + " " + description

  content = preprocess(content)

STORE all processed content

INITIALIZE TF-IDF vectorizer

X = TF-IDF(content)
```

```
user_processed = preprocess(user_interest)

user_vector = TF-IDF(user_processed)

similarity_scores = cosine_similarity(user_vector, X)

SORT similarity_scores in descending order

SELECT top N indices

FOR each index in top N:
  DISPLAY article title
  DISPLAY description
  DISPLAY similarity score
  DISPLAY article URL

IF user clicks save:
  ADD article to favorites

STORE user_interest in search history

END
```

5. Flow Explanation

The algorithm follows a linear flow:

Input → Fetch Data → Clean Data → Convert to Vectors → Compare → Rank → Output..

IMPLEMENTATION

1. Introduction

The implementation of the Personalized News Aggregator involves developing a system that integrates real-time data fetching, text processing, machine learning, and an interactive user interface. The entire system is built using Python and leverages multiple libraries to perform different tasks efficiently.

The application is developed using Streamlit for the frontend and Python libraries for backend processing. The system follows a modular approach where each functionality is implemented as a separate component.

2. Technologies Used

The implementation uses the following technologies:

- Python → Core programming language
- Streamlit → User Interface
- Pandas → Data handling
- NLTK → Text preprocessing
- Scikit-learn → TF-IDF and similarity
- News API → Data source

3. System Setup

Before implementing the system, the required libraries must be installed.

```
pip install streamlit pandas nltk scikit-learn requests
```

Additionally, NLTK stopwords need to be downloaded:

```
import nltk
nltk.download('stopwords')
```

4. Fetching News Data

Code:

```
import requests
import pandas as pd

API_KEY = "9e69b274d6394fb6aca50d1569b8542d"

def fetch_news(query):
  url = f"https://newsapi.org/v2/everything?q={query}&apiKey={API_KEY}"
  response = requests.get(url)
  data = response.json()

  articles = []
  for article in data.get("articles", []):
    articles.append({
      "title": article.get("title", ""),
      "description": article.get("description", ""),
      "url": article.get("url", "")
    })

  return pd.DataFrame(articles)
```

Explanation:

- Sends request to API
- Extracts relevant fields
- Converts into DataFrame

5. Text Preprocessing

Text preprocessing is performed using NLTK.

Code:

```
from nltk.corpus import stopwords
import string

stop_words = set(stopwords.words('english'))

def preprocess(text):
    if not isinstance(text, str):
        return ""

    text = text.lower()
    text = ''.join([char for char in text if char not in string.punctuation])
    words = text.split()
    words = [word for word in words if word not in stop_words]

    return " ".join(words)
```

Explanation:

- Converts text to lowercase
- Removes punctuation
- Removes stopwords
- Returns cleaned text

6. Feature Extraction

Code:

```
from sklearn.feature_extraction.text import TfidfVectorizer

def vectorize_text(df):
    df["content"] = (df["title"] + " " + df["description"]).apply(preprocess)
```

```
    vectorizer = TfidfVectorizer(max_features=5000)
    X = vectorizer.fit_transform(df["content"])

    return X, vectorizer
```

7. Similarity Calculation

Code:

```
from sklearn.metrics.pairwise import cosine_similarity

def get_recommendations(user_input, df, X, vectorizer, n=5):
    user_input = preprocess(user_input)
    user_vec = vectorizer.transform([user_input])

    similarity = cosine_similarity(user_vec, X)[0]
    indices = similarity.argsort()[::-1][:n]

    results = df.iloc[indices].copy()
    results["score"] = similarity[indices]

    return results
```

8. Streamlit User Interface

Code:

```
import streamlit as st

st.title("📰 Personalized News Aggregator")

user_input = st.text_input("Enter your interests:")

if st.button("Get News"):
```

```
if user_input:
    df = fetch_news(user_input)

    if df.empty:
        st.warning("No news found")
    else:
        X, vectorizer = vectorize_text(df)
        results = get_recommendations(user_input, df, X, vectorizer)

        for _, row in results.iterrows():
            st.subheader(row["title"])
            st.write(row["description"])
            st.write(f"Score: {row['score']:.2f}")
            st.write(f"[Read More]({row['url']})")
            st.write("---")
```

9. Favorites and History Implementation

Session state is used to store user data.

Code:

```
if "favorites" not in st.session_state:
  st.session_state.favorites = []

if st.button("Save Article"):
  st.session_state.favorites.append(row["title"]).
```

Henceforth finding the matching algorithms for the given NEWS API

Including gathering saved , history and favourites using similarity algorithms.

OUTPUT

The output of the system consists of personalized news recommendations displayed on the user interface.When a user enters a query, the system processes the input and displays a list of relevant articles. Each article includes a title, description, similarity score, and a link to the full article.Users can save articles to their favorites and access them later. The system also maintains a history of previous searches.






localhost:8501
Deploy
Login
Username
Nikethana
Password
Login


techradar.com/pro/from-hype-to-value-the-ai-trends-set-to-shape-2026?utm_source=chatgpt.com
techradar pro THE BUSINESS TECHNOLOGY EXPERTS
UK Edition
RSS
Sign in
Search
News
Reviews
Features
Expert Insights
Website builders
Web hosting
Security
INTUIT
Build your future while building the future of finance
Explore careers
Your next build: financial intelligence for millions
Your intelligence, powering Intuit Intelligence
Sponsored by: INTUIT Careers
READ MORE
AdChoices
TRENDING
Best office chairs
Best 3D printers
Best antivirus
Best web hosting
Best website builde
Pro
ADVERTISEMENT
From hype to value: The AI trends set to shape 2026
Opinion
By Vijay Guntur published 24 March 2026
2026 will see AI move from pilots to accountable production at scale, delivering real value
Arcesium
ROI in the Age of AI: Powered by People, Enhanced by Agents+
In April, a startup launched an AI-powered application to deliver insights and intelligence to retail
Grades up. Fares down.
Save up to ₹11,400* with Student Fare
Only on IndiGo web & app
*T&C apply.


wsj.com/tech/ai/nvidia-invests-in-mira-muratis-thinking-machines-lab-db29dedb?utm_source=chatgpt.com
WSJ
Barron's
MarketWatch
IBD
WSJ | Buy Side
DJIA Futures 45310.00 -0.25%
S&P 500 Futures 6398.00 -0.22%
Nasdaq Futures 23254.25 -0.32%
SSE Index 3913.72 0.63%
Stoxx 600 575.30 -0.95%
THE WALL STREET JOURNAL.
Subscribe
Sign In
VIEW MEMBERSHIP OPTIONS
English Edition
Print Edition
Video
Audio
Latest Headlines
Puzzles
More
World
Business
U.S.
Politics
Economy
Tech
Markets & Finance
Opinion
Free Expression
Arts
Lifestyle
Real Estate
Personal Finance
Health
Style
Sports
Advertisement
XM
Sign Up to Trade Gold with XM Today
Your capital is at risk. *T&Cs apply.
TECHNOLOGY | ARTIFICIAL INTELLIGENCE
Follow
Nvidia Invests in Mira Murati's Thinking Machines Lab
The startup, founded by OpenAI's former CTO, plans to deploy at least one gigawatt of Nvidia chips as part of a new partnership
By Keach Hagey
Follow
Updated March 11, 2026 2:33 am ET
Share
Resize
12
Listen (2 min)
Advertisement

APPLICATIONS

The Personalized News Aggregator has a wide range of applications across different domains due to its ability to filter, analyze, and recommend relevant information based on user preferences. In an era where digital content is growing exponentially, such systems play a crucial role in improving how users consume information.

One of the primary applications of this system is in online news platforms and media organizations. Traditional news websites present a fixed set of articles to all users, which may not align with individual interests. By integrating a personalized recommendation system, these platforms can provide customized news feeds, ensuring that users receive content that is relevant to them. This increases user engagement, improves retention rates, and enhances the overall user experience.

Another important application is in educational environments. Students and researchers often need to stay updated with the latest developments in their fields of study. A personalized news aggregator can filter academic or domain-specific news and present only relevant articles, saving time and effort. For example, a student interested in artificial intelligence can receive curated news related to machine learning, robotics, and data science.

The system can also be applied in business intelligence and corporate environments. Organizations require continuous updates on market trends, competitor activities, and technological advancements. Furthermore, the application can be extended to support multilingual news recommendations, making it accessible to users from different regions and language backgrounds. It can also be integrated with voice assistants, enabling users to receive personalized news through voice commands.

Overall, the Personalized News Aggregator serves as a versatile solution that can be applied across multiple domains, improving efficiency, user satisfaction, and information accessibility.

CONCLUSION

The Personalized News Aggregator project successfully demonstrates the practical application of artificial intelligence in solving real-world problems related to information overload. With the rapid increase in digital content, users often struggle to find relevant information efficiently. This system addresses that challenge by providing a structured and intelligent approach to filtering and recommending news articles based on user preferences.

The project effectively utilizes techniques from Natural Language Processing to process and analyze textual data. By implementing methods such as TF-IDF and Cosine Similarity, the system is able to accurately match user interests with relevant articles. These techniques ensure that the recommendations are meaningful and aligned with the user's input.

One of the key strengths of the project is its simplicity and efficiency. The system is designed using a modular approach, making it easy to understand, implement, and extend. Features such as search history, favorites, and category-based filtering improve usability and provide a better user experience.

Future enhancements can include the integration of deep learning models, sentiment analysis, and automatic text summarization. The system can also be expanded to include user profiling and behavior tracking to improve recommendation accuracy over time. Implementing a database system would allow for permanent storage of user data, further enhancing the functionality.

In conclusion, the Personalized News Aggregator is an effective solution for delivering customized news content in a fast and efficient manner. It highlights the importance of personalization in modern applications and demonstrates how artificial intelligence can be leveraged to improve user experience. The project serves as a strong foundation for further research and development in intelligent recommendation systems and has the potential to be scaled into a full-fledged commercial application.