Rajalakshmi Engineering College

Name: Jai Aakash S

Email: 240701198@rajalakshmi.edu.in

Roll no: 240701198 Phone: 8098615834

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 3_MCQ

Attempt : 1 Total Mark : 25

Marks Obtained: 23

Section 1: MCQ

1. What is the output of the following Python code?

b = "Projects!" print(b[2:5])

Answer

oje

Status: Correct Marks: 1/1

2. If you have a list lst = [1, 2, 3, 4, 5, 6], what does the slicing operation lst[-3:] return?

Answer

The last three elements of the list

Marks: 1/1 Status: Correct

3. What is the output of the following Python code?

word = "Python" result = word[::-1] print(result)

Answer

nohtyP

Marks: 1/1 Status: Correct

Which method in Python is used to create an empty list?

Answer

list()

Status: Correct Marks: 1/1

5. What is the output of the following code?

Answer

6

Status: Correct Marks: 1/1

6. What will be the output of the following code?

Answer

Marks : 1/1

```
7. What is the output of the following code?

my_list = [3, 6, 1.2 5 41]
print(sorted(my_list) == my_list.sort())
```

Answer

False

Status: Correct Marks: 1/1

8. What is the output of the following Python code?

text = "Python" result = text.center(10, "*") print(result)

Answer

Python

Status: Correct Marks: 1/1

9. Suppose list1 is [4, 2, 2, 4, 5, 2, 1, 0], Which of the following is the correct syntax for slicing operation?

Answer

all of the mentioned options

Status: Correct Marks: 1/1

10. What is the output of the following Python code?

text = " Python " answer = text.strip() print(answer)

Answer

Python

Status: Correct Marks: 1/1

11. What is the result of the slicing operation lst[-5:-2] on the list lst = [1, 2, 3, 4, 5, 6]?

Answer

[2, 3, 4]

Status: Correct Marks: 1/1

12. Which method is used to add multiple items to the end of a list?

Answer

extend()

Status: Correct Marks: 1/1

13. Which of the following is a valid way to use the '%' operator to concatenate strings in Python?

Answer

string1 %s string2

Status: Wrong Marks: 0/1

14. What will be the output of the following code?

numbers = [1, 2, 3, 4, 5] numbers.remove(6) print(numbers)

Answer

ValueError: list.remove(x): x not in list

Status: Correct Marks: 1/1

15. Suppose list1 is [2, 33, 222, 14, 25], What is list1[-1]?

Answer

25

Status: Correct Marks: 1/1

16. What is the output of the following Python code?

```
word = "programming"
answer = word.index("gram")
print(answer)
```

Answer

3

Status: Correct Marks: 1/1

17. What does the append() method do in Python?

Answer

Adds a new element to the end of the list

Status: Correct Marks: 1/1

18. What is the output of the following Python code?

```
a = "Hello"
b = "World"
c = a + " " + b
print(c)
```

Answer

Hello World

Status: Correct Marks: 1/1

19. What is the output of the following Python code?

name = "John"

age = 25

message = "My name is %s and I am %d years old." % (name, age) print(message)

Answer

My name is John and I am 25 years old.

Status: Correct Marks: 1/1

20. What does the following code output?

lst = [10, 20, 30, 40, 50] print(lst[-4:-1])

Answer

[20, 30, 40]

Status: Correct Marks: 1/1

21. What will be the output of the following program?

numbers = [1, 2, 3, 4, 5] numbers.append(6, 7) print(numbers)

Answer

Compile Time Error

Status: Correct Marks: 1/1

22. What does negative indexing in Python lists allow you to do?

Answer

Access elements in the list from the end

Status: Correct Marks: 1/1

23. What is the output of the following Python code?

txt = "My Classroom" print(txt.find("o")) print(txt.index("o"))

Answer

99

Status: Correct Marks: 1/1

24. Suppose list1 is [2, 33, 222, 14, 25], What is list1[:-1]?

Answer

[25, 14, 222, 33, 2]

Status: Wrong Marks: 0/1

25. What is the output of the following Python code?

string1 = "Hello" string2 = "World" result = string1 + string2 print(result)

Answer

HelloWorld

Status: Correct Marks: 1/1

2,40701198

240101198

240/01/98

2,40701798