

Pom.xml

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
        https://maven.apache.org/xsd/maven-4.0.0.xsd">
    <modelVersion>4.0.0</modelVersion>
    <groupId>com.library</groupId>
    <artifactId>LibraryManagement</artifactId>
    <version>1.0-SNAPSHOT</version>
    <properties>
        <maven.compiler.source>1.8</maven.compiler.source>
        <maven.compiler.target>1.8</maven.compiler.target>
    </properties>
    <dependencies>
        <dependency>
            <groupId>org.springframework</groupId>
            <artifactId>spring-context</artifactId>
            <version>5.3.39</version>
        </dependency>
        <dependency>
            <groupId>org.springframework</groupId>
            <artifactId>spring-aop</artifactId>
            <version>5.3.39</version>
        </dependency>
        <dependency>
```

```

        <groupId>org.springframework</groupId>

        <artifactId>spring-webmvc</artifactId>

        <version>5.3.39</version>

    </dependency>

</dependencies>

<build>

    <plugins>

        <plugin>

            <groupId>org.apache.maven.plugins</groupId>

            <artifactId>maven-compiler-plugin</artifactId>

            <version>3.11.0</version>

            <configuration>

                <source>1.8</source>

                <target>1.8</target>

            </configuration>

        </plugin>

    </plugins>

</build>

</project>

```

applicationContext.xml

```

<?xml version="1.0" encoding="UTF-8"?>

<beans xmlns="http://www.springframework.org/schema/beans"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="
        http://www.springframework.org/schema/beans
        http://www.springframework.org/schema/beans/spring-beans.xsd">

    <bean id="bookRepository"

```

```

        class="com.library.repository.BookRepository"/>

<bean id="bookService"
    class="com.library.service.BookService">

    <property name="bookRepository"
        ref="bookRepository"/>

</bean>
</beans>

```

LibraryManagementApplication.java

```

package com.library;

import com.library.service.BookService;
import org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationContext;

public class LibraryManagementApplication {

    public static void main(String[] args) {

        ApplicationContext context =
            new ClassPathXmlApplicationContext("applicationContext.xml");

        BookService service = context.getBean("bookService", BookService.class);

        service.displayBook();
    }
}

```

BookRepository.java

```

package com.library.repository;

public class BookRepository {

    public void getBook() {
        System.out.println("BookRepository: Fetching book details from the database.");
    }
}

```

```
}
```

BookService.java

```
package com.library.service;
```

```
import com.library.repository.BookRepository;
```

```
public class BookService {
```

```
    private BookRepository bookRepository;
```

```
    public void setBookRepository(BookRepository bookRepository) {  
        this.bookRepository = bookRepository;  
    }
```

```
    public void displayBook() {  
        System.out.println("BookService: Processing book request...");  
        bookRepository.getBook();  
    }
```

```
}
```

