

[attributes \(/reference/attributes\)](#)

[case \(/reference/case\)](#)

[code \(/reference/code\)](#)

[comments \(/reference/comments\)](#)

[conditionals \(/reference/conditionals\)](#)

[doctype \(/reference/doctype\)](#)

[extends \(/reference/extends\)](#)

[filters \(/reference/filters\)](#)

[includes \(/reference/includes\)](#)

[inheritance \(/reference/inheritance\)](#)

[iteration \(/reference/iteration\)](#)

[mixins \(/reference/mixins\)](#)

[plain text \(/reference/plain-text\)](#)

[tags \(/reference/tags\)](#)

Comments

Single line comments look the same as JavaScript comments and must be placed on their own line:

```
// just some paragraphs
p foo
p bar
```

```
<!-- just some paragraphs-->
<p>foo</p>
<p>bar</p>
```

Jade also supports unbuffered comments, by simply adding a hyphen

```
//- will not output within markup
p foo
p bar
```

```
<p>foo</p>
<p>bar</p>
```

Block Comments

A block comment is legal as well:

```
body
  //
    As much text as you want
    can go here.
```

```
<body>
  <!--
    As much text as you want
    can go here.
  -->
</body>
```

Conditional Comments

Jade does not have any special syntax for conditional comments. If your line begins with < then it is treated as plain text. So just use normal HTML style conditional comments:

```
<!--[if IE 8]>
<html lang="en" class="lt-ie9">
<![endif]-->
<!--[if gt IE 8]><!-->
<html lang="en">
<!--<![endif]-->
```

```
<!--[if IE 8]>
<html lang="en" class="lt-ie9">
<![endif]-->
<!--[if gt IE 8]><!-->
<html lang="en">
<!--<![endif]-->
```