

[attributes \(/reference/attributes\)](/reference/attributes)

[case \(/reference/case\)](/reference/case)

[code \(/reference/code\)](/reference/code)

[comments \(/reference/comments\)](/reference/comments)

[conditionals \(/reference/conditionals\)](/reference/conditionals)

[doctype \(/reference/doctype\)](/reference/doctype)

[extends \(/reference/extends\)](/reference/extends)

[filters \(/reference/filters\)](/reference/filters)

[includes \(/reference/includes\)](/reference/includes)

[inheritance \(/reference/inheritance\)](/reference/inheritance)

[iteration \(/reference/iteration\)](/reference/iteration)

[mixins \(/reference/mixins\)](/reference/mixins)

[plain text \(/reference/plain-text\)](/reference/plain-text)

[tags \(/reference/tags\)](/reference/tags)

Extends - Template Inheritance

The `extends` keyword allows a template to extend a layout or parent template. It can then override certain pre-defined blocks of content.

```
// - layout.jade
doctype html
html
  head
    block title
      title Default title
  body
    block content
```

```
// - index.jade
extends ./layout.jade

block title
  title Article Title

block content
  h1 My Article
```

```
<!doctype html>
<html>
  <head>
    <title>Article Title</title>
  </head>
  <body>
    <h1>My Article</h1>
  </body>
</html>
```

Note

You can have multiple levels of inheritance, allowing you to create powerful hierarchies of templates.