

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student
 - Tables
 - school
 - student_data
 - Columns
 - Student_ID
 - Name
 - Branch
 - Roll_Number
 - Age
 - Nationality
 - Skills
 - Language_Known
 - Salary
 - CGPA_Scored
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - test

Management Schemas

Information

No object selected

Object Info Session

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 /*Create database Student;*/
2 Use Student;
3 Create table Student_data(
4 Student_ID int PRIMARY KEY,
5 Name varchar(30),
6 Branch varchar(10),
7 Roll_Number bigint,
8 Age INT,
9 Nationality VARCHAR(15),
10 Skills VARCHAR(10),
11 Language_Known varchar(15),
12 Salary int,
13 CGPA_Scored double
14 );
15 SHOW Tables;
16 /*Insert into Student_data VALUES (101, 'Jaideep', 'BCA', 24001311023,19, 'Indian', 'C++', 'English', 150000,8.841);
17 SELECT * FROM STUDENT_DATA;*/
```

Result Grid

Filter Rows: Export: Wrap Cell Content: I

Tables_in_student
school
student_data

Result 1 x

Read Only

U: 0.000 Mbit/s JAIDEEP PAUL 4:30 PM
D: 0.000 Mbit/s 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student
 - Tables
 - school
 - student_data
 - Columns
 - Student_ID
 - Name
 - Branch
 - Roll_Number
 - Age
 - Nationality
 - Skills
 - Language_Known
 - Salary
 - CGPA_Scored
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- test

Management Schemas

Information

No object selected

Object Info Session

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 /*Create database Student;*/
2 Use Student;
3 /*Create table Student_data(
16 TRUNCATE TABLE STUDENT_DATA;
17 Insert into Student_data VALUES (101, 'Jaideep', 'BCA', 24001311023,19, 'Indian', 'C++', 'English', 150000,8.841),
18 (102, 'Rahul', 'BCA', 24001311057,20, 'Indian', 'Python', 'English', 100000,8.862),
19 (103, 'Lakshay', 'BSC', 24001311093,18, 'Indian', 'SQL', 'English', 130000,8.851),
20 (104, 'Armaan', 'BBA', 24001311073,21, 'Indian', 'PHP', 'English', 90000,8.963),
21 (105, 'Praveen', 'B.TECH', 24001311024,19, 'Indian', 'PERL', 'English', 70000,7.5);
22 SELECT * FROM STUDENT_DATA;
```

Result Grid

Student_ID	Name	Branch	Roll_Number	Age	Nationality	Skills	Language_Known	Salary	CGPA_Scored
101	Jaideep	BCA	24001311023	19	Indian	C++	English	150000	8.841
102	Rahul	BCA	24001311057	20	Indian	Python	English	100000	8.862
103	Lakshay	BSC	24001311093	18	Indian	SOL	English	130000	8.851
104	Armaan	BBA	24001311073	21	Indian	PHP	English	90000	8.963
105	Praveen	B.TECH	24001311024	19	Indian	PERL	English	70000	7.5
None	None	None	None	None	None	None	None	None	None

STUDENT_DATA 3 x

Apply Revert

U: 0.002 Mbit/s D: 0.001 Mbit/s JAIDEEP PAUL 4:42 PM 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student
 - Tables
 - school
 - student_data
 - Columns
 - Student_ID
 - Name
 - Branch
 - Roll_Number
 - Age
 - Nationality
 - Skills
 - Language_Known
 - Salary
 - CGPA_Scored
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- test

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database Student;*/
2 Use Student;
3 /*Create table Student_data(
21 SELECT * FROM STUDENT_DATA;
22 ALTER TABLE STUDENT_DATA ADD Phone_no bigint;
23 /*TRUNCATE TABLE STUDENT_DATA;*/
24 SELECT * FROM STUDENT_DATA;
```

Result Grid

Student_ID	Name	Branch	Roll_Number	Age	Nationality	Skills	Language_Known	Salary	CGPA_Scored	Phone_no
101	Jaideep	BCA	24001311023	19	Indian	C++	English	150000	8.841	NULL
102	Rahul	BCA	24001311057	20	Indian	Python	English	100000	8.862	NULL
103	Lakshav	BSC	24001311093	18	Indian	SOL	English	130000	8.851	NULL
104	Armaan	BBA	24001311073	21	Indian	PHP	English	90000	8.963	NULL
105	Praveen	B.TECH	24001311024	19	Indian	PERL	English	70000	7.5	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Management Schemas

Information

No object selected

Object Info Session STUDENT_DATA 4 STUDENT_DATA 5 x

Apply Revert

U: 0.001 Mbit/s D: 0.002 Mbit/s JAIDEEP PAUL 4:46 PM 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student
 - Tables
 - school
 - student_data
 - Columns
 - Student_ID
 - Name
 - Branch
 - Roll_Number
 - Age
 - Nationality
 - Skills
 - Language_Known
 - Salary
 - CGPA_Scored
 - Indexes
 - Foreign Keys
 - Triggers
- Views
- Stored Procedures
- Functions

- test

Management Schemas

Information

No object selected

Object Info Session

STUDENT_DATA 6 STUDENT_DATA 7 x

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 /*Create database Student;*/
2 Use Student;
3 /*Create table Student_data(
21 SELECT * FROM STUDENT_DATA;
22 /*ALTER TABLE STUDENT_DATA ADD Phone_no bigint;*/
23 UPDATE STUDENT_DATA SET Phone_no=9810504681 where name="Jaideep";
24 /*TRUNCATE TABLE STUDENT_DATA;*/
25 SELECT * FROM STUDENT_DATA;
```

Result Grid

Student_ID	Name	Branch	Roll_Number	Age	Nationality	Skills	Language_Known	Salary	CGPA_Scored	Phone_no
101	Jaideep	BCA	24001311023	19	Indian	C++	English	150000	8.841	9810504681
102	Rahul	BCA	24001311057	20	Indian	Python	English	100000	8.862	NULL
103	Lakshav	BSC	24001311093	18	Indian	SOL	English	130000	8.851	NULL
104	Armaan	BBA	24001311073	21	Indian	PHP	English	90000	8.963	NULL
105	Praveen	B.TECH	24001311024	19	Indian	PERL	English	70000	7.5	NULL
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Query Stats

Apply Revert

U: 0.001 Mbit/s D: 0.001 Mbit/s JAIDEEP PAUL 4:49 PM 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student
 - Tables
 - school
 - Views
 - Stored Procedures
 - Functions
- test

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 /*Create database Student;*/
2 Use Student;
3 Create table Student_data(
4 Student_ID int PRIMARY KEY,
5 Name varchar(30),
6 Branch varchar(10),
7 Roll_Number bigint,
8 Age INT,
9 Nationality VARCHAR(15),
10 Skills VARCHAR(10),
11 Language_Known varchar(15),
12 Salary int,
13 CGPA_Scored double
14 );
15 /*SHOW Tables;*/
16 /*Insert into Student_data VALUES (101, 'Jaideep', 'BCA', 24001311023,19, 'Indian', 'C++', 'English', 150000,8.841),
22 /*ALTER TABLE STUDENT_DATA ADD Phone_no bigint;
25 /*DELETE FROM STUDENT_DATA WHERE Name="Armaan";*/
26 DROP TABLE STUDENT_DATA;
27 SHOW Tables;
28 /*SELECT * FROM STUDENT_DATA;*/
```

Result Grid Filter Rows: Export: Wrap Cell Content: Read Only

Tables_in_student
school

Object Info Session Result 15 x

U: 0.001 Mbit/s D: 0.000 Mbit/s JAIDEEP PAUL 5:00 PM 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student
 - Tables
 - school
 - Views
 - Stored Procedures
 - Functions
- test

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 /*Create database Student;*/
2 Use Student;
3 Create table Student_data(
4 Student_ID int PRIMARY KEY,
5 Name varchar(30),
6 Branch varchar(10),
7 Roll_Number bigint,
8 Age INT,
9 Nationality VARCHAR(15),
10 Skills VARCHAR(10),
11 Language_Known varchar(15),
12 Salary int,
13 CGPA_Scored double
14 );
15 /*SHOW Tables;*/
16 Insert into Student_data VALUES (101, 'Jaideep', 'BCA', 24001311023,19, 'Indian', 'C++', 'English', 150000,8.841),
17 (102, 'Rahul', 'BCA', 24001311057,20, 'Indian', 'Python', 'English', 100000,8.862),
18 (103, 'Lakshay', 'BSC', 24001311093,18, 'Indian', 'SQL', 'English', 130000,8.851),
19 (104, 'Armaan', 'BBA', 24001311073,21, 'Indian', 'PHP', 'English', 90000,8.963),
20 (105, 'Praveen', 'B.TECH', 24001311024,19, 'Indian', 'PERL', 'English', 70000,7.5);
21 /*SELECT * FROM STUDENT_DATA;*/
22 /*ALTER TABLE STUDENT_DATA ADD Phone_no bigint;
23 DELETE FROM STUDENT_DATA WHERE Name="Armaan";
24 SELECT * FROM STUDENT_DATA;
```

Result Grid

Student_ID	Name	Branch	Roll_Number	Age	Nationality	Skills	Language_Known	Salary	CGPA_Scored
101	Jaideep	BCA	24001311023	19	Indian	C++	English	150000	8.841
102	Rahul	BCA	24001311057	20	Indian	Python	English	100000	8.862
103	Lakshav	BSC	24001311093	18	Indian	SOL	English	130000	8.851
105	Praveen	B.TECH	24001311024	19	Indian	PERL	English	70000	7.5
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

STUDENT_DATA 16 x

U: 0.000 Mbit/s D: 0.000 Mbit/s JAIDEEP PAUL 5:03 PM 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- student**
 - Tables
 - school
 - Views
 - Stored Procedures
 - Functions
 - test

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database Student;*/
2 Use Student;
3 /*Create table Student_data(
22 /*ALTER TABLE STUDENT_DATA ADD Phone_no bigint;
25 TRUNCATE TABLE STUDENT_DATA;
26 SELECT * FROM STUDENT_DATA;
```

Result Grid

Student_ID	Name	Branch	Roll_Number	Age	Nationality	Skills	Language_Known	Salary	CGPA_Scored
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

STUDENT_DATA 17 x

U: 0.002 Mbit/s D: 0.000 Mbit/s JAIDEEP PAUL 5:07 PM 30-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
4 Roll_no int primary key,
5 Name varchar(30),
6 Class varchar(20),
7 Marks int
8 );
9 insert into school values(1,'Amit','BBA',75),(2,'Anuj','bca',82),(3,'Nikhil','bca',85),(4,'Bhanu','bca',62),(5,'Riddhi','bba',90),
10 (6,'Siddhi','bca',95),(7,'Armaan','mba',95);*/
11 /*select * from school;*/
12 Select name,marks from school;
13 /*select name from school where class='bca';
26 select * from school where name like 'A%';*/
```

Result Grid

name	marks
Amit	75
Anui	82
Nikhil	85
Bhanu	62
Riddhi	90
Siddhi	95
Armaan	95

Object Info Session school 70 x

Read Only

U: 0.000 Mbit/s JAIDEEP PAUL 9:35 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
13 select * from school where class='bca';
14 /*select name from school where marks>80;
26 select * from school where name like 'A%';*/
```

Result Grid

Roll_no	Name	Class	Marks
2	Anui	bca	82
3	Nikhil	bca	85
4	Bhanu	bca	62
6	Siddhi	bca	95
NULL	NULL	NULL	NULL

school 71 x

Apply Revert

U: 0.000 Mbit/s JAIDEEP PAUL 9:36 PM
D: 0.001 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
14 select * from school where marks>80;
15 /*select name,marks from school where marks between 70 and 80;
26 select * from school where name like 'A%';*/
```

Result Grid

Roll_no	Name	Class	Marks
2	Anui	bca	82
3	Nikhil	bca	85
5	Riddhi	bba	90
6	Siddhi	bca	95
7	Armaan	mba	95
NULL	NULL	NULL	NULL

Object Info Session school 72 x

Apply Revert

U: 0.002 Mbit/s JAIDEEP PAUL 9:39 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
15 select * from school where marks between 70 and 80;
16 /*select sum(marks) from school;
26 select * from school where name like 'A%';*/
```

Limit to 1000 rows

Result Grid

Roll_no	Name	Class	Marks
1	Amit	BBA	75
NULL	NULL	NULL	NULL

school 74 x

Apply Revert

U: 0.002 Mbit/s JAIDEEP PAUL 9:43 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

College_name	varchar(50)
Name	varchar(25)
Course	varchar(5)
Semester	int(11)
Roll_Number	bigint(20)
Gender	varchar(6)
Email	varchar(50)
Contact_Number	bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
16 select COUNT(*) as total_students from school;
17 /*select max(marks) from school;
26 select * from school where name like 'A%';*/
```

Limit to 1000 rows

Result Grid

total_students
7

Filter Rows: Export: Wrap Cell Content: I

Result Grid Form Editor Field Types Query Stats

Object Info Session Result 75 x Read Only

U: 0.000 Mbit/s JAIDEEP PAUL 9:47 PM
D: 0.001 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

College_name	varchar(50)
Name	varchar(25)
Course	varchar(5)
Semester	int(11)
Roll_Number	bigint(20)
Gender	varchar(6)
Email	varchar(50)
Contact_Number	bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
17 select max(marks) from school;
18 /*select avg(marks) from school;
26 select * from school where name like 'A%';*/
```

Limit to 1000 rows

Result Grid

max(marks)
95

Filter Rows: Export: Wrap Cell Content: I

Result 76 x

Read Only

U: 0.002 Mbit/s JAIDEEP PAUL 9:47 PM
D: 0.002 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

College_name	varchar(50)
Name	varchar(25)
Course	varchar(5)
Semester	int(11)
Roll_Number	bigint(20)
Gender	varchar(6)
Email	varchar(50)
Contact_Number	bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
18 select avg(marks) from school;
19 /*select name,marks from school order by marks asc;
26 select * from school where name like 'A%';*/
```

Limit to 1000 rows

Result Grid

avg(marks)
83.4286

Filter Rows: Export: Wrap Cell Content: I

Object Info Session Result 77 x Read Only

U: 0.002 Mbit/s JAIDEEP PAUL 9:48 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
19 select * from school order by marks asc;
20 /*select * from school order by marks desc;*/
21 /*select class,avg(marks) from school group by class;
26 select * from school where name like 'A%';*/
```

Result Grid

Roll_no	Name	Class	Marks
4	Bhanu	bca	62
1	Amit	BBA	75
2	Anui	bca	82
3	Nikhil	bca	85
5	Riddhi	bba	90
6	Siddhi	bca	95
7	Armaan	mba	95
NULL	NULL	NULL	NULL

school 82 x

Apply Revert

U: 0.002 Mbit/s JAIDEEP PAUL 9:52 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
21 select class,avg(marks) as average_marks from school group by class;
22 /*update school set marks=88 where roll_no=4;
26 select * from school where name like 'A%';*/
```

Result Grid

class	average_marks
BBA	82.5000
bca	81.0000
mba	95.0000

Result 85 x

Read Only

U: 0.000 Mbit/s JAIDEEP PAUL 9:55 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
24 delete from school where roll_no=1;
25 select * from school;
26 /*select * from school where name like 'A%';*/
```

Result Grid

Roll_no	Name	Class	Marks
2	Anui	bca	82
3	Nikhil	bca	85
4	Bhanu	bca	88
5	Riddhi	bba	90
6	Siddhi	bca	95
7	Armaan	mba	95
NULL	NULL	NULL	NULL

Object Info Session school 88 school 89 x

Apply Revert

U: 0.000 Mbit/s JAIDEEP PAUL 9:59 PM
D: 0.001 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- form
- phpmyadmin
- test

Management Schemas

Information

Table: form_data

Columns:

- College_name varchar(50)
- Name varchar(25)
- Course varchar(5)
- Semester int(11)
- Roll_Number bigint(20)
- Gender varchar(6)
- Email varchar(50)
- Contact_Number bigint(20)

Query 1 x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

```
1 /*Create database student;*/
2 Use student;
3 /*CREATE TABLE school(
11 /*select * from school;
26 select * from school where name like 'A%';
```

Result Grid

Roll_no	Name	Class	Marks
2	Anui	bca	82
7	Armaan	mba	95
NULL	NULL	NULL	NULL

school 90 x

Apply Revert

U: 0.000 Mbit/s JAIDEEP PAUL 10:00 PM
D: 0.000 Mbit/s 29-Jan-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Management Schemas

Information

Schema: form

Object Info Session

Practice* x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 CREATE TABLE STUDENT(
3     Std_ID int primary key,
4     Name varchar(30),
5     Age int,
6     Department VARCHAR(10),
7     Year int
8 );
9 Insert into STUDENT values(101,'Amit',20,'CSE',2024),(102,'Anuj',19,'CE',2025),(103,'Nikhil',18,'CS',2023),(104,'Bhanu',21,'IT',2022),
10 (105,'Riddhi',22,'CS',2024),(106,'Siddhi',25,'CSE',2024),(107,'Armaan',19,'CSE',2025);
11 CREATE TABLE Course(
12     Course_ID int primary key,
13     Course_Name varchar(30),
14     Department VARCHAR(10),
15     Credits int
16 );
17 Insert into Course values(1,"DBMS",'CSE',3),(2,"Mongo-DB",'CE',4),(3,"Python",'CS',4),(4,"C",'IT',5),(5,"C++",'CS',2),
18 (6,"DBMS",'CSE',2),(7,"DBMS",'CSE',1);
19 CREATE TABLE Enrollment(
20     Enroll_ID int primary key,
21     Stu_ID INT,
22     Course_ID int,
23     Marks int
24 );
25 Insert into Enrollment values(1001,101,1,75),(1002,102,2,58),(1003,103,3,85),(1004,104,4,95),(1005,105,5,84),(1006,106,6,96),(1007,107,7,77);
26 select * from STUDENT; -- 1
27 SELECT NAME FROM STUDENT WHERE department="CSE"; -- 2
28 SELECT * FROM STUDENT WHERE AGE>20; -- 3
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT; -- 5
30 SELECT department,COUNT(*) as Total_Students from student group by department; -- 6
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT; -- 7
32 Select * from student order by age DESC; -- 8
33 Select course_name from course where credits>3; -- 4
34 select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80; -- 9
35 select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80; -- 9
36 select s.name from student s,course c where c.course_name="DBMS"; -- 10
37 select s.name from student s, course c where c.course_name=NULL; -- 11
```

U: 0.002 Mbit/s
D: 0.000 Mbit/s

JAIDEEP PAUL Desktop

5:09 PM
11-Feb-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Practice x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 /*CREATE TABLE STUDENT(
26 select * from STUDENT;
27 /*SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;
33 Select course_name from course where credits>3;
34 select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80;
35 select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 select s.name from student s,course c where c.course_name="DBMS";
37 select s.name from student s, course c where c.course_name=NULL;
```

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

Std_ID	Name	Age	Department	Year
101	Amit	20	CSE	2024
102	Anui	19	CE	2025
103	Nikhil	18	CS	2023
104	Bhanu	21	IT	2022
105	Riddhi	22	CS	2024
106	Siddhi	25	CSE	2024
107	Armaan	19	CSE	2025
NULL	NULL	NULL	NULL	NULL

Management Schemas

Information

Schema: form

Object Info Session

STUDENT 13 x

Apply Revert

U: 0.002 Mbit/s
D: 0.001 Mbit/s

JAIDEEP PAUL Desktop

5:11 PM
11-Feb-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Practice* x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;*/
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 /*SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;
33 Select course_name from course where credits>3;
34 select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80;
35 select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 select s.name from student s,course c where c.course_name="DBMS";
37 select s.name from student s, course c where c.course_name=NULL;
```

Result Grid

NAME
Amit
Siddhi
Armaan

Management Schemas

Information

Schema: form

Object Info Session

STUDENT 14 x

Read Only

U: 0.000 Mbit/s
D: 0.000 Mbit/s

JAIDEEP PAUL Desktop

5:12 PM
11-Feb-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Practice* x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;*/
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 /*SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;
33 Select course_name from course where credits>3;
34 select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80;
35 select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 select s.name from student s,course c where c.course_name="DBMS";
37 select s.name from student s, course c where c.course_name=NULL;
```

Result Grid

TOTAL_STUDENTS
7

Filter Rows:

Export:

Wrap Cell Content:

Schema: form

Object Info Session

Result 16 x

Read Only

U: 0.002 Mbit/s
D: 0.000 Mbit/s

JAIDEEP PAUL Desktop

5:15 PM
11-Feb-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Practice* x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;*/
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 /*SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;
33 Select course_name from course where credits>3;
34 select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80;
35 select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 select s.name from student s,course c where c.course_name="DBMS";
37 select s.name from student s, course c where c.course_name=NULL;
```

Result Grid

department	Total_Students
CE	1
CS	2
CSE	3
IT	1

Management Schemas

Information

Schema: form

Object Info Session


Result 17 x

Read Only

U: 0.000 Mbit/s
D: 0.000 Mbit/s

JAIDEEP PAUL Desktop

5:16 PM
11-Feb-2026



The screenshot displays the MySQL Workbench interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar shows the Schemas panel with a tree view of databases: form, phpmysqladmin, student, and test. The 'form' database is selected, showing its tables: form_data, form_validation, Views, Stored Procedures, Functions, and test.

The main editor window shows a SQL script with the following queries:

```

1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;*/
32 Select * from student order by age DESC;
33 /*Select course_name from course where credits>3;
34 select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80;
35 select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 select s.name from student s,course c where c.course_name="DBMS";
37 select s.name from student s, course c where c.course_name=NULL;

```

The bottom panel shows the Result Grid with the following data:

Std_ID	Name	Age	Department	Year
106	Siddhi	25	CSE	2024
105	Riddhi	22	CS	2024
104	Bhanu	21	IT	2022
101	Amit	20	CSE	2024
102	Anui	19	CE	2025
107	Armaan	19	CSE	2025
103	Nikhil	18	CS	2023
NULL	NULL	NULL	NULL	NULL

The bottom status bar shows the session information: student 19 x, Object Info, Session, and buttons for Apply and Revert.

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Management Schemas

Information

Schema: form

Object Info Session

course 20 x

Practice* x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;*/
33 Select course_name from course where credits>3;
34 /*Select s.name from student s, enrollment e where s.std_id=e.stu_id and marks>80;
35 Select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 Select s.name from student s, course c where c.course_name="DBMS";
37 Select s.name from student s, course c where c.course_name=NULL;
```

Result Grid

course_name
Monao-DB
Pvthon
C

Filter Rows: Export: Wrap Cell Content:

Read Only

5:19 PM 11-Feb-2026

MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Management Schemas

Information

Schema: form

Object Info Session Result 21 Result 22 x

Practice* x form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data

Limit to 1000 rows

```
1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;
33 Select course_name from course where credits>3;*/
34 Select s.name from student s,enrollment e where s.std_id=e.stu_id and marks>80;
35 Select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 /*Select s.name from student s,course c where c.course_name="DBMS";
37 Select s.name from student s, course c where c.course_name=NULL;
```

Result Grid

name
Nikhil
Bhanu
Riddhi
Siddhi

Result 21


Result 22

Read Only

U: 0.002 Mbit/s
D: 0.000 Mbit/s

JAIDEEP PAUL Desktop

5:20 PM
11-Feb-2026



MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

form

Tables

form_data

form_validation

Views

Stored Procedures

Functions

phpmyadmin

student

Tables

Views

Stored Procedures

Functions

test

Management Schemas

Information

Schema: form

Object Info Session

Result 27

Result Grid

Filter Rows:

Export:

Wrap Cell Content:


name


```
1 use student;
2 /*CREATE TABLE STUDENT(
26 /*select * from STUDENT;
27 SELECT NAME FROM STUDENT WHERE department="CSE";
28 SELECT * FROM STUDENT WHERE AGE>20;
29 SELECT COUNT(*) AS TOTAL_STUDENTS FROM STUDENT;
30 SELECT department,COUNT(*) as Total_Students from student group by department;
31 SELECT AVG(AGE) AS Average_Age FROM STUDENT;
32 Select * from student order by age DESC;
33 Select course_name from course where credits>3;
34 Select s.name from student s, enrollment e where s.std_id=e.stu_id and marks>80;
35 Select s.name from student s join enrollment e on s.std_id=e.stu_id where e.marks>80;
36 Select s.name from student s JOIN ENROLLMENT e on s.std_id=e.stu_id join course c on e.course_id=c.course_id where c.course_name="DBMS";*/
37 Select s.name from student s, course c where c.course_name is NULL;
```


U: 0.000 Mbit/s
D: 0.000 Mbit/s

JAIDEEP PAUL Desktop

5:31 PM
11-Feb-2026







MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

m_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data form_data Operator,Arithmetic_Operations

Limit to 1000 rows

```
1 • USE student;
2 /*Drop table STUDENT_1;
3 Create table student_1(
4     Roll_no int primary key,
5     Name varchar(30),
6     Age int,
7     City varchar(20),
8     Marks int
9 );
10 Insert into student_1 values(101,'Karan',20,'Jaipur',85),(102,'Rahul',21,'Delhi',70),(103,'Raman',19,'Jaipur',60),
11     (104,'Aman',22,'Mumbai',90),(105,'Ankit',20,'Delhi',75),(106,'Neha',21,'Bikaner',65);*/
12 /*Select * from STUDENT_1;
13 Select * from Student_1 where city="Mumbai" and marks>70;
14 Select * from Student_1 where city="Mumbai" or city="Jaipur";
15 Select * from Student_1 where not city="Mumbai";*/
16 • UPDATE STUDENT_1 SET Marks=Marks+5;
17 • Select * from STUDENT_1;
```


Result Grid

Roll_no	Name	Age	City	Marks
101	Karan	20	Jaipur	90
102	Rahul	21	Delhi	75
103	Raman	19	Jaipur	65
104	Aman	22	Mumbai	95
105	Ankit	20	Delhi	80
106	Neha	21	Bikaner	70
TOTAL	NULL	NULL	NULL	NULL

STUDENT_1 10

SQL script saved to 'C:\Users\ADMIN\Desktop\VMCA COLLEGE BCA\VISUAL STUDIO CODE\ALL PROGRAMS\MySQL\MySQL Programs\Operator,Arithmetic_Operations.sql'

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 5:09 PM 03-Mar-2026



MySQL Workbench

XAMPP-MySQL - Warning - n... x

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc* x

Limit to 1000 rows

```
1 • Use student;
2 • Create table Empdata(
3     Emp_Id int primary key,
4     Name varchar(20),
5     Job varchar(20),
6     Doj varchar(30),
7     Salary int,
8     Bonus int,
9     DeptCode int,
10    Address varchar(20)
11 );
12 • Insert into Empdata values
13     (101,"Aman","Manager","2001-01-05",15000,140,1111,"Noida"),
14     (102,"Bhoomi","Salesman","2004-01-05",16000,1100,1112,"Gurugram"),
15     (105,"Radhika","Clerk","2005-01-05",17000,1115,1113,"Faridabad"),
16     (106,"Ram","Manager","2002-01-05",18000,2000,1114,"Faridabad"),
17     (107,"Raman","HR","2000-01-05",19000,2000,1115,"Delhi"),
18     (109,"Priya","HR","1998-01-05",20000,1500,1116,"Noida"),
19     (110,"Khushi","HR","2005-01-05",21000,5000,1117,"Mumbai"),
20     (111,"Rohan","Clerk","2004-01-05",22000,5000,1118,"Noida"),
21     (115,"Preet","Clerk","2003-01-05",23000,5000,1119,"Delhi"),
22     (116,"Pal","Manager","2000-01-05",2000,5000,1120,"Jaipur"),
23     (119,"Sham","Clerk","2001-01-05",25000,5800,1121,"Faridabad");
```

Result Grid

Emp_Id	Name	Job	Doj	Salary	Bonus	DeptCode	Address
101	Aman	Manager	2001-01-05	15000	140	1111	Noida
102	Bhoomi	Salesman	2004-01-05	16000	1100	1112	Gurugram
105	Radhika	Clerk	2005-01-05	17000	1115	1113	Faridabad
106	Ram	Manager	2002-01-05	18000	2000	1114	Faridabad
107	Raman	HR	2000-01-05	19000	2000	1115	Delhi
109	Priya	HR	1998-01-05	20000	1500	1116	Noida
110	Khushi	HR	2005-01-05	21000	5000	1117	Mumbai
111	Rohan	Clerk	2004-01-05	22000	5000	1118	Noida
115	Preet	Clerk	2003-01-05	23000	5000	1119	Delhi
116	Pal	Manager	2000-01-05	2000	5000	1120	Jaipur
119	Sham	Clerk	2001-01-05	25000	5800	1121	Faridabad
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Empdata 19 x

Apply Revert

Desktop U: 0.003 Mbit/s D: 0.001 Mbit/s 8:36 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc

Limit to 1000 rows

```
1 • Use student;
2  /*Create table Empdata(
24 /*Select * from Empdata;*/
25 • Select pow(2,3); -- 1
26  /*Select round(5815.2385,3); -- 2
27  Select round(5815.2385,-3); -- 2
28  Select mod(10,3); -- 3
29  Select Lower(Name) as lower_case from Empdata; -- 4
30  Select LCase(Name) as lower_case from Empdata; -- 4
31  Select Upper(Name) as upper_case from Empdata; -- 5
32  Select UCase(Name) as upper_case from Empdata; -- 5
33  Select now() as current_date_time; -- 6
34  Select date(now()) as current_date; -- 7
35  Select date(doj) as date_of_joining from Empdata; -- 7
36  Select time(now()) as current_time; -- 8
37  Select year(now()) as current_year; -- 9
38  Select month(now()) as current_month; -- 10
39  Select day(now()) as current_day; -- 11
40  Select dayname(now()) as current_dayname; -- 12
41  Select week(now()) as current_week; -- 13
```

Result Grid

pow(2,3)
8

Result 21 x

Read Only

Desktop U: 0.001 Mbit/s D: 0.000 Mbit/s 8:37 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2  /*Create table Empdata(
24  /*Select * from Empdata;
25  Select pow(2,3);*/
26  • Select round(5815.2385,3); -- 2
27  • Select round(5815.2385,-3); -- 2
28  /*Select mod(10,3); -- 3
29  Select Lower(Name) as lower_case from Empdata; -- 4
30  Select LCase(Name) as lower_case from Empdata; -- 4
31  Select Upper(Name) as upper_case from Empdata; -- 5
32  Select UCase(Name) as upper_case from Empdata; -- 5
33  Select now() as current_date_time; -- 6
34  Select date(now()) as current_date; -- 7
35  Select date(doj) as date_of_joining from Empdata; -- 7
36  Select time(now()) as current_time; -- 8
37  Select year(now()) as current_year; -- 9
38  Select month(now()) as current_month; -- 10
39  Select day(now()) as current_day; -- 11
40  Select dayname(now()) as current_dayname; -- 12
41  Select week(now()) as current_week; -- 13
```

Result Grid

round(5815.2385,-3)
6000

Result 22 Result 23 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:38 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 Execute the selected portion of the script or everything, if there is no selection
24 /*Select from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3);*/ -- 2
28 • Select mod(10,3); -- 3
29 /*Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as current_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as current_time; -- 8
37 Select year(now()) as current_year; -- 9
38 Select month(now()) as current_month; -- 10
39 Select day(now()) as current_day; -- 11
40 Select dayname(now()) as current_dayname; -- 12
41 Select week(now()) as current_week; -- 13
```

Result Grid

mod(10,3)
1

Result 24 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:38 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 + Execute the selected portion of the script or everything, if there is no selection
24 - Select * from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 • Select Lower(Name) as lower_case from Empdata; -- 4
30 • Select LCase(Name) as lower_case from Empdata; -- 4
31 - Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as current_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as current_time; -- 8
37 Select year(now()) as current_year; -- 9
38 Select month(now()) as current_month; -- 10
39 Select day(now()) as current_day; -- 11
40 Select dayname(now()) as current_dayname; -- 12
41 Select week(now()) as current_week; -- 13
```

Result Grid

lower_case
aman
bhoomi
radhika
ram
raman
priva
khushi
rohan
preet
pal
sham

Result 25 Result 26 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:39 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 +/*Create table Empdata(
24 +/*Select * from Empdata;
25 |Select pow(2,3); -- 1
26 |Select round(5815.2385,3); -- 2
27 |Select round(5815.2385,-3); -- 2
28 |Select mod(10,3); -- 3
29 |Select Lower(Name) as lower_case from Empdata; -- 4
30 |Select LCase(Name) as lower_case from Empdata; */ -- 4
31 • |Select Upper(Name) as upper_case from Empdata; -- 5
32 • |Select UCase(Name) as upper_case from Empdata; -- 5
33 +|Select now() as current_date_time; -- 6
34 |Select date(now()) as current_date; -- 7
35 |Select date(doj) as date_of_joining from Empdata; -- 7
36 |Select time(now()) as current_time; -- 8
37 |Select year(now()) as current_year; -- 9
38 |Select month(now()) as current_month; -- 10
39 |Select day(now()) as current_day; -- 11
40 |Select dayname(now()) as current_dayname; -- 12
41 |Select week(now()) as current_week; -- 13
```

Result Grid

upper_case
AMAN
BHOOMI
RADHIKA
RAM
RAMAN
PRIYA
KHUSHI
ROHAN
PREET
PAL
SHAM

Result 27 Result 28 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:39 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc* x

Limit to 1000 rows

```
1 • Use student;
2 +/*Create table Empdata(
24 +/*Select * from Empdata;
25 |Select pow(2,3); -- 1
26 |Select round(5815.2385,3); -- 2
27 |Select round(5815.2385,-3); -- 2
28 |Select mod(10,3); -- 3
29 |Select Lower(Name) as lower_case from Empdata; -- 4
30 |Select LCase(Name) as lower_case from Empdata; -- 4
31 |Select Upper(Name) as upper_case from Empdata; -- 5
32 |Select UCase(Name) as upper_case from Empdata; */ -- 5
33 • Select now() as current_date_time; -- 6
34 +/*Select date(now()) as current_date; -- 7
35 |Select date(doj) as date_of_joining from Empdata; -- 7
36 |Select time(now()) as current_time; -- 8
37 |Select year(now()) as current_year; -- 9
38 |Select month(now()) as current_month; -- 10
39 |Select day(now()) as current_day; -- 11
40 |Select dayname(now()) as current_dayname; -- 12
41 |Select week(now()) as current_week; -- 13
```

Result Grid

current_date_time
2026-03-19 20:41:42

Result 31 x

Read Only

Desktop U: 0.001 Mbit/s D: 0.001 Mbit/s 8:41 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 /*Create table Empdata(
24 /*Select * from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; */ -- 6
34 • Select date(now()) as current_date; -- 7
35 • Select date(doj) as date_of_joining from Empdata; -- 7
36 /*Select time(now()) as current_time; -- 8
37 Select year(now()) as current_year; -- 9
38 Select month(now()) as current_month; -- 10
39 Select day(now()) as current_day; -- 11
40 Select dayname(now()) as current_dayname; -- 12
41 Select week(now()) as current_week; -- 13
```

Result Grid

date_of_joining
2001-01-05
2004-01-05
2005-01-05
2002-01-05
2000-01-05
1998-01-05
2005-01-05
2004-01-05
2003-01-05
2000-01-05
2001-01-05

Result 29 Result 30 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:41 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 +/*Create table Empdata(
24 +/*Select * from Empdata;
25 |Select pow(2,3); -- 1
26 |Select round(5815.2385,3); -- 2
27 |Select round(5815.2385,-3); -- 2
28 |Select mod(10,3); -- 3
29 |Select Lower(Name) as lower_case from Empdata; -- 4
30 |Select LCase(Name) as lower_case from Empdata; -- 4
31 |Select Upper(Name) as upper_case from Empdata; -- 5
32 |Select UCase(Name) as upper_case from Empdata; -- 5
33 |Select now() as current_date_time; -- 6
34 |Select date(now()) as current_date; -- 7
35 |Select date(doj) as date_of_joining from Empdata;*/ -- 7
36 • Select time(now()) as current_time; -- 8
37 |Select year(now()) as current_year; -- 9
38 |Select month(now()) as current_month; -- 10
39 |Select day(now()) as current_day; -- 11
40 |Select dayname(now()) as current_dayname; -- 12
41 |Select week(now()) as current_week; -- 13
```

Result Grid

currents_time
20:42:38

Result 32 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:42 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 /*Create table Empdata(
24 /*Select * from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as current_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as current_time; */ -- 8
37 • Select year(now()) as current_year; -- 9
38 /*Select month(now()) as current_month; -- 10
39 Select day(now()) as current_day; -- 11
40 Select dayname(now()) as current_dayname; -- 12
41 Select week(now()) as current_week; -- 13
```

Result Grid

current_year
2026

Result 33 x

Read Only

Desktop U: 0.057 Mbit/s D: 0.131 Mbit/s 8:43 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 /*Create table Empdata(
24 /*Select * from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as current_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as current_time; -- 8
37 Select year(now()) as current_year; -- 9
38 • Select month(now()) as current_month; -- 10
39 /*Select day(now()) as current_day; -- 11
40 Select dayname(now()) as current_dayname; -- 12
41 Select week(now()) as current_week; -- 13
```

Result Grid

currents_month
3

Result 34 x

Read Only

Desktop U: 0.002 Mbit/s D: 0.000 Mbit/s 8:44 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 /*Create table Empdata(
24 /*Select * from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as current_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as current_time; -- 8
37 Select year(now()) as current_year; -- 9
38 Select month(now()) as current_month;*/ -- 10
39 • Select day(now()) as current_day; -- 11
40 /*Select dayname(now()) as current_dayname; -- 12
41 Select week(now()) as current_week; -- 13
```

Result Grid

currents_day
19

Result 35 x

Read Only

Desktop U: 0.002 Mbit/s D: 0.001 Mbit/s 8:44 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc*

Limit to 1000 rows

```
1 • Use student;
2 /*Create table Empdata(
24 /*Select * from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as currents_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as currents_time; -- 8
37 Select year(now()) as currents_year; -- 9
38 Select month(now()) as currents_month; -- 10
39 Select day(now()) as currents_day; /*
40 • Select dayname(now()) as current_dayname; -- 12
41 /*Select week(now()) as currents_week; -- 13
```

Result Grid

current_dayname
Thursdav

Result 36 x

Read Only

Desktop U: 0.000 Mbit/s D: 0.000 Mbit/s 8:45 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc* x

Limit to 1000 rows

```
1 • Use student;
2 + Execute the selected portion of the script or everything, if there is no selection
24 - Select from Empdata;
25 Select pow(2,3); -- 1
26 Select round(5815.2385,3); -- 2
27 Select round(5815.2385,-3); -- 2
28 Select mod(10,3); -- 3
29 Select Lower(Name) as lower_case from Empdata; -- 4
30 Select LCase(Name) as lower_case from Empdata; -- 4
31 Select Upper(Name) as upper_case from Empdata; -- 5
32 Select UCase(Name) as upper_case from Empdata; -- 5
33 Select now() as current_date_time; -- 6
34 Select date(now()) as current_date; -- 7
35 Select date(doj) as date_of_joining from Empdata; -- 7
36 Select time(now()) as current_time; -- 8
37 Select year(now()) as current_year; -- 9
38 Select month(now()) as current_month; -- 10
39 Select day(now()) as current_day; -- 11
40 Select dayname(now()) as current_dayname;*/ -- 12
41 • Select week(now()) as current_week; -- 13
```

Result Grid

currents_week
11

Result 37 x

Read Only

Desktop U: 0.001 Mbit/s D: 0.000 Mbit/s 8:46 PM 19-Mar-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, lCase, etc JOINS_QUERIES

Limit to 1000 rows

```
1 /*create database student;*/
2 use student;
3 create table student_2(
4     Id int primary key,
5     Name varchar(25)
6 );
7 insert into student_2 values (1,"Ravi"),(2,"Mohan"),(3,"Ram"),(4,"Rahul");
8 select * from student_2;
9 /*create table marks(
10     Id int primary key,
11     Marks int
12 );
13 insert into marks values (1,85),(2,90),(5,"75");
14 select * from marks;*/
15 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s INNER JOIN MARKS m ON s.ID=m.ID;
16 SELECT m.id,s.name,m.marks FROM STUDENT_2 s left outer JOIN MARKS m ON s.ID=m.ID;
17 SELECT m.id,s.name,m.marks FROM STUDENT_2 s right outer JOIN MARKS m ON s.ID=m.ID;
18 /*SELECT m.id,s.name,M.MARKS FROM STUDENT_2 s full outer JOIN MARKS m ON s.ID=m.ID;*/
19 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s left JOIN MARKS m ON s.ID=m.ID UNION SELECT m.id,s.name,m.marks FROM STUDENT_2 s right JOIN MARKS m ON s.ID=m.ID;
```

Result Grid

Id	Name
1	Ravi
2	Mohan
3	Ram
4	Rahul
NULL	NULL

student_2 1

Apply Revert

Desktop U: 0.001 Mbit/s D: 0.000 Mbit/s 9:33 PM 01-Apr-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, lCase, etc JOINS_QUERIES*

Limit to 1000 rows

```
1 /*create database student;*/
2 use student;
3 /*create table student_2(
4     Id int primary key,
5     Name varchar(25)
6 );
7 insert into student_2 values (1,"Ravi"),(2,"Mohan"),(3,"Ram"),(4,"Rahul");
8 select * from student_2;*/
9 create table marks(
10     Id int primary key,
11     Marks int
12 );
13 insert into marks values (1,85),(2,90),(5,"75");
14 select * from marks;
15 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s INNER JOIN MARKS m ON s.ID=m.ID;
16 SELECT m.id,s.name,m.marks FROM STUDENT_2 s left outer JOIN MARKS m ON s.ID=m.ID;
17 SELECT m.id,s.name,m.marks FROM STUDENT_2 s right outer JOIN MARKS m ON s.ID=m.ID;
18 /*SELECT m.id,s.name,M.MARKS FROM STUDENT_2 s full outer JOIN MARKS m ON s.ID=m.ID;*/
19 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s left JOIN MARKS m ON s.ID=m.ID UNION SELECT m.id,s.name,m.marks FROM STUDENT_2 s right JOIN MARKS m ON s.ID=m.ID;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content: I

Id	Marks
1	85
2	90
5	75
NULL	NULL

marks 2 x Apply Revert

Desktop U: 0.000 Mbit/s D: 0.001 Mbit/s 9:34 PM 01-Apr-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc JOINS_QUERIES*

Limit to 1000 rows

```
1 /*create database student;*/
2 use student;
3 /*create table student_2(
4     Id int primary key,
5     Name varchar(25)
6 );
7 insert into student_2 values (1,"Ravi"),(2,"Mohan"),(3,"Ram"),(4,"Rahul");
8 select * from student_2;
9 create table marks(
10     Id int primary key,
11     Marks int
12 );
13 insert into marks values (1,85),(2,90),(5,"75");
14 select * from marks;*/
15 SELECT m.id,s.name,m.marks FROM STUDENT_2 s INNER JOIN MARKS m ON s.ID=m.ID;
16 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s left outer JOIN MARKS m ON s.ID=m.ID;
17 SELECT m.id,s.name,m.marks FROM STUDENT_2 s right outer JOIN MARKS m ON s.ID=m.ID;*/
18 /*SELECT m.id,s.name,M.MARKS FROM STUDENT_2 s full outer JOIN MARKS m ON s.ID=m.ID;*/
19 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s left JOIN MARKS m ON s.ID=m.ID UNION SELECT m.id,s.name,m.marks FROM STUDENT_2 s right JOIN MARKS m ON s.ID=m.ID;
```

Result Grid Filter Rows: Export: Wrap Cell Content: I A

id	name	marks
1	Ravi	85
2	Mohan	90

Result 6 x Read Only

Desktop U: 0.000 Mbit/s D: 0.001 Mbit/s 9:37 PM 01-Apr-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc JOINS_QUERIES*

Limit to 1000 rows

```
1 /*create database student;*/
2 use student;
3 /*create table student_2(
4     Id int primary key,
5     Name varchar(25)
6 );
7 insert into student_2 values (1,"Ravi"),(2,"Mohan"),(3,"Ram"),(4,"Rahul");
8 select * from student_2;
9 create table marks(
10     Id int primary key,
11     Marks int
12 );
13 insert into marks values (1,85),(2,90),(5,"75");
14 select * from marks;*/
15 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s INNER JOIN MARKS m ON s.ID=m.ID;*/
16 SELECT m.id,s.name,m.marks FROM STUDENT_2 s left outer JOIN MARKS m ON s.ID=m.ID;
17 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s right outer JOIN MARKS m ON s.ID=m.ID;*/
18 /*SELECT m.id,s.name,M.MARKS FROM STUDENT_2 s full outer JOIN MARKS m ON s.ID=m.ID;*/
19 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s left JOIN MARKS m ON s.ID=m.ID UNION SELECT m.id,s.name,m.marks FROM STUDENT_2 s right JOIN MARKS m ON s.ID=m.ID;
```

Result Grid Filter Rows: Export: Wrap Cell Content: I A

id	name	marks
1	Ravi	85
2	Mohan	90
NULL	Ram	NULL
NULL	Rahul	NULL

Result 7 x Read Only

Desktop U: 0.003 Mbit/s D: 0.000 Mbit/s 9:38 PM 01-Apr-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc JOINS_QUERIES*

Limit to 1000 rows

```
1 /*create database student;*/
2 use student;
3 /*create table student_2(
4     Id int primary key,
5     Name varchar(25)
6 );
7 insert into student_2 values (1,"Ravi"),(2,"Mohan"),(3,"Ram"),(4,"Rahul");
8 select * from student_2;
9 create table marks(
10     Id int primary key,
11     Marks int
12 );
13 insert into marks values (1,85),(2,90),(5,"75");
14 select * from marks;*/
15 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s INNER JOIN MARKS m ON s.ID=m.ID;
16 SELECT m.id,s.name,m.marks FROM STUDENT_2 s left outer JOIN MARKS m ON s.ID=m.ID;*/
17 SELECT m.id,s.name,m.marks FROM STUDENT_2 s right outer JOIN MARKS m ON s.ID=m.ID;
18 /*SELECT m.id,s.name,M.MARKS FROM STUDENT_2 s full outer JOIN MARKS m ON s.ID=m.ID;*/
19 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s left JOIN MARKS m ON s.ID=m.ID UNION SELECT m.id,s.name,m.marks FROM STUDENT_2 s right JOIN MARKS m ON s.ID=m.ID;
```

Result Grid Filter Rows: Export: Wrap Cell Content: I A

id	name	marks
1	Ravi	85
2	Mohan	90
5	NULL	75

Result 8 x Read Only

Desktop U: 0.003 Mbit/s D: 0.001 Mbit/s 9:38 PM 01-Apr-2026

MySQL Workbench

XAMPP-MySQL - Warning - n...

File Edit View Query Database Server Tools Scripting Help

Table, UCase, LCase, etc JOINS_QUERIES*

Limit to 1000 rows

```
1 /*create database student;*/
2 • use student;
3 /*create table student_2(
4     Id int primary key,
5     Name varchar(25)
6 );
7 insert into student_2 values (1,"Ravi"),(2,"Mohan"),(3,"Ram"),(4,"Rahul");
8 select * from student_2;
9 create table marks(
10     Id int primary key,
11     Marks int
12 );
13 insert into marks values (1,85),(2,90),(5,"75");
14 select * from marks;*/
15 /*SELECT m.id,s.name,m.marks FROM STUDENT_2 s INNER JOIN MARKS m ON s.ID=m.ID;
16 SELECT m.id,s.name,m.marks FROM STUDENT_2 s left outer JOIN MARKS m ON s.ID=m.ID;
17 SELECT m.id,s.name,m.marks FROM STUDENT_2 s right outer JOIN MARKS m ON s.ID=m.ID;*/
18 /*SELECT m.id,s.name,M.MARKS FROM STUDENT_2 s full outer JOIN MARKS m ON s.ID=m.ID;*/
19 • SELECT m.id,s.name,m.marks FROM STUDENT_2 s left JOIN MARKS m ON s.ID=m.ID UNION SELECT m.id,s.name,m.marks FROM STUDENT_2 s right JOIN MARKS m ON s.ID=m.ID;
```

Result Grid Filter Rows: Export: Wrap Cell Content: I A

id	name	marks
1	Ravi	85
2	Mohan	90
NULL	Ram	NULL
NULL	Rahul	NULL
5	NULL	75

Result 9 x Read Only

Desktop U: 0.008 Mbit/s D: 0.000 Mbit/s 9:39 PM 01-Apr-2026

	S_no	Name	Branch	Subject	Marks
	1	Jaideep	B.Tech	DBMS	95
	2	Rahul	BCA	WC	85
	3	Suial	MCA	IKS	45
	4	Abeer	B.Voc	OS	75
	5	Praveen	M.Voc	DSA	88

	S_no	Name	Branch	Subject	Marks
	1	Jaideep	B.Tech	DBMS	95
	2	Rahul	BCA	WC	85
	4	Abeer	B.Voc	OS	75

	S_no	Name	Branch	Subject	Marks
	1	Jaideep	B.Tech	DBMS	95
	2	Rahul	BCA	WC	85
	3	Suial	MCA	IKS	45
	4	Abeer	B.Voc	OS	75
	5	Praveen	M.Voc	DSA	88

	S_no	Name	Branch	Subject	Marks
	1	Jaideep	B.Tech	DBMS	95
	2	Rahul	BCA	WC	85
	4	Abeer	B.Voc	OS	75
	5	Praveen	M.Voc	DSA	88

	S_no	Name	Branch	Subject	Marks
	1	Jaideep	B.Tech	DBMS	95
	2	Rahul	BCA	WC	85
	4	Abeer	B.Voc	OS	75
	5	Praveen	M.Voc	DSA	88

	S_no	Name	Branch	Subject	Marks
	1	Jaideep	B.Tech	DBMS	95
	2	Rahul	BCA	WC	85
	3	Suial	MCA	IKS	45
	4	Abeer	B.Voc	OS	75
	5	Praveen	M.Voc	DSA	88