

GUIDE 1 OF 3

Running Vertex ERP on Your Laptop

Everything you need to start the system yourself, sign in as any of the twenty-one people in it, and reset it when you break something.

Vertex ERP for Shahjalal Islami Bank PLC · prepared by Harvest Partners (HK) Limited · 18 September 2026

What this is, in one paragraph

Vertex ERP is a complete web application. It runs on your own laptop rather than on the internet, which means you open it in Chrome exactly like a website, but nothing leaves your machine and it works with the wi-fi switched off. Everything it shows — the staff, the vendors, the budgets, the purchase orders — lives in a single file on your disk. You can break it as badly as you like; one command puts it back.

Before you start

You need	Why
A Windows or Mac laptop	Either is fine.
Internet, once	Only for the install. After that it runs completely offline.
About 20 minutes	Mostly waiting for the install to finish.
Roughly 1.5 GB free disk	The app and its libraries.

You will be typing commands into a terminal. On Windows that is **PowerShell** (press Start, type *powershell*). On Mac it is **Terminal** (press Cmd+Space, type *terminal*). You do not need to understand the commands — copy them exactly and press Enter.

One-time setup

1 Install Node.js

Node.js is the engine the application runs on. Go to <https://nodejs.org> and download the version marked **LTS**. Run the installer and accept every default.

When it finishes, **close your terminal and open a new one**, then check it worked:

```
node --version
```

You should see something starting with `v22` or higher. If you see *command not found*, the installer did not finish — run it again.

2 Get the code onto your laptop

The simple way. Open <https://github.com/Jaidenlau/Shahjalal-Bank> in your browser. Use the branch selector near the top left to switch from `main` to `claude/eloquent-gauss-b2nvp4`. Click the green **Code** button, then **Download ZIP**. Unzip it somewhere you will remember — your Desktop is fine.

The better way, if you plan to keep pulling my updates. Install Git from <https://git-scm.com/downloads>, then run:

```
git clone https://github.com/Jaidenlau/Shahjalal-Bank.git
cd Shahjalal-Bank
git checkout claude/eloquent-gauss-b2nvp4
```

With this second option, every time I push a change you get it with one command: `git pull`. With the ZIP you have to download it again each time. I would take the five minutes and install Git.

3 Point your terminal at the folder

Everything from here happens inside the project folder. Type `cd`, a space, then drag the folder from your file explorer onto the terminal window and press Enter. It fills in the path for you.

```
# it will look something like this
cd C:\Users\Jaiden\Desktop\Shahjalal-Bank    ← Windows
cd /Users/jaiden/Desktop/Shahjalal-Bank      ← Mac
```

4 Install the libraries

This downloads everything the app depends on. It needs internet and takes two to four minutes. It prints a lot of text; that is normal.

```
npm install
```

5 Create the database and fill it with the bank's data

This builds the database file and loads every person, vendor, item, budget, past purchase order and past invoice into it. Takes about ten seconds.

```
npm run setup
```

You only ever do steps 1 to 5 once.

Starting it, every time after that

```
npm run demo
```

Wait for it to say **Ready** — the first time this takes around a minute because it is building. Then open **http://localhost:3000** in Chrome. Leave the terminal window open; closing it stops the app.

Straight after that, run this in a *second* terminal window. It opens every screen once so none of them pauses when you are in front of people:

```
npm run warm
```

Signing in

Every password in the system is

Demo@2026

Sign in the first time as **rezaul.karim@sjiblbld.com**. He is an officer at the bottom of the hierarchy, and the first thing you should notice is how little he can see — no approvals, no tenders, no finance. That is the point.

Once you are in, use **Switch user** in the top bar to jump between people without typing a password again. That is how you move through the whole story on stage.

Staff logins

E-mail	Name	Grade	Role	What they are for
rezaul.karim@sjiblbld.com	Rezaul Karim	Officer	Requisition Initiator	Raises the requisition. Start the demo here.
shafiquul.alam@sjiblbld.com	Shafiquil Alam	Vice President	Department Head	First approver on the requisition.
mizanur.rahman@sjiblbld.com	Mizanur Rahman	Senior Vice President	System Administrator / Divisional Head	Sees everything. Use for the Admin screens.
farhana.akter@sjiblbld.com	Farhana Akter	Senior AVP	Department Head / Purchase Committee / TEC	Sits on three committees.
rafiqul.islam@sjiblbld.com	Rafiqul Islam	Senior AVP	Procurement Head	Floats the tender, issues the work order.
tanvir.ahmed@sjiblbld.com	Tanvir Ahmed	Vice President	TEC / Procurement Head	Completes the technical evaluation that lifts the seal.
sharmin.akhter@sjiblbld.com	Sharmin Akhter	Principal Officer	Technical Evaluation Committee	Scores the technical bids.
shahidul.islam@sjiblbld.com	Shahidul Islam	AVP	Procurement Executive / Store Keeper	
rakibul.hasan@sjiblbld.com	Rakibul Hasan	Officer	Store Keeper	Records the goods receipt.
nasrin.sultana@sjiblbld.com	Nasrin Sultana	Senior Officer	Finance Officer	Enters the invoice. Cannot approve it.
sumaiya.haque@sjiblbld.com	Sumaiya Haque	Officer	Finance Officer	The second finance officer, so the chain never deadlocks.

kamrun.nahar@sjiblbld.com	Kamrun Nahar	Vice President	Finance Manager	Approves the payment.
golam.mostafa@sjiblbld.com	Golam Mostafa	Executive VP	Chief Financial Officer	
abdul.mannan@sjiblbld.com	Abdul Mannan	Deputy Managing Director	Managing Director	Top of the delegation matrix.
imran.hossain@sjiblbld.com	Imran Hossain	Senior Officer	Requisition Initiator	
nusrat.jahan@sjiblbld.com	Nusrat Jahan	Officer	Requisition Initiator	
sabbir.ahmed@sjiblbld.com	Sabbir Ahmed	Junior Officer	Requisition Initiator	
tahmina.begum@sjiblbld.com	Tahmina Begum	Officer	Requisition Initiator	

Vendor logins

These sign in at a completely separate door: **<http://localhost:3000/vendor>**. Different session, different permissions, and they can never see anything inside the bank.

E-mail	Name	Company
bids@rahimtraders.com.bd	Abdur Rahim	Rahim Traders Ltd
bids@meghnatech.com.bd	Shahadat Hossain	Meghna Technologies Ltd
bids@bengaloffice.com.bd	Nasima Khatun	Bengal Office Solutions

The commands you will actually use

Command	What it does	When
<code>npm run demo</code>	Builds the app and serves it at <code>http://localhost:3000</code> . This is the one to use for a real demo.	Every time you want to run it
<code>npm run dev</code>	Development mode. Screens compile the first time you open them, so they can pause for a few seconds. Fine for exploring, wrong for the demo.	While poking around
<code>npm run reset</code>	Wipes the data and puts it back exactly how it started. Takes about 5 seconds. Safe to run while the app is running.	Between rehearsals
<code>npm run warm</code>	Opens every screen once so none of them pauses on stage.	Right after <code>npm run demo</code>
<code>npm run check</code>	Runs the whole test suite: types, build, 34 control checks, all 92 screens, the 24-step demo thread, offline, projector. Takes a few minutes.	After any change
<code>Ctrl + C</code>	Stops the server in the terminal window it is running in.	When you are finished

The one command worth memorising

`npm run reset` — five seconds, puts the data back exactly as it started. Nothing you can do by clicking around is permanent. Explore aggressively; approve things, reject things, try to break the controls. That is what it is for.

Things worth trying first

- 1. Sign in as Rezaul and look at the sidebar.** Count the menu items. Now switch to Mizanur Rahman and count again. Same application, different system.
- 2. Raise a requisition.** Requisitions → New. Type a laptop into the item box and watch the current stock, the stock in transit and the last purchase price appear before you have finished typing.
- 3. Try to approve your own requisition.** Submit one as Rezaul, then go to Approvals while still signed in as Rezaul and press Approve. Read the refusal carefully. That is the maker-checker control, and it is enforced in the database, not the browser.
- 4. Try to open a sealed price.** Open the live tender, find a bidder, press to open the financial envelope before technical evaluation is done. The refusal quotes the tender clause it is enforcing.
- 5. Try to order more than was approved.** Purchase Orders → New. Put a bigger quantity than the requisition approved. It names the item, the approved quantity and your attempted quantity.
- 6. Verify the audit chain.** Admin → Audit → Verify chain. Watch it walk every record and come back green.

Numbers 3, 4 and 5 are the three moments that will decide whether the bank believes this is real. Get comfortable with all three.

When something goes wrong

What you see	What it means	What to do
--------------	---------------	------------

command not found: npm	Node.js is not installed, or the terminal was open before you installed it.	Close the terminal, open a new one, try again. If it still fails, reinstall Node.js.
Port 3000 is already in use	A previous copy is still running.	Run <code>./scripts/server-stop.sh</code> in the project folder, then start again.
A screen shows an error after you changed data	The database got into a state the seed did not expect.	Run <code>npm run reset</code> . This fixes almost everything.
Pages are slow the first time you open them	You are in <code>npm run dev</code> .	Stop it, run <code>npm run demo</code> , then <code>npm run warm</code> .
Cannot find module './1234.js'	The build folder was interrupted mid-write.	Delete the <code>.next</code> folder, then run <code>npm run demo</code> again.
Nothing loads at localhost:3000	The server is not running, or it is still building.	Look at the terminal. Wait for <code>Ready</code> . First build takes 40-60 seconds.

The day before the demo

- Run `npm run check` once and confirm it ends green.
- Run `npm run demo`, then `npm run warm`.
- **Turn your wi-fi off** and walk the whole demo. Nothing needs the internet, and proving that to yourself removes the venue's network as a risk entirely.
- Laptop on mains power, screen sleep disabled, notifications off, one Chrome window, no other tabs, browser at 100% zoom.
- Run `npm run reset` last, so you walk in on a clean start state.
- Read `docs/RUN-SHEET.md` in the project folder. It is the click-by-click script, including the exact wording of each refusal message and what to say if something stalls.