



**RAJALAKSHMI ENGINEERING COLLEGE,
CHENNAI**

**Department of Artificial Intelligence & Data Science
CS23633 – Cloud Computing Laboratory**

Experiment 6: CDN SERVICE SELECTION AND CDN CONFIGURATION.

AIM:

To select a Content Delivery Network (CDN) provider, deploy a simple web application using Cloudflare, access the application through Cloudflare's edge network, and verify the HTTP response and Cloudflare-specific headers using browser Developer Tools.

PROCEDURE:

1. Select the CDN Provider:


Cloudflare was selected as the CDN/edge provider because it provides CDN, security, DNS, and edge computing services

2. Login to Cloudflare:

Open the Cloudflare dashboard and log in to the Cloudflare account. No DNS or nameserver settings were changed.

3. Create a Worker:

From the Cloudflare dashboard, c




lick Create app and select Start with Hello World!.

4. Configure the Worker:

Keep the automatically generated Worker name and the default Hello World code without making any changes.


5. Deploy the Worker:

Click Deploy and wait for Cloudflare to complete the deployment. A public workers.dev URL is generated after successful deployment.




6. Test the Worker:

Click Visit to open the deployed Worker in a new browser tab and verify that Hello World! is displayed.



7. Verify Invocation:


Return to the Cloudflare dashboard and check the Invocations metric. After accessing the Worker, the invocation count increases.




8. Create the CDN Experiment Page:

Open Edit code and replace the default Hello World code with an HTML webpage describing Cloudflare content delivery. Then click Deploy.

9. Test the CDN Webpage:



Click Visit again and verify that the CDN Service Experiment webpage is displayed successfully.



CDN Service Experiment

Cloudflare Content Delivery

This webpage is being delivered through Cloudflare.


CDN reduces the distance between users and content.

CDN reduces the distance between users and content.

Status: Successfully Deployed

10. Verify HTTP Response:


Open the webpage, press F12, select Network, and press Ctrl + R. Select the request corresponding to the workers.dev URL.



11. Verify Response Headers:

In the Headers section, verify:

- Request Method: GET
- Status Code: 200 OK
- Server: cloudflare
- CF-Ray
- Content-Type: text/html



12. Confirm Successful CDN Deployment:

The successful HTTP response and Cloudflare-specific headers confirm that the webpage was processed through the Cloudflare network

CONCLUSION:

The CDN service selection and configuration experiment was successfully completed using Cloudflare Workers. A Worker was deployed and accessed through a public workers.dev URL. The CDN experiment webpage was successfully displayed, and the browser received a 200 OK response. The response headers showed Server: cloudflare, CF-Ray, and Content-Type: text/html, confirming that the request was processed through the Cloudflare network.