

SIES COLLEGE OF ARTS, SCIENCE & COMMERCE(AUTONOMOUS)
SION(W), MUMBAI-22

DEPARTMENT OF INFORMATION TECHNOLOGY

FYBSc (IT), SEMESTER II

Project Title:

Exotic Pets Website

Subject

Web Programming

Submitted by

Jaikumar Gaja

Roll no.: FIT2021026

For the Academic Year

2020-2021

Homepage

```
<!DOCTYPE html>
<html lang="en">
<head>
  <link href="https://fonts.googleapis.com/css?family=Poppins:wght@500&display=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='stylesheet'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=swap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap" rel="stylesheet">
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets</title>
</head>
<body>
  <div class="background">
    <nav class="menu bar">
      <link rel="stylesheet" href="nav.css">
      <div class="logo">
        <a href="index.html"></a>
      </div>
      <ul class="nav-links">
        <li> <a href="index.html" class="current">Home</a></li>
        <li> <a href="about.html">About</a></li>
        <li> <a href="pets.html">Pets</a></li>
        <li> <a href="newsletter.html">Newsletter </a></li>
      </ul>
    </nav>
    <div class="carousel slider div">
      <!--Carousel-->
      <link rel="stylesheet" href="carousel.css">
      <div class="slideshow-container">
        <div class="mySlides fade">
          
          <div class="text">Red Panda</div>
        </div>

        <div class="mySlides fade">
          
          <div class="text">Ferret</div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

        <div class="mySlides fade">
            
            <div class="text">Serval Cat</div>
        </div>
    </div>
    <br>
    <div style="text-align:center">
        <span class="dot"></span>
        <span class="dot"></span>
        <span class="dot"></span>
    </div>

    <script>
        var slideIndex = 0;
        showSlides();

        function showSlides() {
            var i;
            var slides = document.getElementsByClassName("mySlides");
            var dots = document.getElementsByClassName("dot");
            for (i = 0; i < slides.length; i++) {
                slides[i].style.display = "none";
            }
            slideIndex++;
            if (slideIndex > slides.length) { slideIndex = 1 }
            for (i = 0; i < dots.length; i++) {
                dots[i].className = dots[i].className.replace(" active",
");
            }
            slides[slideIndex - 1].style.display = "block";
            dots[slideIndex - 1].className += " active";
            setTimeout(showSlides, 5000); // Change image every 3.5 second
        }
    </script>

</div>
<hr class="belowcarousel">
<!--Text Area-->
<div class="content">
    <link rel="stylesheet" href="paragraph.css">
    <h1><u>Exotic Pets</u></h1>
    <h3>What are <strong>Exotic pets</strong> ? </h3>
    <p>The definition of an exotic pet can vary depending on the context.
There are various definitions and

```

common
uses of the term "exotic pet" but determining an exact definition is actually somewhat difficult.

In many situations, an exotic pet is loosely defined as any pet that is not a dog, cat, or farm animal.

This
encompasses many different species of animals including pocket pets, birds, reptiles, fish, and
amphibians
in addition to those animals that are less often seen as pets such as primates, kangaroos, pot-bellied
pigs,
and big cats.

```
<pre style="text-align: center; font-weight: bold;">-----  
----- </pre>
```

```
<h3>Legality for exotic pets :</h3>  
<a href="redpanda.html"></a>  
<p>The Convention on the International Trade in Endangered Species of  
Wild Flora and Fauna, or CITES,  
moderates  
the trade of some exotic pets around the world, to prevent any threats to their survival and ecological  
damage. Certain animals may be strictly regulated or restricted outright due to both their conservation  
status, as well as the possibility of the animal becoming an invasive species.
```

The USDA issues permits for keeping and breeding certain exotic species, whether captured from the wild
or
bred. In the United States, for example, it is illegal to import non-human primates for the pet trade,
but
animals bred in captivity exist in the trade, using animals descended from those brought in legally
before
the ban was enacted. As of September 2014, most US states forbid or regulate the possession of exotic
pets,
but 5 states have no license or permit requirements.

In 2003, the US Captive Wild Animal Safety Act (CWASA) became law, and in September 2007 the US Fish and
Wildlife Service enacted rules to enforce it. The law bans the sale or transport of big cats across
state

```

        lines for the pet trade, and applies to cheetahs, cougars, jaguar
s, leopards, clouded leopards, snow
        leopards, lions, tigers, and their hybrids.</p>
        <hr style="border: 3px solid black; margin-top: 30px;">
    </div>
    <div class="photogrid">
        <link rel="stylesheet" href="grid.css">
        <!-- Photo Grid -->
        <div class="row">
            <div class="column">
                
                
                
                
                
                
            </div>
            <div class="column">
                
                
                
                
                
                
                
            </div>
            <div class="column">
                
                
                
                
                
                
            </div>
            <div class="column">
                
                
                
                
                
                
                
            </div>

```

```

        </div>
    </div>
    <div class="footer">
        <p>#169; Copyright, All rights Reserved !</p>
    </div>
</div>
</body>

</html>

```

Navigation Bar CSS: (external CSS)

```

@import url('https://fonts.googleapis.com/css2?family=Poppins&display=swap');
.menu-bar{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
}

.logo img{
    width: 70px;
    height: auto;
    display: flex;
    margin: 0%;
    padding: 0%;
    margin-bottom: 5px;
    text-align: center;
}

nav{
    display: flex;
    justify-content: space-around;
    align-items: center;
    min-height: 15vh;
    height: 50px;
    background-color: rgba(0, 0, 0, 0.521);
    font-family: 'Poppins', sans-serif;
}

.logo{
    color: rgb(255, 0, 0);
    text-transform: uppercase;
    letter-spacing: 3px;
    font-size: 20px;
}

```

```
    font-family: 'Poppins', sans-serif;
}

.logo h4{
    text-align: center;
}

.nav-links{
    display: flex;
    justify-content: space-around;
    width: 35%;
}

.nav-links li{
    align-items: flex-end;
    list-style: none;
    color: yellow;
    text-decoration: none;
}

.nav-links a {
    color: lightblue;
    text-decoration: none;
    letter-spacing: 3px;
    font-weight: bold;
    font-size: 16px;
    transition: all 0.2s;
    border: 14px ;
    margin: 10px;
    border-radius: 15px;
    overflow: hidden;
}

.nav-links a:hover{
    background-color: white;
    color: black;
    padding: 15px;
}

.current{
    background-color: rgb(255, 255, 255);
    color: rgb(0, 0, 0);
    padding: 15px;
}
```

Carousal / Slider CSS: (external CSS)

```
* {box-sizing:border-box}
.slideshow-container {
  background-color: black;
  width: 1000px;
  height: 500px;
  position: relative;
  border-radius: 15px;
  margin: auto;
  border: 1px solid white;
  overflow: hidden;
  margin-top: 5px;
}
.mySlides img{
  opacity: 0.8;
  width: 100%;
  overflow: hidden;
}
.text {
  color: #f2f2f2;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
  width: 100%;
  font-weight: bold;
  font-family: cursive;
  text-align: left;
  font-size: 50px;
  text-align: left;
}
.dot {
  cursor: default;
  height: 5px;
  width: 30px;
  margin: 0 2px;
  background-color: rgb(97, 97, 97);
  border-radius: 20px;
  display: inline-block;
  transition: all 0.5s;
}
.active{
  background-color: #ffffff;
}
```


Paragraph Content CSS: (external CSS)

```
.belowcarousel{
  margin-left: 13%;
  margin-right: 13%;
  margin-top: 10px;
  margin-bottom: 10px;
  border: 3px solid black;
}

.content{
  margin-left: 13%;
  margin-right: 13%;
  text-align: justify;
  color: white;
}

h1{
  font-family: 'Grenze';
  font-weight: bold;
  font-size: 60px;
  text-align: center;
}

h3{
  font-family: 'Grenze';
  font-weight: bold;
  font-size: 45px;
}

p{
  font-family: 'Yatra One', cursive;
  font-size: 25px;
}

pre{
  font-size: 50px;
}

.content img{
  width: 500px;
  height: auto;
  float : right;
  margin: 30px;
  margin-left: 50px;
  border: 2px solid black;
  transition: all 0.3s;
```

```
border-radius: 15px;
}

.content a img:hover{
  transform: scale(1.1);
}
```

Photo Grid CSS: (External CSS)

```
.photogrid{
  box-sizing: border-box;
  margin-left: 13%;
  margin-right: 13%;
  margin-top: 30px;
}

body {
  margin: 0;
  font-family: Arial;
}

.row {
  display: flex;
  -ms-flex-wrap: wrap;
  flex-wrap: wrap;
  padding: 0 4px;
}

.column {
  -ms-flex: 25%;
  flex: 25%;
  max-width: 25%;
  padding: 0 4px;
}

.column img {
  margin-top: 8px;
  vertical-align: middle;
  border-radius: 15px;
}
```

```

width: 100%;
border: 1px solid white;
transition: all 0.2s;
}

.row .column img:hover{
  transform: scale(1.3);
}

```


Background Color and Footer CSS: (external CSS)

```

.background{
  box-sizing: border-box;
  background-image: linear-
gradient(to left bottom, #051937, #004d7a, #008793, #00bf72, #a8eb12);
  background-attachment: fixed;
  background-size: cover;
  min-height: 49vw;
}
body{
  height: 100vh;
}
.footer {
  position: static;
  height: 15vh;
  display: flex;
  align-items: center;
  justify-content: center;
  bottom: 0;
  width: 100%;
  background-color: rgb(0, 0, 0);
  color: white;
}
.footer p{
  margin: 50px;
  text-align: center;
  justify-content: center;
  height: 1vh;
  font-family: 'Yatra One', cursive;
  font-size: 25px; }

```

Output:



Exotic Pets

What are Exotic pets ?

The definition of an exotic pet can vary depending on the context. There are various definitions and common uses of the term "exotic pet" but determining an exact definition is actually somewhat difficult. In many situations, an exotic pet is loosely defined as any pet that is not a dog, cat, or farm animal. This encompasses many different species of animals including pocket pets, birds, reptiles, fish, and amphibians in addition to those animals that are less often seen as pets such as primates, kangaroos, pot-bellied pigs, and big cats.



About Page : (HTML)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&dis
play=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='styleshe
et'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=sw
ap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap
" rel="stylesheet">
  <script src="https://kit.fontawesome.com/c9aae0ec5f.js" crossorigin="anon
ymous"></script>
  <title>Exotic Pets/about</title>
  <link rel="icon" href="images/title.svg">
</head>
<body style="margin: 0px;">
  <div class="background">
    <nav class="menu bar">
      <link rel="stylesheet" href="nav.css">
      <div class="logo">
        <a href="index.html"></a>
      </div>
      <ul class="nav-links">
        <li> <a href="index.html">Home</a></li>
        <li> <a href="about.html" class="current">About</a></li>
        <li> <a href="pets.html">Pets</a></li>
        <li> <a href="newsletter.html">Newsletter </a></li>
      </ul>
    </nav>
    <div class="about">
      <link rel="stylesheet" href="about.css">
      <h1>About This Website</h1>
      <p>
        This is an Website created by me as a project for web program
ming,
```

```

        This website is about Exotics animals or pets which are most
rare pets to be found,
    </p>
    <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Cuol
m, in quae. Repellendus fuga quasi
        cupiditate ipsum et possimus autem ea provident, incidunt, il
lum eligendi quisquam nobis perspiciatis
        labore obcaecati sed!
        Lorem ipsum dolor, sit amet consectetur adipisicing elit. Und
e blanditiis fugiat hic dignissimos nulla
        expedita natus porro, voluptatem quia, earum officiis debitis
aut id reprehenderit consectetur saepe
        soluta quos quo!
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Offi
ciis, porro optio. Nisi ex tempora eum
        tenetur, rerum explicabo ad dignissimos, sapiente voluptas in
cidunt quia deserunt molestias. Repellendus
        asperiores ut ab!
    </p>
    <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Natu
s fugit rerum ab culpa odio officiis
        reprehenderit ducimus, necessitatibus ad accusamus omnis saep
e cumque voluptate exercitationem iure
        veritatis laborum. Ducimus, quae?
    </p>
    <h3>You Can Follow me on </h3>
    <div class="fil">
        <a href="#"><i class="fab fa-4x fa-facebook-f"></i></a>
        <!--<a href="#">Facebook</a>-->
        <a href="#"><i class="fab fa-4x fa-instagram"></i></a>
        <!--<a href="#">Instagram</a>-->
        <a href="#"><i class="fab fa-4x fa-linkedin"></i></a>
        <!--<a href="#">LinkedIn</a>-->
        <a href="#"><i class="fab fa-4x fa-twitter"></i></a>
        <!--<a href="#">Twitter</a>-->
    </div>
    </div>
    </div>
    <div class="footer">
        <p style="text-
align: center; margin: 0px;">&#169; Copyright, All rights Reserved !</p>
    </div>
</body> </html>

```

About Page (CSS)

```
@import url('https://fonts.googleapis.com/css2?family=Dela+Gothic+One&display=swap');
.about{
    box-sizing: border-box;
    margin: 0px;
    padding: 0px;
    display: inline-block;
    font-
family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans
Unicode', Geneva, Verdana, sans-serif;
    margin-left: 20%;
    margin-right: 20%;
    background-color: rgba(255, 255, 255, 0);
    justify-content: center;
    color: white;
}
h1{
    text-align: center;
    font-size: 50px;
    font-weight: bold;
}
h3{
    margin: 0px;
    margin-top: 50px;
    margin-bottom: 15px ;
    text-align: center;
    font-size: 30px;
    font-weight: bold;
}
p{
    font-family: cursive;
    font-size: 20px;
    text-align: justify;
    margin-left: 10px;
    margin-right: 10px;
}
.fil a{
    box-sizing: border-box;
    display: block;
    text-align: center;
    letter-spacing: 1px;
    margin: 10px;
```



```
    color: white;
    padding: 20px;
    border: 1px ;
    transition: all 0.2s;
}
.fil{

    height: 30vh;
    display: flex;
    justify-content: center;
    align-items: center;
}

.fil a{
    height: 100px;
    width: 100px;
    background-color: beige;
    border-radius: 50px;
    text-align: centre;
    margin:10px;
    box-shadow: 1px 4px 2px 2px white;
    overflow: hidden;
}

i{
    margin: 0px;
    padding: 0px;
    letter-spacing: 15px;
    margin-bottom: 25px;
    transition: all 0.3s;
    margin-left: 4px;
}

.fil a:hover{
    background-color: lightskyblue;
}

.fil a:hover i{
    transform: scale(1.4);
}


.fa-linkedin{
    color: #0e76a8;
}
```

```
.fa-facebook-f{
  color: #4267B2;
}

.fa-twitter{
  color: #1DA1F2;
}

.fa-instagram{
  color:#C13584;
}
```

Output :



Pets Page : (HTML)

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&displ
ay=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='stylesheet
'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=swap
" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap"
rel="stylesheet">
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets / pets</title>
</head>

<body style="margin: 0px;">
  <div class="background">
    <nav class="menu bar">
      <link rel="stylesheet" href="nav.css">
      <div class="logo">
        <a href="index.html"></a>
      </div>
      <ul class="nav-links">
        <li> <a href="index.html">Home</a></li>
        <li> <a href="about.html">About</a></li>
        <li> <a href="pets.html" class="current">Pets</a></li>
        <li> <a href="newsletter.html">Newsletter </a></li>
      </ul>
    </nav>
    <h1 class="heading">Some OF the Exotic Pets</h1>
    <div class="cardsss">
      <link rel="stylesheet" href="pets.css">
      <a href="redpanda.html">
        <div class="card" id="c1">
          
          <div class="container">
            <h4><b>Red Panda</b></h4>
```

```

        <p>Independent family "Ailuridae"</p>
    </div>
</div>
</a>

<a href="ferret.html">
    <div class="card" id="c2">
        
        <div class="container">
            <h4><b>Ferret</b></h4>
            <p>Weasel family "Mustelidae"</p>
        </div>
    </div>
</a>
<a href="servalcat.html">
    <div class="card" id="c3">
        
        <div class="container">
            <h4><b>Serval Cat</b></h4>
            <p>Cat family "Felidae"</p>
        </div>
    </div>
</a>
</div>
</div>
<div class="footer">
    <p style="text-align: center; margin: 0px;">&#169; Copyright, All rights Reserved !</p>
</div>
</body>

</html>

```

Pets Page (CSS)

```

.cardsss{
    display: flex;
    align-items: center;
    margin: 0px;
    padding: 0px;
    justify-content: center;
    height: 60vh;
}

```

```
.cardsss a{
  color: black;
  text-decoration: none;
}
#c1 img{
  width: 280px;
  height: auto;
  border-radius: 10px;
  margin-left: 10px;
  margin-top: 10px;
}

#c2 img{
  width: 280px;
  height: auto;
  border-radius: 10px;
  margin-left: 10px;
  margin-top: 10px;
}

#c3 img{
  width: 280px;
  height: auto;
  border-radius: 10px;
  margin-left: 10px;
  margin-top: 10px;
}

.card {
  background-color: white;
  box-shadow: 0 10px 8px 0 rgb(126, 119, 119);
  transition: 0.5s;
  width: 300px;
  height: 400px;
  border-radius: 8px;
  margin: 50px;
  overflow: hidden;
}

.card:hover {
  box-shadow: 0 20px 16px 0 rgb(100, 97, 97);
  border-radius: 30px;
  transform: scale(1.3);
  background-color: grey;
}
```

```

.container {
  padding: 2px 16px;
}


.container h4{
  text-align: center;
  font-size: 30px;
  font-weight: bold;
  margin: 0px;
}

.container p{
  text-align: justify;
  font-weight: bold;
  margin: 0px;
}

.heading{
  font-family: cursive;
  font-style: italic;
  font-weight: bold;
  color: whitesmoke;
  text-align: center;
  font-size: 50px;
}

```

Output :



Red Panda Page

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&display=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='stylesheet'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=swap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap" rel="stylesheet">
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets/Pets/Red Panda</title>
</head>

<body style="margin: 0px;">
  <div class="background">
    <nav class="menu bar">
      <link rel="stylesheet" href="nav.css">
      <script src="nav.js"></script>
      <div class="logo">
        <a href="index.html"></a>
      </div>
      <ul class="nav-links">
        <li> <a href="index.html">Home</a></li>
        <li> <a href="about.html">About</a></li>
        <li> <a href="pets.html" class="current">Pets</a></li>
        <li> <a href="newsletter.html">Newsletter </a></li>
      </ul>
    </nav>
    <style>
      .paragraph {
        margin-left: 15%;
        margin-right: 15%;
      }
      .paragraph h1 {
        text-align: center;
        font-family: 'Grenze';
      }
    </style>
  </div>
</body>
</html>
```

```

        font-weight: bold;
        color: snow;
        font-size: 50px;
    }
    .paragraph h4 {
        text-align: left;
        font-size: 30px;
        font-weight: bold;
        color: snow;
    }
    .paragraph p {
        text-align: justify;
        font-size: 20px;
        font-family: 'poppins';
        color: snow;
    }
    .paragraph img {
        width: 300px;
        height: auto;
        border-radius: 10px;
        border: 2px solid whitesmoke;
        margin: 10px;
    }
    .paragraph pre {
        text-align: justify;
        font-size: 20px;
        font-family: 'poppins';
        color: snow;
    }
    .paragraph iframe{
        width: 600px;
        height: 378px;
        justify-content: center;
        display: flex;
        margin: auto;
        margin-bottom: 100px;
    }
</style>
<div class="paragraph">
    <h1>Red Panda</h1>
    <pre>
<b>COMMON NAME:</b> Red Panda
<b>SCIENTIFIC NAME:</b> Ailurus fulgens

```


TYPE: Mammals

DIET: Herbivore

AVERAGE LIFE SPAN IN THE WILD: 8 years

SIZE: Head and body: 20 to 26 inches; tail: 12 to 20 inches

WEIGHT: 12 to 20 pounds

</pre>

<p>The red panda is dwarfed by the black-and-white giant that shares its name. These pandas typically grow to the size of a house cat, though their big, bushy tails add an additional 18 inches. The pandas use their ringed tails as wraparound blankets in the chilly mountain heights.

</p>

<h4>Habitat and Behavior**</h4>**

<p>The red panda shares the giant panda's rainy, high-altitude forest habitat, but has a wider range. Red pandas live in the mountains of Nepal and northern Myanmar (Burma), as well as in central China.

</p>

<p>These animals spend most of their lives in trees and even sleep aloft. When foraging, they are most active at night as well as in the gloaming hours of dusk and dawn

</p>

<p>Red pandas have a taste for bamboo but, unlike their larger relatives, they eat many other foods as well—fruit, acorns, roots, and eggs. Like giant pandas, they have an extended wrist bone that functions almost like a thumb and greatly aids their grip.

</p>

<h4>Breeding and Population**</h4>**


<p>They are shy and solitary except when mating. Females give birth in the spring and summer, typically to one to four young. Young red pandas remain in their nests for about 90 days, during which time their mother cares for them. (Males take little or no interest in their offspring.)

</p>

<p>The red panda has given scientists taxonomic fits. It has been classified as a relative of the giant panda, and also of the raccoon, with which it shares a ringed tail. Currently, red pandas are considered members of their own unique family—the Ailuridae.


```
</p>
<p style="margin-bottom: 100px;">
  Red pandas are an at-
risk species, victims of deforestation. Their natural space is shrinking as m
ore
  and more forests are destroyed by logging and the spread of agriculture.<
/p>
  <iframe
    src="https://www.youtube.com/embed/13Kaw0mbCM0?autoplay=1&mute=
1">
  </iframe>
</div>
<div class="footer">
  <p style="text-
align: center; margin: 0px;">#169; Copyright, All rights Reserved !</p>
</div>
</div>
</body>
</html>
```

Output:


[Home](#)[About](#)[Pets](#)[Newsletter](#)

Red Panda

COMMON NAME: Red Panda
SCIENTIFIC NAME: Ailurus fulgens
TYPE: Mammals
DIET: Herbivore
AVERAGE LIFE SPAN IN THE WILD: 8 years
SIZE: Head and body: 20 to 26 inches; tail: 12 to 20 inches
WEIGHT: 12 to 20 pounds



The red panda is dwarfed by the black-and-white giant that shares its name. These pandas typically grow to the size of a house cat, though their big, bushy tails add an additional 18 inches. The pandas use their ringed tails as wraparound blankets in the chilly mountain heights.



© Copyright, All rights Reserved !

Ferret Page:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&display=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='stylesheet'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=swap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap" rel="stylesheet">
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets/Pets/Red Panda</title>
</head>

<body style="margin: 0px;">

  <div class="background">
    <nav class="menu bar">
      <link rel="stylesheet" href="nav.css">
      <div class="logo">
        <a href="index.html"></a>
      </div>
      <ul class="nav-links">
        <li> <a href="index.html" >Home</a></li>
        <li> <a href="about.html" >About</a></li>
        <li> <a href="pets.html" class="current">Pets</a></li>
        <li> <a href="newsletter.html" >Newsletter </a></li>
      </ul>
    </nav>
    <style>
      .paragraph {
        margin-left: 15%;
        margin-right: 15%;
      }

      .paragraph h1 {
```

```
        text-align: center;
        font-family: 'Grenze';
        font-weight: bold;
        color: snow;
        font-size: 50px;
    }

    .paragraph h4 {
        text-align: left;
        font-size: 30px;
        font-weight: bold;
        color: snow;
    }

    .paragraph p {
        text-align: justify;
        font-size: 20px;
        font-family: 'poppins';
        color: snow;
    }

    .paragraph img {
        width: 300px;
        height: auto;
        border-radius: 10px;
        border: 2px solid whitesmoke;
        margin: 10px;
    }

    .paragraph pre {
        text-align: justify;
        font-size: 20px;
        font-family: 'poppins';
        color: snow;
    }

    .paragraph iframe {
        width: 600px;
        height: 378px;
        justify-content: center;
        display: flex;
        margin: auto;
        margin-bottom: 100px;
    }
```

```

</style>
<div class="paragraph">
  <h1>Ferret</h1>
  <h4>What are ferrets ?</h4>
  <p> A ferret is a mammal weighing 1.5 - 2.5 pounds for females, a
nd 2 - 4.5 pounds for the males. Some
      males, also known as hobs, have been known to weigh slightly
more than 5 pounds, though this is rare.
      Females are known as Jills. Their scientific name is Mustela
Purtorius Furo, and are a carnivorous
      animal, meaning they eat meat. Domestic ferrets have glands t
hroughout their bodies and a main scent
      gland under their tail. When frightened, they discharge a str
ong smelling secretion to warn off the
      attackers. This action is known as 'poofing' and the odor dis
sipates quickly. Ferrets are usually
      descent-
ed and spayed or neutered at a young age, before they are fully weaned and so
ld to pet shops.

  </p>
  
  <p>Ferrets are members of the family Mustelidae, which includes w
easels, mink, otters, and skunks. Their
      closest relative is the European Polecat, and is believed to
be a direct ancestor of the domestic
      ferret. Domestic ferrets should not be confused with the enda
ngered Black Footed Ferret. While the
      appearance is similar, the two animals are actually only dist
ant cousins.

  </p>
  
  <p> Ferrets are domestic animals and should not be classified as
wild. They have been domesticated since 4
      b.c., if not earlier. As such, ferrets have lost all of their
wild instincts and ability to survive in
      the wild. In fact, if a ferret escapes the safety of your hom
e, they most likely will not survive more
      than 3-
5 days. They are most likely to die of dehydration, starvation, or being kill
ed by a predator.
      This is due to their extremely trusting nature, and lack of f
ear. Never let your ferret 'free'. If you

```

cannot keep your ferret please use the services provided by this or other shelters.

</p>

<p> Ferrets are not exotic pets. While many pet stores classify ferrets as exotics, the definition of exotics contradicts this. The definition says that an exotic pet is also one that can be found in the wild. Because there are no wild colonies of ferrets, to claim that a ferret is exotic, would be false.

Ferrets are companion animals, just as a dog or a cat. In fact, ferrets are even more domesticated than the cat or dog. Cats and dogs can survive without the intervention of humans. A ferret cannot.

</p>

<p> Ferrets have been domesticated for centuries, as far back as ancient Egypt. There are images of ferrets carved into the stone walls of tombs. Kept by royalty in England, they were used to help keep the rodent population of the castle under control. Queen Elizabeth I had an albino ferret as a pet as well. They made their way to America's working on ships as rodent control. Up until the invention of kitty litter, they were the preferred choice of rodent population managers for many. Ferrets are still used to this day to hunt rabbits and rats, and carry wire through tunnels and pipes.

</p>

<iframe src="https://www.youtube.com/embed/PhPxobsJORg?autoplay=1&mute=1">

</iframe>

</div>

<div class="footer">

<p style="text-align: center; margin: 0px;">© Copyright, All rights Reserved !</p>



</div>

</div>

</body>

</html>

Output:



Serval Cat Page

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&dis
play=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='styleshe
et'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=sw
ap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap
" rel="stylesheet">
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets/Pets/Red Panda</title>
</head>

<body style="margin: 0px;">

  <div class="background">
    <nav class="menu bar">
      <link rel="stylesheet" href="nav.css">
      <div class="logo">
        <a href="index.html"></a>
      </div>
      <ul class="nav-links">
        <li> <a href="index.html" >Home</a></li>
        <li> <a href="about.html" >About</a></li>
        <li> <a href="pets.html" class="current" >Pets</a></li>
        <li> <a href="newsletter.html" >Newsletter </a></li>
      </ul>
    </nav>
    <style>
      .paragraph {
        margin-left: 15%;
        margin-right: 15%;
      }

      .paragraph h1 {
```

```
        text-align: center;
        font-family: 'Grenze';
        font-weight: bold;
        color: snow;
        font-size: 50px;
    }

    .paragraph h4 {
        margin-bottom: 10px;
        text-align: left;
        font-size: 30px;
        font-weight: bold;
        color: snow;
    }

    .paragraph p {
        text-align: justify;
        font-size: 20px;
        font-family: 'poppins';
        color: snow;
    }

    .paragraph img {
        width: 300px;
        height: auto;
        border-radius: 10px;
        border: 2px solid whitesmoke;
        margin: 10px;
    }

    .paragraph pre {
        text-align: justify;
        font-size: 20px;
        font-family: 'poppins';
        color: snow;
    }

    .paragraph iframe {
        width: 600px;
        height: 378px;
        justify-content: center;
        display: flex;
        margin: auto;
        margin-bottom: 100px;
    }
```

```

    }
</style>
<div class="paragraph">
    <h1>Serval Cat</h1>

    <p> A serval sits patiently in a grassy field, swiveling its head
back and forth like a watchful owl. The
        predator is scanning the savanna for a meal not with its eyes
, but with its oversize ears. An unseen
        rodent stirs under the thick brush, and the wild cat tenses.
It crouches on its legs and feet before
        launching itself up and over the tall grass. Guided only by s
ound, the serval lands directly on the
        once-invisible rat.

    </p>
    
    <h4>WEIRDEST CAT EVER?</h4>
    <p>Thanks to its extra-long legs, stretched-
out neck, and huge ears, the serval is sometimes called the “cat
        of spare parts.” (If a person had ears like a serval’s, they’
d be as big as dinner plates!) But put
        together, their bizarre-
looking body parts make these cats really successful hunters. In fact, serval
s
        catch their prey in over half of their attempts, making them
one of the best hunters in the wild cat
        kingdom. That’s about 20 percent better than lions hunting to
gether in a pride.

    </p>
    
    <h4>BLENDING IN</h4>
    <p> Servals rely on their coat for camouflage as they stalk prey
and avoid predators where they live
        throughout parts of northwest Africa and much of sub-
Saharan Africa. Cats like cheetahs sport spots,
        while others, such as tigers, wear stripes. Servals have both
–kind of. While they don’t have actual
        stripes, some of their larger spots blend together to give th
em the appearance of stripes. That makes it
        tough to find a serval in high grass when it’s standing still
.

```

```



    </p>
    
    <p> No two serval coats are the same. In fact, servals that live
near woodlands have more dots that are
        small than those cats that spend time on the savanna; scienti
sts think the smaller spots might hide
        those cats better among the shade of trees. However, white sp
ots behind an adults' ears are supposed to
        be seen-
they help cubs keep track of Mom when she's leading them during a hunt.

    </p>
    <h4>NOT-SO-FANCY FEAST</h4>
    <p>FServals mostly hunt rodents-
on average, one serval eats 4,000 a year-but they're not picky eaters like
        some other wild cats. They'll eat anything small enough for t
hem to catch, including grasshoppers,
        snakes, and even birds as large as storks and guinea fowls. T
hey'll occasionally wade into water to
        gobble up frogs and other amphibians. A serval can catch up t
o 30 frogs in three hours while hunting in
        water.
    </p>
    <p>
        Also, unlike most other wild cats, they almost never scavenge
, or eat other animals' leftovers.
        Scientists think this is because they're already such success
ful hunters.</p>
    <iframe src="https://www.youtube.com/embed/aKeBUIvfnAw?t=0.23&aut
oplay=1&mute=1">
    </iframe>
</div>

    <div class="footer">
    <p style="text-
align: center; margin: 0px;">&#169; Copyright, All rights Reserved !</p>
    </div>
</div>
</body>
</html>

```

Output:



Newsletter Page:


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&displ
ay=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='stylesheet
'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=swap
" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap"
rel="stylesheet">
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets/sign up</title>
</head>
<div class="background">
  <body style="margin: 0px; padding: 0px;">
    <div class="background">
      <div>
        <nav class="menu bar">
          <link rel="stylesheet" href="nav.css">
          <div class="logo">
            <a href="index.html"></a>
          </div>
          <ul class="nav-links">
            <li> <a href="index.html">Home</a></li>
            <li> <a href="about.html">About</a></li>
            <li> <a href="pets.html">Pets </a></li>
            <li> <a href="newsletter.html" class="current">Newsletter </a></li>
          </ul>
        </nav>
      </div>
      <div class="newsletter">
        <link href="newsletter.css" rel="stylesheet">
        <form method=post action="thankyou.html">
          <div class="container">
            <h2 style="text-align: center; font-weight: bold; font-
size: 30px;">Subscribe to our Newsletter</h2>
```

```

        <p style="text-align: center; font-weight: bold; font-size: 20px;">To get notification whenever we post a new blog.</p>
    </div>
    <div class="container" style="background-color:rgba(255, 255, 255, 0.322)">
        <input type="text" placeholder="Name" name="name" required>
        <input type="text" placeholder="Email address" name="mail" required>
        <label>
            <input type="checkbox" checked="checked" name="subscribe"> Daily Newsletter
        </label>
    </div>
    <div class="container">
        <input type="submit" value="Subscribe">
    </div>
</form>
</div>
</div>
<div class="footer">
    <p style="text-align: center; margin: 0px;">&#169; Copyright, All rights Reserved !</p>
</div> </body> </html>

```

Output:



Newsletter Signup Thank you Page

When We subscribe to newsletter is dhow this page for 3 sec and
redirects to home page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&dis
play=swap" rel="stylesheet">
  <link href="main.css" rel="stylesheet">
  <link href='https://fonts.googleapis.com/css?family=Grenze' rel='styleshe
et'>
  <link href="https://fonts.googleapis.com/css2?family=Yatra+One&display=sw
ap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Lobster&display=swap
" rel="stylesheet">
  <meta http-equiv="refresh" content="3;url=index.html" />
  <link rel="icon" href="images/title.svg">
  <title>Exotic Pets/Thank You</title>
</head>
<body>
  <div class="background">
    <body style="margin: 0px; padding: 0px;">

      <div>
        <nav class="menu bar">
          <link rel="stylesheet" href="nav.css">
          <script src="nav.js"></script>
          <div class="logo">
            <a href="index.html">
          </a>

          </div>
          <ul class="nav-links">
            <li> <a href="index.html">Home</a></li>
            <li> <a href="about.html">About</a></li>
            <li> <a href="pets.html" >Pets</a></li>
            <li> <a href="newsletter.html" class="current">Ne
wsletter </a></li>
          </ul>
        </nav>
      </div>
    </body>
  </div>
</body>
</html>
```




```

        <div>
          <style>
            h1{
              position: relative;
              display: flex;
              height: 70vh;
              justify-content: center;
              align-items: center;
              color: whitesmoke;
            }
          </style>
          <h1>Thank You For Subscribing For Our Newsletter</h1>
        </div>
        <div class="footer">
          <p style="text-align: center; margin: 0px;">© Copyright, All rights Reserved !</p>
        </div>
      </div>
    </body>
  </html>

```

Output:



Video link of the working of the website

Uploaded by me:

<https://youtu.be/DTwFaYuSvSU>