

# Experiment 4

```
In [22]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [31]: df = pd.read_csv('https://gist.githubusercontent.com/netj/8836201/raw/6f9306ad21398ea43c
```

```
In [32]: df.head(100)
```

```
Out[32]:
```

	sepal.length	sepal.width	petal.length	petal.width	variety
0	5.1	3.5	1.4	0.2	Setosa
1	4.9	3.0	1.4	0.2	Setosa
2	4.7	3.2	1.3	0.2	Setosa
3	4.6	3.1	1.5	0.2	Setosa
4	5.0	3.6	1.4	0.2	Setosa
...	...	...	...	...	...
95	5.7	3.0	4.2	1.2	Versicolor
96	5.7	2.9	4.2	1.3	Versicolor
97	6.2	2.9	4.3	1.3	Versicolor
98	5.1	2.5	3.0	1.1	Versicolor
99	5.7	2.8	4.1	1.3	Versicolor

100 rows × 5 columns

```
In [36]: df.tail()
```

```
Out[36]:
```

	sepal.length	sepal.width	petal.length	petal.width	variety
145	6.7	3.0	5.2	2.3	Virginica
146	6.3	2.5	5.0	1.9	Virginica
147	6.5	3.0	5.2	2.0	Virginica
148	6.2	3.4	5.4	2.3	Virginica
149	5.9	3.0	5.1	1.8	Virginica

```
In [37]: df.shape
```

```
Out[37]: (150, 5)
```

```
In [70]: setosa = df[df['variety']=='Setosa']
versicolor = df[df['variety']=='Versicolor']
virginica = df[df['variety']=='Virginica']
```

```
In [74]: plt.plot(setosa['sepal.length'],0)
```

-----

```

ValueError                                Traceback (most recent call last)
Input In [74], in <cell line: 1>()
----> 1 plt.plot(setosa['sepal.length'],0)

File ~/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packages/matplotlib/
ib/pyplot.py:2728, in plot(scalex, scaley, data, *args, **kwargs)
    2726 @_copy_docstring_and_deprecators(Axes.plot)
    2727 def plot(*args, scalex=True, scaley=True, data=None, **kwargs):
-> 2728     return gca().plot(
    2729         *args, scalex=scalex, scaley=scaley,
    2730         **({"data": data} if data is not None else {}), **kwargs)


File ~/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packages/matplotlib/
ib/axes/_axes.py:1662, in Axes.plot(self, scalex, scaley, data, *args, **kwargs)
    1419 """
    1420 Plot y versus x as lines and/or markers.
    1421
    (...)
    1659 (``'green'``) or hex strings (``'#008000'``).
    1660 """
    1661 kwargs = cbook.normalize_kwargs(kwargs, mlines.Line2D)
-> 1662 lines = [*self._get_lines(*args, data=data, **kwargs)]
    1663 for line in lines:
    1664     self.add_line(line)

File ~/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packages/matplotlib/
ib/axes/_base.py:311, in _process_plot_var_args.__call__(self, data, *args, **kwargs)
    309     this += args[0],
    310     args = args[1:]
-> 311 yield from self.plot args(
    312     this, kwargs, ambiguous_fmt_datakey=ambiguous_fmt_datakey)

File ~/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packages/matplotlib/
ib/axes/_base.py:504, in _process_plot_var_args.plot_args(self, tup, kwargs, return_kwa
rgs, ambiguous_fmt_datakey)
    501     self.axes.yaxis.update_units(y)
    503 if x.shape[0] != y.shape[0]:
-> 504     raise ValueError(f"x and y must have same first dimension, but "
    505                       f"have shapes {x.shape} and {y.shape}")
    506 if x.ndim > 2 or y.ndim > 2:
    507     raise ValueError(f"x and y can be no greater than 2D, but have "
    508                       f"shapes {x.shape} and {y.shape}")


ValueError: x and y must have same first dimension, but have shapes (50,) and (1,)

```




```
In [40]: plt.plot(setosa['sepal.length'],np.zeros_like(setosa['sepal.length']))
```

```
Out[40]: [<matplotlib.lines.Line2D at 0x7fd9d0778520>]
```




```
In [41]: plt.plot(setosa['sepal.length'],np.zeros_like(setosa['sepal.length']))
plt.plot(versicolor['sepal.length'],np.zeros_like(versicolor['sepal.length']))
plt.plot(virginica['sepal.length'],np.zeros_like(virginica['sepal.length']))
```

```
Out[41]: [<matplotlib.lines.Line2D at 0x7fd9d0991f10>]
```



```
In [42]: plt.plot(setosa['sepal.length'],np.zeros_like(setosa['sepal.length']), 'o')
plt.plot(versicolor['sepal.length'],np.zeros_like(versicolor['sepal.length']),'o')
plt.plot(virginica['sepal.length'],np.zeros_like(virginica['sepal.length']),'o')
```


```
Out[42]: [<matplotlib.lines.Line2D at 0x7fd9f169b940>]
```



```
In [44]: plt.plot(setosa['sepal.width'],np.zeros_like(setosa['sepal.width']), 'o')
plt.plot(versicolor['sepal.width'],np.zeros_like(versicolor['sepal.width']),'o')
plt.plot(virginica['sepal.width'],np.zeros_like(virginica['sepal.width']),'o')
```

```
[<matplotlib.lines.Line2D at 0x7fd9f1466f10>]
```


Out[44]:



In [58]: `sns.FacetGrid(df, hue = 'variety', height=5).map(plt.scatter, "sepal.length", "sepal.widt`

```
/Users/chiragchan/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packag
es/seaborn/axisgrid.py:745: FutureWarning: iteritems is deprecated and will be removed i
n a future version. Use .items instead.
  plot_args = [v for k, v in plot_data.iteritems()]
/Users/chiragchan/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packag
es/seaborn/axisgrid.py:745: FutureWarning: iteritems is deprecated and will be removed i
n a future version. Use .items instead.
  plot_args = [v for k, v in plot_data.iteritems()]
/Users/chiragchan/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packag
es/seaborn/axisgrid.py:745: FutureWarning: iteritems is deprecated and will be removed i
n a future version. Use .items instead.
  plot_args = [v for k, v in plot_data.iteritems()]
```


Out[58]: `<seaborn.axisgrid.FacetGrid at 0x7fd9b161f190>`



In [59]: `sns.FacetGrid(df, hue = 'variety', height=5).map(plt.scatter, "petal.length", "sepal.widt`


```
/Users/chiragchan/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packag
es/seaborn/axisgrid.py:745: FutureWarning: iteritems is deprecated and will be removed i
n a future version. Use .items instead.
  plot_args = [v for k, v in plot_data.iteritems()]
/Users/chiragchan/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packag
es/seaborn/axisgrid.py:745: FutureWarning: iteritems is deprecated and will be removed i
```

```
n a future version. Use .items instead.  
plot_args = [v for k, v in plot_data.iteritems()]  
/Users/chiragchan/opt/anaconda3/envs/data_visualisation_python/lib/python3.9/site-packag  
es/seaborn/axisgrid.py:745: FutureWarning: iteritems is deprecated and will be removed i  
n a future version. Use .items instead.  
plot_args = [v for k, v in plot_data.iteritems()]  
Out[59]: <seaborn.axisgrid.FacetGrid at 0x7fd9e035bca0>
```



```
In [57]: sns.pairplot(df, hue='variety', height=3)
```

```
Out[57]: <seaborn.axisgrid.PairGrid at 0x7fd9d06ce9d0>
```



In [ ]:

In [ ]: