

SRI JAYA SHANKARAN – CSE FINAL YEAR

QUESTION


1.createCollection(p_collection_name)

Using Any of the programming language implement below functions

1. **indexData(p_collection_name, p_exclude_column):**
Index the given employee data into the specified collection, excluding the column provided in p_exclude_column.
2. **searchByColumn(p_collection_name, p_column_name, p_column_value):**
Search within the specified collection for records where the column p_column_name matches the value p_column_value.
3. **getEmpCount(p_collection_name)**
4. **delEmpById(p_collection_name, p_employee_id)**
5. **• getDepFacet(p_collection_name):**
Retrieve the count of employees grouped by department from the specified collection.


Step :1

Selfie Pic:




Step :2

First Task Email



Step : 3

Second Task Email



Step :4

GitHub URL for Round 1

https://github.com/Jaishankar-2003/Agile_hash_interview.git

Step :5


GitHub URL for Assignment :

https://github.com/Jaishankar-2003/Agile_hash_interview.git

Step :6


Function Execution Results

INPUT



```
1 import pandas as pd
2
3 # Load the employee CSV file
4 file_path = 'Employee Sample Data 1.csv' # Ensure this is the correct path to your CSV file
5 df = pd.read_csv(file_path, encoding='ISO-8859-1') # Adjust encoding if needed
6
7 # In-memory collections to mimic a database
8 collections = {}
9
10 # Function Definitions
11 def createCollection(p_collection_name):
12     collections[p_collection_name] = []
13     print(f"Collection '{p_collection_name}' created.")
14
15 def indexData(p_collection_name, p_exclude_column):
16     collection = collections.get(p_collection_name)
17     if collection is not None:
18         for index, row in df.iterrows():
19             employee_data = row.to_dict()
20             employee_data.pop(p_exclude_column, None) # Exclude the specified column
21             collections[p_collection_name].append(employee_data)
22             print(f"Indexed data into '{p_collection_name}' excluding '{p_exclude_column}'.")
23
24 def searchByColumn(p_collection_name, p_column_name, p_column_value):
25     collection = collections.get(p_collection_name)
26     if collection:
27         results = [emp for emp in collection if emp.get(p_column_name) == p_column_value]
28         return results
29     return []
30
31 def getEmpCount(p_collection_name):
32     collection = collections.get(p_collection_name)
```


Output:



```
1 import pandas as pd
2
3 # Load the employee CSV file
4 file_path = 'Employee Sample Data 1.csv' # Ensure this is the correct path to your CSV file
5 df = pd.read_csv(file_path, encoding='ISO-8859-1') # Adjust encoding if needed
6
7 # In-memory collections to mimic a database
8 collections = {}
9
10 # Function Definitions
11 def createCollection(p_collection_name):
12     collections[p_collection_name] = []
13     print(f"Collection '{p_collection_name}' created.")
14
15 def indexData(p_collection_name, p_exclude_column):
16     collection = collections.get(p_collection_name)
17     if collection is not None:
18         for index, row in df.iterrows():
19             employee_data = row.to_dict()
```

Run console output:

```
C:\Users\BARANEETHARANS\PycharmProjects\pythonProject1\.venv\Scripts\python.exe "C:\Users\BARANEETHARANS\Downloads\employee sample .py"
Collection 'Hash_YourName' created.
Collection 'Hash_1234' created.
Indexed data into 'Hash_YourName' excluding 'Department'.
Indexed data into 'Hash_1234' excluding 'Gender'.
Employee with ID 'E02003' deleted from 'Hash_YourName'.
Initial Employee Count: 0
Final Employee Count: 1259
IT Employees (Name Collection): []
```



```
1 import pandas as pd
2
3 # Load the employee CSV file
4 file_path = 'Employee Sample Data 1.csv' # Ensure this is the correct path to your CSV file
5 df = pd.read_csv(file_path, encoding='ISO-8859-1') # Adjust encoding if needed
6
7 # In-memory collections to mimic a database
8 collections = {}
9
10 # Function Definitions
11 def createCollection(p_collection_name):
12     collections[p_collection_name] = []
13     print(f"Collection '{p_collection_name}' created.")
14
15 def indexData(p_collection_name, p_exclude_column):
16     collection = collections.get(p_collection_name)
17     if collection is not None:
18         for index, row in df.iterrows():
19             employee_data = row.to_dict()
```

Run console output:

```
['Manaus', 'Exit Date': nan], {'Employee ID': 'E02252', 'Full Name': 'Olivia Vazquez', 'Job Title': 'Network Engineer', 'Department': 'IT', 'Business Unit': 'Specialty Products', 'Ethnicity': 'Latino', 'Age': 53.0, 'Hire Date': '4/13/2020', 'Annual Salary': '$93,053', 'Bonus %': '0%', 'Country': 'Brazil', 'City': 'Sao Paulo', 'Exit Date': nan}, {'Employee ID': 'E02253', 'Full Name': 'Leilani Ng', 'Job Title': 'Systems Analyst', 'Department': 'IT', 'Business Unit': 'Corporate', 'Ethnicity': 'Asian', 'Age': 48.0, 'Hire Date': '9/19/2011', 'Annual Salary': '$50,513', 'Bonus %': '0%', 'Country': 'United States', 'City': 'Seattle', 'Exit Date': '10/30/2019'}]
Department Facet (Name Collection): {}
Department Facet (Phone Collection): {'Engineering': 159, 'Sales': 188, 'IT': 347, 'Accounting': 132, 'Finance': 129, 'Marketing': 136, 'Human Resources': 124, nan: 47}
Process finished with exit code 0
```

Input:

Program:

```
import pandas as pd

# Load the employee CSV file
file_path = 'Employee Sample Data 1.csv' # Ensure this is the correct path to your CSV file
df = pd.read_csv(file_path, encoding='ISO-8859-1') # Adjust encoding if needed

# In-memory collections to mimic a database
collections = {}

# Function Definitions
def createCollection(p_collection_name):
    collections[p_collection_name] = []
    print(f"Collection '{p_collection_name}' created.")

def indexData(p_collection_name, p_exclude_column):
    collection = collections.get(p_collection_name)
    if collection is not None:
        for index, row in df.iterrows():
            employee_data = row.to_dict()
            employee_data.pop(p_exclude_column, None) # Exclude the specified column
            collections[p_collection_name].append(employee_data)
        print(f"Indexed data into '{p_collection_name}' excluding '{p_exclude_column}'.")

def searchByColumn(p_collection_name, p_column_name, p_column_value):
    collection = collections.get(p_collection_name)
    if collection:
        results = [emp for emp in collection if emp.get(p_column_name) == p_column_value]
        return results
    return []

def getEmpCount(p_collection_name):
    collection = collections.get(p_collection_name)
    if collection is not None:
        return len(collection)
    return 0

def delEmpById(p_collection_name, p_employee_id):
    collection = collections.get(p_collection_name)
    if collection:
        collections[p_collection_name] = [emp for emp in collection if emp.get('Employee ID') != p_employee_id]
        print(f"Employee with ID '{p_employee_id}' deleted from '{p_collection_name}'.")

def getDepFacet(p_collection_name):
    collection = collections.get(p_collection_name)
    if collection:
        dep_count = {}
        for emp in collection:
            department = emp.get('Department')
            if department:
                dep_count[department] = dep_count.get(department, 0) + 1
        return dep_count
    return {}

# Execute the required functions with the dataset

# Replace with your actual name and phone last four digits
v_nameCollection = 'Hash_YourName'
v_phoneCollection = 'Hash_1234'

# 1. Create collections
createCollection(v_nameCollection)
createCollection(v_phoneCollection)

# 2. Get employee count before indexing
initial_count_name = getEmpCount(v_nameCollection)

# 3. Index data into both collections
```

```
indexData(v_nameCollection, 'Department')
indexData(v_phoneCollection, 'Gender')
```

```
# 4. Delete an employee by ID
delEmpById(v_nameCollection, 'E02003')
```

```
# 5. Get employee count after deletion
final_count_name = getEmpCount(v_nameCollection)
```

```
# 6. Search by columns
it_employees_name = searchByColumn(v_nameCollection, 'Department', 'IT')
male_employees_name = searchByColumn(v_nameCollection, 'Gender', 'Male')
it_employees_phone = searchByColumn(v_phoneCollection, 'Department', 'IT')
```

```
# 7. Get department facet
dep_facet_name = getDepFacet(v_nameCollection)
dep_facet_phone = getDepFacet(v_phoneCollection)
```

```
# Collecting results for output
output_results = {
    "Initial Employee Count": initial_count_name,
    "Final Employee Count": final_count_name,
    "IT Employees (Name Collection)": it_employees_name,
    "Male Employees (Name Collection)": male_employees_name,
    "IT Employees (Phone Collection)": it_employees_phone,
    "Department Facet (Name Collection)": dep_facet_name,
    "Department Facet (Phone Collection)": dep_facet_phone
}
```

```
# Print results for documentation
for key, value in output_results.items():
    print(f"{key}: {value}")
```