



### Experiment-3.2

**Student Name:** Arsh Jaiswal  
**Branch:** CSE  
**Semester:** 5th  
**Subject Name:** ADBMS

**UID:** 23BCS11682  
**Section/Group:** KRG-3B  
**Date of Performance:** 22/08/25  
**Subject Code:** 23CSP-333

#### 1. Aim:

##### Department Salary Champions Explorer

In a bustling corporate organization, each department strives to retain the most talented (and well-compensated) employees. You have access to two key records: **one lists every employee along with their salary and department, while the other details the names of each department.** Your task is to identify the **top earners in every department.**

If multiple employees share the same highest salary within a department, all of them should be celebrated equally. The final result should present the **department name, employee name, and salary of these top-tier professionals** arranged by department.

#### 2. Objective:

- To understand and implement sub-queries in SQL.
- To identify the top earners in each department using correlated sub-queries.
- To practice handling scenarios where multiple employees share the same maximum salary.
- To merge datasets from multiple sources using `UNION ALL`.
- To apply `GROUP BY` with aggregate functions (`MAX`, `MIN`) for meaningful reporting.
- To retrieve the lowest recorded salary for each employee across different systems.
- To develop practical problem-solving skills for analytical database queries.

#### 3. DBMS Script :

```
--EXPERIMENT 03: Department Salary Champions Explorer (MEDIUM LEVEL)
CREATE TABLE department (
    id INT PRIMARY KEY,
    dept_name VARCHAR(50)
);
CREATE TABLE employee
( id INT,
  name VARCHAR(50),
  salary INT,
  department_id INT,
  FOREIGN KEY (department_id) REFERENCES department(id)
);

INSERT INTO department (id, dept_name) VALUES
```

```
(1, 'IT'),
(2, 'SALES');
```

```
INSERT INTO employee (id, name, salary, department_id) VALUES
(1, 'JOE', 70000, 1),
(2, 'JIM', 90000, 1),
(3, 'HENRY', 80000, 2),
(4, 'SAM', 60000, 2),
(5, 'MAX', 90000, 1);
```

```
SELECT (SELECT dept_name FROM department d where d.id = e.department_id) AS
DEPT_NAME, name, salary
FROM Employee e
WHERE salary IN (SELECT MAX(e2.salary) FROM employee e2 WHERE e2.department_id =
e.department_id);
```

#### 4. Output:

Output 1:

Results		Messages	
	DEPT_NAME	name	salary
1	SALES	HENRY	80000
2	IT	MAX	90000
3	IT	JIM	90000

#### 5. Learning Outcomes:

- Successfully implemented sub-queries to extract top salary earners by department.
- Practiced combining two datasets with UNION ALL.
- Used GROUP BY and aggregate functions (MAX, MIN) to derive meaningful insights.
- Understood how to merge historical records and identify minimum salaries.
- Strengthened SQL querying skills for analytical use cases.