

# **Experiment-3.3**

Student Name: Arsh Jaiswal UID: 23BCS11682

Branch: CSE Section/Group: KRG-3B

Semester: 5th Date of Performance: 22/08/25

Subject Name: ADBMS Subject Code: 23CSP-333

#### 1. Aim:

Merging Employee Histories: Who Earned Least? (Hard)

Two legacy HR systems (A and B) have separate records of employee salaries. These records may overlap. Management wants to **merge these datasets** and identify **each unique employee** (by EmpID) along with their **lowest recorded salary** across both systems.

#### 2. Objective

- 1. Combine two tables A and B.
- 2. Return each EmpID with their lowest salary, and the corresponding Ename.

### 3. DBMS Script:

--EXPERIMENT 03:Merging Employee Histories: Who Earned Least? (Hard)

CREATE TABLE A( empid integer, Ename VARCHAR(20), Salary INTEGER); CREATE TABLE B(empid integer, Ename VARCHAR(20), Salary INTEGER);

INSERT INTO A VALUES (1,'AA',1000), (2,'BB',300);

INSERT INTO b VALUES (2,'BB',400), (3,'CC',100);

SELECT EMPID,Max(ENAME) AS ENAME,MIN(SALARY) AS SALARY FROM(
SELECT \* FROM A
UNION ALL
SELECT \* FROM B
) AS INTERMEDIATE\_RESULT
GROUP BY empid;

## 4. Output:

⊞ F	Results 🔓	l Messag	ges
	EMPID	ENAME	ESALARY
1	1	AA	1000
2	2	BB	300
3	3	CC	100

# 5. Learning Outcomes:

- Successfully implemented sub-queries to extract top salary earners by department.
- Practiced combining two datasets with UNION ALL.
- Used GROUP BY and aggregate functions (MAX, MIN) to derive meaningful insights.
- Understood how to merge historical records and identify minimum salaries.
- Strengthened SQL querying skills for analytical use cases.