

TABLE OF CONTENTS

DECLARATION	i
CERTIFICATE	ii
ABSTRACT	iii
ACKNOWLEDGEMENTS	iv
1 Introduction	1-6
1.1 Project Description	7
1.2 Project Scope	8
1,3 Hardware / Software used in Project	11
2 Feasibility Study	17-36
2.1 Technical Feasibility	11
2.2 Operational Feasibility	11
2.3 Economical Feasibility	12
3 Database Design	12
2.4 Flow Chart	
2.5 Use Case Diagram	
3.3 Sequence Diagram	15
4 Form Design	16-22
5 Coding	
6 Test Cases	
Bibliography	

CHAPTER 1

1.INTRODUCTION

The "Result Management System" has been developed to override the problems prevailing in the practicing manual system. This software is supported to eliminate and in some cases reduce the hardships faced by this existing system. Moreover this system is designed for the particular need of the company to carry out operations in a smooth and effective manner.

The application is reduced as much as possible to avoid errors while entering the data. It also provides error message while entering invalid data. No formal knowledge is needed for the user to use this system. Thus by this all it proves it is user-friendly. Result Management System , as described above, can lead to error free, secure, reliable and fast management system. It can assist the user to concentrate on their other activities rather to concentrate on the record keeping. Thus it will help organization in better utilization of resources.

Every organization, whether big or small, has challenges to overcome and managing the informations of Student, Result, Activity, Course, Exam. Every Result Management System has different Result needs, therefore we design exclusive employee management systems that are adapted to your managerial requirements. This is designed to assist in strategic planning, and will help you ensure that your organization is equipped with the right level of information and details for your future goals. Also, for those busy executive who are always on the go, our systems come with remote access features, which will allow you to manage your workforce anytime, at all times. These systems will ultimately allow you to better manage resources

1.1 Project Description

The purpose of Result Management System is to automate the existing manual system by the help of computerized equipment and full-fledged computer software, fulfilling their requirements, so that their valuable data/information can be stored for a longer period with easy accessing and manipulation of the same. The required software and hardware are easily available and easy to work with.

Result Management System, as described above, can lead to error free, secure, reliable and fast management system. It can assist the user to concentrate on their other activities rather to concentrate on the record keeping. Thus it will help organization in better utilization of resources. The organization can maintain computerized records without redundant entries. That means that one need not be distracted by information that is not relevant, while being able to reach the information.

The aim is to automate its existing manual system by the help of computerized equipments and

full-fledged computer software, fulfilling their requirements, so that their valuable data/information can be stored for a longer period with easy accessing and manipulation of the same. Basically the project describes how to manage for good performance and better services for the clients.

- Result Management Module: Used for managing the Result details.
- Student Management Module: Used for managing the information and details of the Student.
- Progress Module : Used for managing the Progress details
- Activity Module : Used for managing the Activity information
- Login Module: Used for managing the login details
- Users Module : Used for managing the users of the system

1.2 Project Scope

It may help collecting perfect management in details. In a very short time, the collection will be obvious, simple and sensible. It will help a person to know the management of passed year perfectly and vividly. It also helps in current all works relative to Result Management System. It will be also reduced the cost of collecting the management & collection procedure will go on smoothly.

Our project aims at Business process automation, i.e. we have tried to computerize various processes of Result Management System.

- In computer system the person has to fill the various forms & number of copies of the forms can be easily generated at a time.
- In computer system, it is not necessary to create the manifest but we can directly print it, which saves our time.
- To assist the staff in capturing the effort spent on their respective working areas.
- To utilize resources in an efficient manner by increasing their productivity through automation.
- The system generates types of information that can be used for various purposes.
- It satisfy the user requirement
- Be easy to understand by the user and operator
- Be easy to operate
- Have a good user interface
- Be expandable
- Delivered on schedule within the budget.

Input Data and Validation of Project on Result Management System

- All the fields such as Result, Progress, Exam are validated and does not take invalid values
- Each form for Result, Student, Course can not accept blank value fields
- Avoiding errors in data
- Controlling amount of input
- Integration of all the modules/forms in the system.
- Preparation of the test cases.
- Preparation of the possible test data with all the validation checks.
- Actual testing done manually.
- Recording of all the reproduced errors.
- Modifications done for the errors found during testing.
- Prepared the test result scripts after rectification of the errors.
- Functionality of the entire module/forms.
- Validations for user input.
- Checking of the Coding standards to be maintained during coding.
- Testing the module with all the possible test data.

1.3 Hardware / Software used in Project

1. Windows XP, Windows 7 (32/64 bit) or higher
2. Minimum 4 GB RAM and higher
3. 10 GB available space on the hard disk
4. At least one Internet Browser e.g. Chrome, Firefox, Microsoft Edge etc.
5. Active internet connection minimum speed 512kbps and above.
6. At least one installed code Editor to test and debug your code e.g.
7. [Visual studio code](#)
8. [XAMPP SERVER](#)
9. [SQL](#)

CHAPTER 2

2. Feasibility Study

After doing the project Result Management System, study and analyzing all the existing or required functionalities of the system, the next task is to do the feasibility study for the project. All projects are feasible - given unlimited resources and infinite time.

Feasibility study includes consideration of all the possible ways to provide a solution to the given problem. The proposed solution should satisfy all the user requirements and should be flexible enough so that future changes can be easily done based on the future upcoming requirement

2.1 Technical Feasibility

This included the study of function, performance and constraints that may affect the ability to achieve an acceptable system. For this feasibility study, we studied complete functionality to be provided in the system, as described in the System Requirement Specification (SRS), and checked if everything was possible using different type of frontend and backend platforms

2.2 Operational Feasibility:

No doubt the proposed system is fully GUI based that is very user friendly and all inputs to be taken all self-explanatory even to a layman. Besides, a proper training has been conducted to let know the essence of the system to the users so that they feel comfortable with new system. As far our study is concerned the clients are comfortable and happy as the system has cut down their loads and doing.

2.3 Economical Feasibility

This is a very important aspect to be considered while developing a project. We decided the technology based on minimum possible cost factor.

- All hardware and software cost has to be borne by the organization.
- Overall we have estimated that the benefits the organization is going to receive from the proposed system will surely overcome the initial costs and the later on running cost for system.
- Is the system cost effective?
- Do benefits outweigh costs?
- The cost of doing full system study
- The cost of business employee time


- Estimated cost of hardware
- Estimated cost of software/software development
- Is the project possible, given the resource constraints?
- What are the savings that will result from the system?
- Cost of employees' time for study
- Cost of packaged software/software development
- Selection among alternative financing arrangements (rent/lease/purchase)

CHAPTER 3

3.1 Database Design

A relational database management system (RDBMS) is a database management system (DBMS) that is based on the relational model as invented by E. F. Codd, of IBM's San Jose Research Laboratory. Many popular databases currently in use are based on the relational database model.

RDBMSs have become a predominant choice for the storage of information in new databases used for financial records, manufacturing and logistical information, personnel data, and much more since the 1980s. Relational databases have often replaced legacy hierarchical databases and network



databases because they are easier to understand and use. However, relational databases have been challenged by object databases, which were introduced in an attempt to address the object-relational impedance mismatch in relational database, and XML databases

3.2 Flow Chart




Figure 1: *Flow Chart*

3.3 Use Case Diagram





Figure 2: Use-Case Diagram of Online Shopping Website


3.4 Sequence Diagram



CHAPTER 4

Form Design

4.1 Input / Output Form (Screenshot)



A screenshot of a web application's admin login page. The background is a blurred image of a Starbucks coffee cup and a stack of books. At the top right, there are navigation links: HOME, ABOUT, and CONTACT. The main heading is "Admin Login" in yellow. Below it, there are two input fields: "Username" with the text "Kiet" and "Password" with four dots. A "SUBMIT" button is located below the password field.


HOME ABOUT CONTACT

Admin Login

Username Kiet

Password

SUBMIT



A screenshot of a web application's "Get Your Result Here" page. The background is a chalkboard with various handwritten notes and diagrams, and a woman in a red dress pointing at the board. At the top right, there are navigation links: HOME, ABOUT, CONTACT, and ADMIN LOGIN. The main heading is "GET YOUR RESULT HERE!" in white. Below it, there are two input fields: "Rollno" and "Standard". A "SUBMIT" button is located below the "Standard" field.

HOME ABOUT CONTACT ADMIN LOGIN

GET YOUR RESULT HERE!

Rollno

Standard

SUBMIT

About Us

Student Result Management System

This Software Application unbelievably unravels and quickens the result management system with unique templates by providing the administration a secure database system for storing, evaluating and publishing the test scores and grades of candidates online. The database likewise allows the student to observe and gander at the exam results on the web at whatever point necessary.

Student Result Management System is a technological opportunity for the school, college university and coaching centre institutions searching for a secure, simple and alternative solution to the conventional paper-based exam results evaluation, reporting and distribution.

How can we help? Feel Free to Contact
Send Us a Message

Enter Your Name

Full Name

Enter your Email Id

Email Id

Enter your Contact No.

Contact No

Type your Message

Type here...

SEND

Admin Dashboard

- > Add Marks of Student
- > Update Student Marks
- > Delete the Marks of Student
- > Data of all Students
- > Messages by Student

Step 1/2 : Enter the Details of Student

Name	Class	Roll No	
<input type="text" value="Enter Full Name"/>	<input type="text" value="Class"/>	<input type="text" value="Rollno"/>	
father Name	Mother Name	Mobile No	Your City
<input type="text" value="Father's Name"/>	<input type="text" value="Mother's Name"/>	<input type="text" value="Mobile No"/>	<input type="text" value="City"/>

Choose Image - No file chosen

[NEXT](#)

Step 2/2 : Add Exam mark

First Exam (A)

Hindi	English	Math
87	88	75
Physics	Chemestry	
78	88	


Second Exam(B)

Hindi	English	Math
84	72	74
Physics	Chemestry	
73	71	

Submit

HOME ABOUT CONTACT ADMIN LOGIN



Name : Ranjeet Singh
Class : 12
Roll No : 99
Father Name : Badsha
City Name : Shahjahanpur



Subject	Half Yealy Exam (Score)	Annual Exam (Score)	Total	Max. Marks
Hindi	87	84	171	200
English	88	72	160	200
Math	75	74	149	200
Physics	78	73	151	200
Chemestry	88	71	159	200
Total	416	374	939	1000

You Are Pass

Your Result is Declared. Kindly check your mar



राधा गोविंद राधे | Delete Mark | gmail - Yahoo | Inbox (5,326) | Inbox (1,111) | Preparation of | Front Page.doc |

localhost/test/admin/deleteform.php

HOME ABOUT US CONTACT US DASHBOARD

Search Student and Delete his Mark

Student Class Student Rollno

Id	Name	Father's Name	Address	Class	Roll No	Edit
7	Ranjeet Singh	Badsha	Shahjahanpur	12	99	Delete


ENG IN 12:02 AM 5/29/2022

HOME ABOUT CONTACT ADMIN DASHBOARD

Student Record

Id	Name	Class	Roll No	Father Name	Mother Name	Village	Mobile No
1	Jai Pratap Singh bhadouriya	MCA	2000280140053	Mr. Ram	RADHA	Agra	076 6994 6996
2	Ranjeet Singh	MCA	99	Badshah	Radha	Brasilly	7618958840
3	Aman	11	1	Abc	Bca	Agra	123456
4	jai	11	11	iji	mm	agra	121515
5	Vishal Shau	11	1234	agshb	bhjnj	Kanpur	54

DECEMBER 2020



CHAPTER 5

Coding

Index.html

```
<!doctype html>
<html lang="en">

    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.13.0/css/all.css">
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"
            integrity="sha384-
            EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
            crossorigin="anonymous">
```

```

<link rel="stylesheet" href="styles.css">

<!-- Favicon Icon -->
<link rel="icon" href="images/favicon.jpg">
<title>Dimple Verma</title>

<!-- Google fonts -->
<link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@100;200;400;500;700&family=Roboto
&family=Source+Sans+Pro&display=swap"
rel="stylesheet">

</head>

<body>

<div class="" id="first_section">
<div class="first_section_background_color">

<!-- Navigation Bar -->

<div class="navigationBar">
<nav class="navbar navbar-expand-lg bg-dark">
<div class="container-fluid">
<a class="navbar-brand" href="#">ZIPPY</a>

<label class="contact_section_label form-label">NAME</label>
<input type="text" class="form-control" placeholder="Enter Name">

<!-- footer section ends -->

<script src="script.js" charset="utf-8"></script>

<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.2/dist/umd/popper.min.js"
integrity="sha384-
IQsoLX15PILFhosVNubq5LC7Qb9DXgDA9i+tQ8Zj3iwWAwPtgFTxbJ8NT4GN1R8p"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js"
integrity="sha384-cVKIPhGWiC2Al4u+LWgxfKTRIcfu0JTxR+EQDz/bgldoEyl4H0zUF0QKbrJ0EcQF"
crossorigin="anonymous"></script>

</body>

</html>

```

Code CSS:-

```
body {
  margin: 0;
  text-align: center;
  font-family: sans-serif;
}

.first_section_background_color {
  background-color: black;
}

.navbar-brand {
  font-size: 2rem;
  font-family: serif;
  color: #f5f5f5;
}

.navbar-brand:hover {
  color: #aaaaaa;
}

.nav-link {
  font-family: Montserrat;
  color: #f5f5f5;
}

.nav-link:hover {
  color: #1ebba3;
}

.navbar-toggler-icon {
  background-image: url("data:image/svg+xml;charset=utf8,%3Csvg viewBox='0 0 32 32'
xmlns='http://www.w3.org/2000/svg'%3E%3Cpath stroke='rgba(255, 255, 255, 0.8)' stroke-width='2'
stroke-linecap='round' stroke-miterlimit='10' d='M4 8h24M4 16h24M4 24h24'/%3E%3C/svg%3E");
  opacity: 0.7;
}
```

```
    }

    .custom-toggler,
    .navbar-toggler {
      border-color: white;
    }

    .nav-link,
    .nav-item,
    .navbar {
      z-index: 999;
    }

    .first_section_image {
      min-height: 600px;
      min-width: 1200;

    }

    .container-fluid {
      padding: 0 25%;
    }

    .first_section_data {
      padding: 0 25%;
      text-align: left;
      position: absolute;
      top: 14rem;
    }

    .infoText {
      z-index: -1;
      color: white;
    }

    h2 {
      font-family: 'Montserrat', sans-serif;
      font-size: 2.4rem;
      line-height: 1.5;
      font-weight: 600;
      padding-bottom: 1rem;
    }

    p {
      font-family: 'Montserrat', sans-serif;

      line-height: 1.4;
      /*Optional*/
      font-weight: 400;
    }
```

```
.first_section_button {
  background-color: #75c2b6;
  color: black;
  font-weight: 700;
}

.first_section_button:hover {
  background-color: yellow;
  color: rgb(0, 0, 0);
}

.first_section_button2 {
  background-color: yellow;
  color: black;
  font-weight: 700;
  padding-right: 2.5rem;
  padding-left: 2.5rem;
}

.first_section_button2:hover {
  background-color: purple;
  color: white;
}

.carousel-indicators [data-bs-target] {
  height: 6px;
  width: 7px;
  border-radius: 100%;
  position: relative;
  right: 365px;
  bottom: 70px;
}

/* section2 */
#second_part {
  padding-top: 6%;
}

.second_part_data {
  padding: 0 25%;
}

.second_part_image {
  height: 170px;
  width: auto;
  max-width: 100%;
}
```

```
    }

    .second_part_para {
        color: grey;
        font-weight: 500;
        text-align: left;
        line-height: 1.5;
        font-size: 1.5rem;
    }

    .second__section_div {
        background-color: #72147e;
        height: 100px;
        width: 100px;
        border-radius: 100%;
        margin: 0 auto;
    }

    .second__section_div_image {
        height: 70px;
        width: 70px;
        margin-top: 15px;
    }

    .second__section_div_card_heading {
        font-weight: 600;
        padding: 10% 5%;
        color: #72147e;
    }

    .second__section_div_card_text {
        padding: 0 10% 5% 10%;
        color: #000000;
        font-weight: 510;
    }

    /* Project starts */

    #project {
        padding-top: 2%;
    }

    #project h2 {
        font-size: 2.5rem;
    }

    .heading-underline {
        width: 5rem;
        height: .2rem;
```

```
background-color: #1ebba3;
margin: 0 auto 2rem;
}
```

```
.card-img-top {
width: 100%;
height: 20vw;
object-fit: cover;
}
```

```
.project_card {
margin: 0;
padding: 0;
border: 0;
border-radius: 0;
}
```

```
.project_body1 {
background-color: #e0e0e0;
text-align: left;
padding: 8% 10%;
}
```

```
.project_body1 h5 {
font-size: 1.5rem;
padding-top: 0rem;
}
```

```
.project_body2 {
background-color: #c9c7c7;
text-align: left;
padding: 8% 10%;
}
```

```
.project_body2 h5 {
font-size: 1.5rem;
padding-top: 0rem;
}
```

```
.project_body1:hover {
background-color: #74cabd;
}
```

```
.project_body2:hover {
background-color: #1ebba3;
}
```

```
.project_title {
color: black;
}
```



```
.project_text {
  color: #000000;
}

.projects_section_button {
  background-color: white;
  color: #303030;
  font-size: 15px;
  font-weight: 700;
}

.projects_section_button:hover {
  background-color: #48474e;
  color: white;
}

/* pricing_section */

#pricing {
  background-color: white;
}

.grid {
  margin: 80px;
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  grid-gap: 30px;
  align-items: center;
}

.grid h3 {
  padding-top: 1rem;
}

.grid .text p {
  color: grey;
  font-weight: 600;
}

.grid>article {
  background: rgb(248, 223, 227);
  border: none;
  box-shadow: 2px 2px 6px 0px rgba(0, 0, 0, 0.3);
  border-radius: 20px;
  text-align: center;
  width: 250px;
  transition: transform .3s;
```

```

    }

    .grid>article:hover {
      transform: translateY(5px);
      box-shadow: 2px 2px 26px 0px rgba(0, 0, 0, 0.3);
    }

    .container .text {
      padding: 0 20px 20px;
    }

    .text button {
      background: #ef6f6c;
      border-radius: 20px;
      border: none;
      color: #fff;
      padding: 10px;
      width: 100%;
      font-weight: 600;
      text-transform: uppercase;
      cursor: pointer;
    }

    .text button:hover {
      background: #ff504e;
    }

    /* video section */

    .video-fluid {
      width: 30%;
      height: 50%;
    }

    /* Team section */
    #team h2 {
      font-size: 2.2rem;
    }

    .team_data {
      padding: 0 20%;
    }

    .newsletter_form {
      width: 470px;
      margin: 0 auto;
    }

    .newsletter_heading {

```

```

        padding-top: 4%;
        padding-bottom: 8%;
    }

    .contact_form {
        width: 450px;
        padding-left: 30px;
    }

    .contact_section_button {
        width: 421px;
    }

    .grid {
        grid-template-columns: repeat(1, 1fr);
    }

    .video-fluid {
        width: 100%;
        height: 100%;
    }
}

```

Code Javascript

```

//javascript File for Life in Zippy Section//

let thumbnail = document.getElementsByClassName('thumbnail')

let activeImages = document.getElementsByClassName('active')

for (var i = 0; i < thumbnail.length; i++) {

    thumbnail[i].addEventListener('mouseover', function () {
        //console.log(activeImages)

        document.getElementById('featured').src = this.src
    })
}

let buttonRight = document.getElementById('slideRight');
let buttonLeft = document.getElementById('slideLeft');

buttonLeft.addEventListener('click', function () {
    document.getElementById('slider').scrollLeft -= 80
})

```

```
buttonRight.addEventListener('click', function () {  
    document.getElementById('slider').scrollLeft += 80  
})
```

Admin aboutus php

```
<html>  
<head>  
    <title>About</title>  
<link rel="stylesheet" href="../css/aboutus.css" type="text/css">  
    <link href="https://fonts.googleapis.com/css?family=Flamenco"  
        rel="stylesheet">  
    <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.cs  
s">  
  
</head>  
<body>  
    <header>  
        <nav>  
            <div class="row clearfix">  
                <ul class="main-nav" animate slideInDown>  
                    <li><a href="../index.php">HOME</a></li>  
                    <li><a href="aboutus.php">ABOUT</a></li>  
                    <li><a href="contactus.php">CONTACT</a></li>  
                    <li><a href="../login.php">ADMIN LOGIN</a></li>
```

Addmarks php

```
<?php  
session_start();  
  
if(isset($_SESSION['uid']))  
{  
    echo "";  
}  
else  
{  
    header('location: ../login.php');  
}  
  
?>  
  
<html>  
<head>
```

```

<title>Add Marks</title>
<link rel="stylesheet" href="../../csss/addmark.css" type="text/css">
<link href="https://fonts.googleapis.com/css?family=Flamenco"
      rel="stylesheet">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.cs
s">

</head>
<body>
<header>
<nav>
<div class="row clearfix">
<ul class="main-nav" animate slideInDown>
<li class="logout"><a href="admindash.php">Dashboard</a></li>
<li><a href="../../index.php">Home</a></li>
<li><a href="aboutus.php">About</a></li>
<li><a href="contactus.php">Contact</a></li>
</ul>
multipart/form-data" action="secondstep.php">
<table class="table1">
<th>City</th>
</tr>
<tr>
<td><input type='text' name='father' placeholder="Father's Name" required
      class="box"/></td>
<td><input type='text' name='mother' placeholder="Mother's Name" required
      class="box"/></td>
<td><input type='text' name='mobile' placeholder='Mobile No' required
      class="box"/></td>
<td><input type='text' name='village' placeholder='City' required
      class="box"/></td>
</tr>

</table>
<table class="table3">
<tr>
<th>Choose Image -</th>
<td><input type="file" name="img" required/></td>
</tr>
</table>
<table class="table4">
<tr>
<td align="center" colspan="2"><input type="submit" name="submit1"
      value="Next" class="next_Step"/></td>
</tr>
</table>
</form>
</div>
</header>

```

```
</body>
</html>
```

Admindashboard

```
<?php
    session_start();

    if(isset($_SESSION['uid']))
    {
        echo "";
    }
    else
    {
        header('location: ../login.php');
    }

    ?>
    <html>
    <head>
        <title>Admin Dashboard</title>
        <link rel="stylesheet" href="../csss/admindash.css" type="text/css">
        <link href="https://fonts.googleapis.com/css?family=Flamenco"
            rel="stylesheet">
        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.cs
s">

    </head>
    <body>
    <header>
        <nav>
            <div class="row clearfix">

                <ul class="main-nav" animate slideInDown>
                    <li><a href="../index.php">HOME</a></li>
                    <li><a href="aboutus.php">ABOUT</a></li>
                    <li><a href="contactus.php">CONTACT</a></li>
                    <li class="logout"><a href="logout.php">LOGOUT</a></li>

                </ul>
            </div>
        </nav>

        <div class="main-content-header">
            <h1>Admin Dashboard</h1>
            <h3><a href="addmark.php">-> Add Marks of Student </a></h3>
```

```

<h3><a href="updatemark.php">-> Update Student Marks </a></h3>
<h3><a href="deleteform.php">-> Delete the Marks of Student </a></h3>
<h3><a href="allstudentdata.php">-> Data of all Students </a></h3>
<h3><a href="usermessage.php">-> Messages by Student</a></h3>
</div>
</header>

</body>
</html>

```

All Student Data php

```

    }

    ?>
    <h2>Student Record</h2>
    <form>
    <table>
    <tr>
    <th class="id_h1">Id </th>
    <th class="name_h1">Name </th>
    <th class="contact_h1">Class </th>
    <th class="contact_h1">Roll No</th>
    <th class="contact_h1">Father Name</th>
    <th class="message_h1">Mother Name </th>
    <th class="contact_h1">Village</th>
    <th class="name_h1">Mobile No</th>
    </tr>

    <?php
    include('../dbcon.php');
    $sql="SELECT * FROM `student_data`";
    $run=mysqli_query($con,$sql);
    if(mysqli_num_rows($run)>0)
    {
    while($row=mysqli_fetch_assoc($run))
    {
    ?>
    <tr>

    <th class="id_h"> <?php echo $row['id'].'<br>'; ?></th>
    <th class="name_h"> <?php echo $row['u_name'].'<br>'; ?></th>
    <th class="email_h"> <?php echo $row['u_class'].'<br>'; ?></th>
    <th class="contact_h"> <?php echo $row['u_rollno'].'<br>'; ?></th>
    <th class="contact_h"> <?php echo $row['u_father'].'<br>'; ?></th>
    <th class="contact_h"> <?php echo $row['u_mother'].'<br>'; ?></th>
    <th class="contact_h"> <?php echo $row['u_village'].'<br>'; ?></th>

```

```

<th class="message_h"><?php echo $row['u_mobile'].'<br>'; ?></th>
</tr>
<?php
}

}

else{
echo "No Record Found";

```

contactus php

```

<html>
<head>
<title>Contact</title>
<link rel="stylesheet" href="../csss/contactus.css" type="text/css">
<link href="https://fonts.googleapis.com/css?family=Flamenco"
rel="stylesheet">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.cs
s">

</head>
<body>
<header>
<nav>
<div class="row clearfix">
<ul class="main-nav" animate slideInDown>
<li><a href="../index.php">HOME</a></li>
<li><a href="aboutus.php">ABOUT</a></li>
<li><a href="contactus.php">CONTACT</a></li>
<li><a href="../login.php">ADMIN LOGIN</a></li>
</ul>
</div>
</nav>
<div class="main-content-header">
<form method='post'>
<table class="table">
<h2 class="search">How can we help? Feel Free to Contact<br>Send Us a
Message</h2>

<tr>
<th class='tblheading'>Enter Your Name</th>
</tr>
<tr>
<td><input type='text' class='tbldata' name='name' placeholder='Full Name'
Required/></td>

```



```

        </tr>
        <tr>
            <th class='tblheading'>Enter your Email Id</th>
        </tr>
        <tr>
            <td class='tbldata'><input type='text' class='tbldata' name='email'
                placeholder='Email Id' Required/></td>
        </tr>
        <tr>
            <th class='tblheading'>Enter your Contact No.</th>
        </tr>
        <tr>
            <td class='tbldata'><input type='text' class='tbldata' name='cont'
                placeholder='Contact No' Required/></td>
        </tr>
        <tr>
            <th class='tblheading'>Type your Message</th>
        </tr>
        <tr>
            <td><textarea class='tbldata1' name="message" placeholder='Type
                here...'></textarea></td>
        </tr>
        <tr>
            <td colspan='2' align='center'><input type="submit" name='submit'
                value='SEND' class='submit' /></td>
        </tr>
    </table>
</form>
</div>
</header>

</body>
</html>

```

```

<?php
if(isset($_POST['submit']))
{
    include('../dbcon.php');
    $username=$_POST['name'];
    $email=$_POST['email'];
    $contact=$_POST['cont'];
    $message=$_POST['message'];
    $sql="INSERT INTO `user_message`(`u_name`, `u_email`, `u_contact`,
    `u_message`) VALUES ('$username','$email','$contact','$message')";
    $run=mysqli_query($con,$sql);
    if($run)
    {
        ?>
    <script>
        alert('Your Message is sent to Admin');
    </script>

```

```

</script>
<?php
}
}

?>

```

Delete Data php

```

<?php

include('../dbcon.php');
$rollno=$_REQUEST['sid'];

$sql1="DELETE FROM `user_mark` WHERE `u_rollno`='".$rollno.'";"
$sql2="DELETE FROM `student_data` WHERE `u_rollno`='".$rollno.'";"
$run=mysqli_query($con,$sql1);

$run=mysqli_query($con,$sql2);
if($run==true)
{
    ?>
    <script>
    alert('Data mark Succesfully');
    window.open('deleteform.php?sid=<?php echo $rollno; ?>', '_self');
    </script>
    <?php
    }

?>

```

Delete Form php

```

<?php
session_start();

if(isset($_SESSION['uid']))
{
    echo "";
}
else
{
    header('location: ../login.php');
}

```

```

        ?>
    </html>
    </head>
    <title>Delete Mark</title>
    <link rel="stylesheet" href="../../csss/updatemark.css" type="text/css">
    <link href="https://fonts.googleapis.com/css?family=Flamenco"
        rel="stylesheet">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.
min.css">

    </head>
    <body>
    <header>
    <nav>
        <div class="row clearfix">
        <ul class="main-nav" animate slideInDown>
        <li><a href="../../index.php">Home</a></li>
        <li><a href="aboutus.php">About Us</a></li>
        <li><a href="contactus.php">Contact Us</a></li>
        <li class="logout"><a href="admindash.php">Dashboard</a></li>

        <table class="table2">
            <tr>
                <th class="student_id">Id</th>
                <th class="student_class">Name</th>
                <th class="student_class">Father's Name</th>
                <th class="student_class">Address</th>
                <th class="student_class">Class</th>
                <th class="student_class">Roll No</th>
                <th class="student_edit">Edit</th>
            </tr>
            <?php
            if(isset($_POST['submit']))
            {
                include('../dbcon.php');
                $class=$_POST['class'];
                $rollno=$_POST['rollno'];

                $sql="SELECT * FROM `student_data` WHERE `u_class`='$class' AND
                    `u_rollno`='$rollno' ";
                $run=mysqli_query($con,$sql);
                if(mysqli_num_rows($run)<0)
                {
                    ?>
                    <script>
                    alert('No Record Found');
                    </script>
                    <?php

```

```

    }
    else
    {

        while($data=mysqli_fetch_assoc($run))
        {

            ?>
            <tr>
            <th class="student_class2"> <?php echo $data['id'].'<br>'; ?></th>
            <th class="student_class2"> <?php echo $data['u_name'].'<br>'; ?></th>
            <th class="student_class2"> <?php echo $data['u_father'].'<br>';
            ?></th>
            <th class="student_class2"> <?php echo $data['u_village'].'<br>';
            ?></th>
            <th class="student_class2"> <?php echo $data['u_class'].'<br>';
            ?></th>
            <th class="student_class2"> <?php echo $data['u_rollno'].'<br>';
            ?></th>
            <th class="student_class2"><a href="delete_data.php?sid=<?php echo
            $data['u_rollno']; ?>">Delete</a></th>

            </tr>

            <?php
            }

        }
    }
}

```

Logout php

```

<?php
    session_start();
    session_destroy();
    header('location:../login.php');

    ?>

```

Secondstep php

```

<?php
    session_start();

    if(isset($_SESSION['uid']))
    {
        echo "";
    }
}

```

```

        }
        else
        {
            header('location: ../login.php');
        }

    ?>

<html>
<head>
    <title>Homepage</title>
    <link rel="stylesheet" href="../csss/secondstep.css" type="text/css">
    <link href="https://fonts.googleapis.com/css?family=Flamenco"
        rel="stylesheet">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.
min.css">

    </head>
    <body>
    <header>
    <nav>
        <div class="row clearfix">
            <ul class="main-nav" animate slideInDown>
                <li><a href="../index.php">Home</a></li>
                <li><a href="aboutus.php">About Us</a></li>
                <li><a href="contactus.php">Contact Us</a></li>
            </ul>
        </div>
    </nav>
    <div class="main-content-header">

        <form method="post" action="thirdstep.php">
            <h2>Step 2/2 : Add Exam mark</h2>

            <td><input type="hidden" name="class" class="class" value="<?php echo
                $_POST['class']; ?>" required/></td>

            <td><input type="hidden" name="rollno" class="rollno" value="<?php
                echo $_POST['rollno']; ?>" required/></td>

            <table class="table1">
                <span> <h4 class="h_3">First Exam (A)</h4></span>
                <tr>
                    <th>Hindi</th>    <th> English </th> <th>Math</th>
                </tr>
                <tr>

```

```

        <td><input type='text' name='hindi1' placeholder='Hindi'
            required/></td>
        <td><input type='text' name='english1' placeholder='English'
            required/></td>
    <td><input type='text' name='math1' placeholder='Math' required/></td>
    </tr>
</table>
    <table class="table2">
        <tr>
            <th>Physics</th>    <th>Chemestry</th>
        </tr>
        <tr>
            <td><input type='text' name='physics1' placeholder='Physics'
                required/></td>
            <td><input type='text' name='chemestry1' placeholder='Chemestry'
                required/></td>
        </tr>
    </table>
    <span> <h4 class="h3">Second Exam(B)</h4> </span>
    <table class="table4">
        <tr>
            <th>Hindi</th>    <th> English </th> <th>Math</th>
        </tr>
        <tr>
            <td><input type='text' name='hindi2' placeholder='Hindi'
                required/></td>
            <td><input type='text' name='english2' placeholder='English'
                required/></td>
            <td><input type='text' name='math2' placeholder='Math' required/></td>
        </tr>
    </table>
    <table class="table2">
        <tr>
            <th>Physics</th>    <th>Chemestry</th>
        </tr>
        <tr>

```

Thirdestep php

```

$rollno=$_POST['rollno'];
$hindi1=$_POST['hindi1'];
$english1=$_POST['english1'];
$math1=$_POST['math1'];
$physics1=$_POST['physics1'];
$chemestry1=$_POST['chemestry1'];

```

```

        $hindi2=$_POST['hindi2'];
        $english2=$_POST['english2'];
        $math2=$_POST['math2'];
        $physics2=$_POST['physics2'];
        $chemistry2=$_POST['chemistry2'];

        $sql="INSERT INTO `user_mark`(`u_rollno`,`u_class`,`u_hindi1`,
        `u_english1`,`u_math1`,`u_physics1`,`u_chemistry1`,`u_hindi2`,
        `u_english2`,`u_math2`,`u_physics2`,`u_chemistry`) VALUES
        ('$rollno','$class','$hindi1','$english1','$math1','$physics1','$chemes
        try1','$hindi2','$english2','$math2','$physics2','$chemistry2')";

        $run=mysqli_query($con,$sql);
        if($run)
        {
            ?>
            <script>
            alert('Data Inserted Succesfully');
            window.open('admindash.php?sid=<?php echo $rollno; ?>', '_self');
            </script>
            <?php
            }
            }
            ?>

```

Update Marks Data php

```

        <?php
        if(isset($_POST['submit']))
        {
            include('../dbcon.php');
            $rollno=$_POST['rollno'];
            $hindi1=$_POST['hindi1'];
            $english1=$_POST['english1'];
            $math1=$_POST['math1'];
            $physics1=$_POST['physics1'];
            $chemistry1=$_POST['chemistry1'];
            $hindi2=$_POST['hindi2'];
            $english2=$_POST['english2'];
            $math2=$_POST['math2'];
            $physics2=$_POST['physics2'];
            $chemistry2=$_POST['chemistry2'];

            $sql="UPDATE `user_mark` SET `u_hindi1` = '$hindi1', `u_english1` =
            '$english1', `u_math1` = '$math1', `u_physics1` = '$physics1',
            `u_chemistry1` = '$chemistry1', `u_hindi2` = '$hindi2', `u_english2` =

```

```

'$english2', `u_math2` = '$math2', `u_physics2` = '$physics2',
`u_chemistry` = '$chemistry2' WHERE `u_rollno` = '$rollno''";

    $run=mysqli_query($con,$sql);
    if($run)
    {
        ?>
        <script>
        alert('Data Updated  Succesfully');
window.open('updatemark_form.php?sid=<?php echo $rollno; ?>', '_self');
        </script>

        <?php
        }
        else
        {
            echo "Error";
        }
    }
    ?>

```

Updatemarks Form php

```

<?php
    session_start();

    if(isset($_SESSION['uid']))
    {
        echo "";
    }
    else
    {
        header('location: ../login.php');
    }

    ?>

    <?php
        include('../dbcon.php');
        $rollno=$_GET['sid'];

        $sql="SELECT * FROM `student_data` WHERE `u_rollno`='$rollno'";
        $run=mysqli_query($con,$sql);
        $row=mysqli_fetch_assoc($run);

        $class=$row['u_class'];

```



```
$sql2="SELECT * FROM `user_mark` WHERE `u_class`='$class'";
$run2=mysqli_query($con,$sql2);
$data=mysqli_fetch_assoc($run2);

//combine Table///

?>
<html>
<head>
<title>Update Mark Detail</title>
<link rel="stylesheet" href="../../csss/updatemark_form.css"
type="text/css">
<link href="https://fonts.googleapis.com/css?family=Flamenco"
rel="stylesheet">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.
min.css">

</head>
<body>
<header>
<nav>
<div class="row clearfix">
```

Updatemarks php

```
<?php
    session_start();

    if(isset($_SESSION['uid']))
    {
        echo "";
    }
    else
    {
        header('location: ../login.php');
    }

?>
<html>
<head>
    <title>Update Record</title>
    <link rel="stylesheet" href="../css/updatemark.css" type="text/css">
    <link href="https://fonts.googleapis.com/css?family=Flamenco" rel="stylesheet">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.css">

</head>
<body>
<header>
    <nav>
        <div class="row clearfix">
            <ul class="main-nav" animate slideInDown>
                <li><a href="../index.php"><b>HOME</b></a></li>
                <li><a href="aboutus.php"><b>ABOUT</b></a></li>
                <li><a href="contactus.php"><b>CONTACT</b></a></li>
                <li class="logout"><a href="admindash.php"><b>DASHBOARD</b></a></li>

            </ul>
        </div>
    </nav>

    <div class="main-content-header">
        <form method="post" action="updatemark.php">
            <table class="table1">
                <tr align="center"><th align="center">Search Student and Update Marks</th>
                <tr align="left">
                    <th>Enter Class : </th>
                    <td><input type="text" name="class" class="box"/></td>

                    <th>Student Rollno : </th>
                    <td><input type="text" name="rollno" class="box"/></td>
```

```

        </tr>
        <tr align="left">
<th><input type="submit" value="Search" name="submit" class="submit"/></th>
        </tr>

    </table>
    <table class="table2">
        <tr>
            <th class="student_id">Id</th>
            <th class="student_class">Name</th>
            <th class="student_class">Father's Name</th>
            <th class="student_class">Address</th>
            <th class="student_class">Class</th>
            <th class="student_class">Roll No</th>
            <th class="student_edit">Edit</th>
        </tr>
        <?php
            if(isset($_POST['submit']))
            {
                include('../dbcon.php');
                $class=$_POST['class'];
                $rollno=$_POST['rollno'];

                $sql="SELECT * FROM `student_data` WHERE `u_class`='".$class'" AND
                    `u_rollno`='".$rollno'" ";
                $run=mysqli_query($con,$sql);
                if(mysqli_num_rows($run)<0)
                {
                    ?>
                    <script>
                        alert('No Record Found');
                    </script>
                    <?php
                        }
                    else
                    {
                        while($data=mysqli_fetch_assoc($run))
                        {
                            ?>
                            <tr>
                                <th class="student_class2"> <?php echo $data['id'].'<br>'; ?></th>
                                <th class="student_class2"> <?php echo $data['u_name'].'<br>'; ?></th>
                                <th class="student_class2"> <?php echo $data['u_father'].'<br>'; ?></th>
                                <th class="student_class2"> <?php echo $data['u_village'].'<br>'; ?></th>
                                <th class="student_class2"> <?php echo $data['u_class'].'<br>'; ?></th>
                                <th class="student_class2"> <?php echo $data['u_rollno'].'<br>'; ?></th>
                                <th class="student_class2"><a href="updatemark_form.php?sid=<?php echo
                                    $data['u_rollno']; ?>">Edit</a></th>

```

```

        </tr>

        <?php
        }

        }

        }

        ?>
    </table>
</form>
</div>
</header>

</body>
</html>

```

UserMessage.php

```

    <?php
        session_start();

        if(isset($_SESSION['uid']))
        {
            echo "";
        }
        else
        {
            header('location: ../login.php');
        }

        ?>
    <html>
    <head>
        <title>Messages</title>
        <link rel="stylesheet" href="../csss/usermessage.css" type="text/css">
        <link href="https://fonts.googleapis.com/css?family=Flamenco" rel="stylesheet">
        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.css">

    </head>
    <body>
    <header>

```

```

        <nav>
            <div class="row clearfix">
                <ul class="main-nav" animate slideInDown>
                    <li><a href="../index.php">HOME</a></li>
                    <li><a href="aboutus.php">ABOUT</a></li>
                    <li><a href="contactus.php">CONTACT</a></li>
                    <li class="logout"><a href="admindash.php">ADMIN DASHBOARD</a></li>

                </ul>
            </div>
        </nav>

        <div class="main-content-header">
            <form>
                <table>
                    <tr>
                        <th class="id_h1">Id </th>
                        <th class="name_h1">Name </th>
                        <th class="email_h1">Email </th>
                        <th class="contact_h1">Contact No</th>
                        <th class="message_h1">Message </th>
                    </tr>

                    <?php
                        include('../dbcon.php');
                        $sql="SELECT * FROM `user_message`";
                        $run=mysqli_query($con,$sql);
                        if(mysqli_num_rows($run)>0)
                        {
                            while($row=mysqli_fetch_assoc($run))
                            {
                                ?>
                                <tr>
                                    <th class="id_h"> <?php echo $row['id'].'<br>'; ?></th>
                                    <th class="name_h"> <?php echo $row['u_name'].'<br>'; ?></th>
                                    <th class="email_h"> <?php echo $row['u_email'].'<br>'; ?></th>
                                    <th class="contact_h"> <?php echo $row['u_contact'].'<br>'; ?></th>
                                    <th class="message_h"> <?php echo $row['u_message'].'<br>'; ?></th>
                                </tr>
                                <?php
                                    }
                                }
                                else{
                                    echo "Connection failed";
                                }

                                ?>
                            </table>
                        </form>
                    </div>

```

```
</header>  
</body>  
</html>
```

CSSS

Aboutus CSS

```
*{
    margin:0px;
    padding:0px;
    box-sizing: border-box;
}

body{
    font-size: 30px;
    overflow-x: hidden;
    color: white;
    font-family: 'Flamenco', cursive;
}

header{
    background-image:linear-
gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)),url(../image/write.jpg);
    height:100vh;
    background-size: cover;
    background-repeat: no-repeat;
}

.clearfix:after{
    content: " ";
    visibility: "";
    display: block;
    height: 9px;
    clear: both;
}

.row{
    max-width: 1180px;
    margin:0 auto;
}

.main-nav{
    float: right;
    margin-top: 30px;
}

.main-nav li{
    display: inline-block;
    list-style: none;
    margin-left: 40px;
}

.main-nav li a{
    padding: 5px 2px;
    color:#fff;
    text-decoration: none;
    text-transform: uppercase;
```

```

        font-size: 90%;
        font-weight: 100;
    }
    .main-nav li a:hover{
        color: yellow;
        font-weight: 1000;
    }

    .table{
        margin-left:130px;
    }
    .search{
        text-align: center;
        margin-top:40px;
    }
    .main-content-header{
        border-top:2px solid #fff;
    }
    h2{
        padding:10px;
        text-shadow: #000 0px 0px 6px, #000 0px 0px 6px, #000 0px 0px 6px;
    }
    h3{
        font-size: 2.3rem;
        padding:10px;
        padding-left: 5rem;
        color: rgb(253, 253, 108);
        text-shadow: #000 0px 0px 6px, #000 0px 0px 6px, #000 0px 0px 6px;
    }
    h3:hover{
        font-size: 2.5rem;
        color: yellow;
    }
    p{
        font-size: 2rem;
        padding: 20px;
        padding-left: 5rem;
        padding-right: 5rem;
        text-shadow: rgb(255, 255, 255) 0px 0px 1px, rgb(255, 255, 255) 0px 0px 1px,
        rgb(255, 255, 255) 0px 0px 1px;
    }

```

AddMarks CSS

```

*{
    margin:0px;
    padding:0px;
}

```



```
        box-sizing: border-box;
    }
    body{
        font-size: 30px;
        overflow-x: hidden;
        color: white;
        font-family: 'Flamenco', cursive;
    }
    header{
        background-image:linear-
gradient(rgba(0,0,0,0.4),rgba(0,0,0,0.4)),url(../image/hand.jpg);
        height:100vh;
        background-size: cover;
        background-repeat: no-repeat;
    }
    .clearfix:after{
        content: " ";
        visibility:"" ;
        display: block;
        height: 9px;
        clear: both;
    }
    .row{
        max-width: 1180px;
        margin:0 auto;
    }
    .main-nav{
        float: right;
        margin-top: 30px;
    }
    .main-nav li{
        display: inline-block;
        list-style: none;
        margin-left: 40px;
    }
    .main-nav li a{
        padding: 5px 2px;
        color:#fff;
        text-decoration: none;
        text-transform: uppercase;
        font-size: 90%;
        font-weight: 100;
    }
    .main-nav li a:hover{
        color: yellow;
        font-weight: 1000;
    }

    .table{
```

```

margin-left:650px;
    }
    .search{
margin-left:670px;
margin-top:20px;
    }
    .name1{
padding-right: 5px;
    }
    .standered1{
padding-right: 15px;
    }
    .next_step:hover{
background-color: pink;
font-size: 1.2rem;
font-weight: 900;
    }

```

Admin Dashboard CSS

```

*{
margin:0px;
padding:0px;
box-sizing: border-box;
}
body{
font-size: 30px;
overflow-x: hidden;
color: white;
font-family: 'Flamenco', cursive;
}
header{
background-image:linear-
gradient(rgba(0,0,0,0.3),rgba(0,0,0,0.3)),url(../image/working.jpg);
height:100vh;
background-size: cover;
background-repeat: no-repeat;
}
.clearfix:after{
content: " ";
visibility: "";
display: block;
height: 9px;
clear: both;
}
.row{
max-width: 1180px;

```

```

        margin:0 auto;
    }

    .main-nav{
        float: right;
        margin-top: 30px;
    }

    .main-nav li{
display: inline-block;
        list-style: none;
        margin-left: 40px;
    }

    .main-nav li a{
        padding: 5px 2px;
        color:#fff;
        text-decoration: none;
text-transform: uppercase;
        font-size: 90%;
        font-weight: 100;
    }

    .main-nav li a:hover{
        color: yellow;
        font-weight: 1000;
    }

    h1{
        margin-left: 430px;
        margin-top: 30px;
        margin-bottom: 20px;
text-shadow: #000 0px 0px 3px, #000 0px 0px 3px, #000 0px 0px 5px;
    }

    h3{
        margin-bottom: 1rem;
        margin-left: 450px;
        margin-top: 10px;
    }

    .main-content-header{
border-top: 2px solid white;
    }

    .main-content-header a{
        text-decoration: none;
        color: black;
text-shadow: #ff0066 0px 0px 1px, #ff0066 0px 0px 1px, #ff0066 0px 0px 1px;
    }

    .main-content-header a:hover{
        text-decoration: none;
        text-decoration: none;
        color: yellow;
text-shadow: #000 0px 0px 2px, #000 0px 0px 2px, #000 0px 0px 2px;
    }

```

```
}
```

AllStudentData CSS

```
*{
    margin:0px;
    padding:0px;
    box-sizing: border-box;
}
body{
    font-size: 30px;
    overflow-x: hidden;
    color: black;
    font-family: 'Flamenco', cursive;
}
header{
    background-image:linear-
gradient(rgba(0,0,0,0.2),rgba(0,0,0,0.2)),url(../image/plane.jpg);
    height:800px;
    background-size: cover;
    background-repeat: no-repeat;
}
.clearfix:after{
    content: " ";
    visibility:"" ;
    display: block;
    height: 9px;
    clear: both;
}
.row{
    max-width: 1180px;
    margin:0 auto;
}
.main-nav{
    float: right;
    margin-top: 30px;
}
.main-nav li{
    display: inline-block;
    list-style: none;
    margin-left: 40px;
}
.main-nav li a{
    padding: 5px 2px;
    color:#000;
```

```

text-shadow: #000 0px 0px 1px, #000 0px 0px 1px, #000 0px 0px 1px;
text-decoration: none;
text-transform: uppercase;
font-size: 90%;
font-weight: 100;
}
.main-nav li a:hover{
color: yellow;
font-weight: 1000;
}
h3{
margin-left: 600px;
margin-top: 10px;
}
.main-content-header{
border-top: 3px solid black;
}

h2{
font-size: 3rem;
color: #cc0099;
font-weight: 900;
padding-left: 5rem;
padding-top: 1rem;
text-shadow: 2px 2px black;
}
/*table Heading*/
table{
margin-top: 25px;
margin-left: 50px;
background-color: white;

}
.message_h1{
padding-left: 15px;
font-size: 30px;
color: black;
border-top: 3px solid black;
}
.id_h1{
padding-left: 10px;
padding-right: 10px;
font-size: 30px;
color: black;
border-top: 3px solid black;
border-left: 3px solid black;
}
.name_h1{
padding-left: 15px;
font-size: 30px;

```

```

        color: black;
border-top: 3px solid black;
    }
    .email_h1{
padding-left: 55px;
font-size: 30px;
color: black;
border-top: 3px solid black;

    }
    .contact_h1{
padding-left: 55px;
padding-right: 20px;
font-size: 30px;
color: black;
border-top: 3px solid black;
    }

/*/////Inner Table Heading/////*/
    th{
padding-left: 100px;

border-bottom: 3px solid black;

    }

```

Contactus CSS

```

*{
margin:0px;
padding:0px;
box-sizing: border-box;
}
body{
font-size: 30px;
overflow-x: hidden;
color: white;
font-family: 'Flamenco', cursive;
}
header{
background-image:linear-
gradient(rgba(0,0,0,0.3),rgba(0,0,0,0.3)),url(../image/contact.jpg);
height:100vh;
background-size: cover;
background-repeat: no-repeat;
}
.clearfix:after{

```

Login CSS

```
*{
    margin:0px;
    padding:0px;
    box-sizing: border-box;
}
body{
    font-size: 30px;
    overflow-x: hidden;
    color: black;
    font-family: 'Flamenco', cursive;
}
header{
    background-image:linear-
gradient(rgba(0,0,0,0.3),rgba(0,0,0,0.3)),url(../image/scene.jpg);
    height:100vh;
    background-size: cover;
    background-repeat: no-repeat;
}
.clearfix:after{
    content: " ";
    visibility:"" ;
    display: block;
    height: 9px;
    clear: both;
}
.row{
    max-width: 1180px;
    margin:0 auto;
}

.main-nav{
    float: right;
    margin-top: 30px;
}
.main-nav li{
    display: inline-block;
    list-style: none;
    margin-left: 40px;
}
.main-nav li a{
    padding: 5px 2px;
    color:#fff;
    text-decoration: none;
    text-transform: uppercase;
```

```

        font-size: 90%;
        font-weight: 100;
    }
    .main-nav li a:hover{
        color: yellow;
        font-weight: 1000;
    }
    .main-content-header{
        width: 1180px;
        position: absolute;
        top: 50%;
        left: 50%;
        transform: translate(-50%,-50%);
    }
    .index_h1{
        color:#fff;
        word-spacing: 5px;
        font-size: 140%;
        letter-spacing: 3px;
        margin-bottom: 20px;
        text-transform: uppercase;
        font-weight: lighter;
    }
    width: 20rem;
    margin-bottom: 1.8rem;
    background-color: rgb(238, 238, 229);
    }
    .field2{
        height: 2rem;
        width: 20rem;
    }
    .table{
        padding-top: 20px;
        padding-left:30px;
    }
    .submit{
        width: 120px;
        height: 40px;
        background: rgb(199, 199, 199);
        border: 1px solid black;
        color: black;
        font-size: 1rem;
        padding-left: 1.5rem;
        padding-right: 1.5rem;
    }
    .submit:hover{
        background: #1ebba3;
        font-weight: 700;
    }

```



```
font-size: 1.2rem;
}
```

Results CSS

```
*{
    margin:0px;
    padding:0px;
    box-sizing: border-box;
}

body{
    font-size: 30px;
    font-weight: 600;
    overflow-x: hidden;
    color: black;
    font-family: 'Flamenco', cursive;
}

header{
    background-image:linear-
gradient(rgba(0,0,0,0),rgba(0,0,0,0)),url(../image/result.jpg);
    height:100vh;
    background-size: cover;
    background-repeat: no-repeat;
}

.clearfix:after{
    content: " ";
    visibility:"";
    display: block;
    height: 9px;
    clear: both;
}

.row{
    max-width: 1180px;
    margin:0 auto;
}

.main-nav{
    float: right;
    margin-top: 30px;
}

.main-nav li{
    display: inline-block;
    list-style: none;
    margin-left: 40px;
}

.main-nav li a{
    padding: 5px 2px;
```

```

        color:#000;
text-shadow: #000 0px 0px 1px, #000 0px 0px 1px, #000 0px 0px 1px;
        text-decoration: none;
        text-transform: uppercase;
        font-size: 90%;
        font-weight: 100;
        25%{color:green;}
        75%{color:#009900}
        100%{color:#ff6600;}
    }
    p{
        margin-top: 20px;

    }

```

SecondStep CSS

```

    *{
        margin:0px;
        padding:0px;
        box-sizing: border-box;
    }
    body{
        font-size: 30px;
        overflow-x: hidden;
        color: white;
        font-family: 'Flamenco', cursive;
    }
    header{
        background-image:linear-
gradient(rgba(0,0,0,0.4),rgba(0,0,0,0.4)),url(../image/hand.jpg);
        margin-top: 30px;
    }
    .main-nav li{
        display: inline-block;
        list-style: none;
        margin-left: 40px;
    }
    .main-nav li a{
        padding: 5px 2px;
        color:#fff;
        text-decoration: none;
        text-transform: uppercase;
        font-size: 90%;
        font-weight: 100;
    }

```

```

.main-nav li a:hover{
    color: yellow;
    font-weight: 1000;
}

    .table{
margin-left:650px;
    }
    .search{
margin-left:670px;
margin-top:20px;
    }
    .name1{
padding-right: 5px;
    }
    .standered1{
padding-right: 15px;
    }
    .submit{
width:70px;
height: 20px;
    }

    .table3{
margin-left: 260px;
    ;
margin-left: 35px;
    }
@keyframes colorchange1{
    0%{color:#fff;}
    25%{color:#bf55ec;}
    75%{color:#fff;}
    100%{color:#bf55ec;}
    }
    .colorchange2{
animation: colorchange2 2s infinite;
margin-left: 35px;
    }
@keyframes colorchange2{
    0%{color:#fff;}
    25%{color:red;}
    75%{color:blue;}
    100%{color:orange;}
    }
    .colorchange3{
animation: colorchange3 2s infinite;
margin-left: 35px;
    }

```

```

@keyframes colorchange3{
  0%{color:#fff;}
  25%{color:#bf55ec;}
  75%{color:#fff;}
  100%{color:#bf55ec;}
}

.class{
  margin-left: 9px;
background:transparent;
  color:white;
  text-align: center;
}

.rollno{
  margin-left: 5px;
background:transparent;
  color:white;
  text-align: center;
}

/*////////Responsive Query////////*/

```

SignUp CSS

```

*{
  margin:0px;
  padding:0px;
  box-sizing: border-box;
}

body{
  font-size: 20px;
  overflow-x: hidden;
  color: white;
font-family: 'Flamenco', cursive;
}

header{
  background-image:linear-
gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)),url(../image/areroplane1.jpg);
  height:100vh;
  background-size: cover;
background-repeat: no-repeat;
}

float: left;
margin-top: 20px;
}

.main-nav{
  float: right;
  margin-top: 60px;
}

```

```

    }
    .main-nav li{
display: inline-block;
list-style: none;
margin-left: 40px;
    }
    .main-nav li a{
padding: 5px 0;
color:#fff;
text-decoration: none;
text-transform: uppercase;
font-size: 90%;
font-weight: 100;
    }
    .main-nav li a:hover{
border-bottom: 2px solid #bf55ec;
    }
    .signup-content-header{
width: 1360px;
position: absolute;
border-top: 2px solid #fff;
    }
    .signup_h1{
color:#fff;
margin-left: 550px;
font-family: fantasy;
margin-top: 20px;
    }
    .form1{
margin-top:20px;
margin-left:550px;
font-family:serif;
font-size: 25px;
    }
    .submit{
font-size: 18px;
padding: 2px;
padding-left: 4px;
padding-right: 4px;

```

Style.CSS

```

*{
margin:0px;
padding:0px;
box-sizing: border-box;
}
body{

```

```
        font-size: 30px;

        ;
background-repeat: no-repeat;
    }
    .clearfix:after{
        content: " ";
        visibility: "";
        display: block;
        height: 9px;
        clear: both;
    }
    .row{
max-width: 1180px;
margin:0 auto;
    }

    .main-nav{
        float: right;
        margin-top: 30px;
    }
    .main-nav li{
display: inline-block;
list-style: none;
margin-left: 40px;
    }
    .main-nav li a{
padding: 5px 2px;
color:#fff;
text-decoration: none;
text-transform: uppercase;
font-size: 90%;
font-weight: 100;
    }
    .main-nav li a:hover{
        color: yellow;
        font-weight: 1000;
    }
    .name1{
        font-size: 2rem;
        padding-right: 5px;
    }
    .name2{
        height: 3rem;
    }
    .box1{
        height: 2rem;
        width: 25rem;
background-color: rgb(209, 209, 209);
    }
```

```

        .box2{
            height: 2rem;
            width: 25rem;
            background-color: rgb(209, 209, 209);
        }
        .standered1{
            font-size: 2rem;
            padding-right: 31px;
        }
        .standered2{
            height: 5rem;
        }
        .submit{
            width:85px;
            padding: 0.5rem;
            margin-left:50px;
        }
        .submit:hover{
            background-color: pink;
            color: black;
        }
        .main-content-header{
            border-top: 2px solid white;
        }
    
```

ThirdSte.CSS

```

        *{
            margin:0px;
            padding:0px;
            box-sizing: border-box;
        }
        body{
            font-size: 20px;
            overflow-x: hidden;
            color: white;
            font-family: 'Flamenco', cursive;
        }
        header{
            background-image:linear-
            gradient(rgba(0,0,0,0.6),rgba(0,0,0,0.6)),url(../image/form_background.jpg);
            height:100vh;
            background-size: cover;
            background-repeat: no-repeat;
        }
        float: left;
        -block;
    
```

```

list-style: none;
margin-left: 40px;
margin-top: 4px;
}
.table3{
margin-top: 15px;

}
.table4{
margin-top: 15px;
margin-left: 360px;
}

```

UpdateMarks Form.CSS

```

*{
margin:0px;
padding:0px;
box-sizing: border-box;
}
body{
font-size: 30px;
overflow-x: hidden;
color: color;
font-family: 'Flamenco', cursive;
}
header{
background-image:linear-
gradient(rgba(0,0,0,0),rgba(0,0,0,0)),url(../image/yellow.jpg);
height:100vh;
background-size: cover;
background-repeat: no-repeat;
}
.clearfix:after{
content: " ";
visibility:" " ;
display: block;
height: 9px;
clear: both;
}
.row{
max-width: 1180px;
margin:0 auto;
}
.main-nav{
float: right;

```



```

        margin-top: 30px;
        }
        font-weight: 100;
        }
        .main-nav li a:hover{
            color: yellow;
            font-weight: 1000;
            }
        }
        .standered1{
padding-right: 15px;
        }
        .submit{
            width: 90px;
            height: 30px;
            margin-top: 15px;
            font-size: 1.2rem;
            font-weight: 300;
background-color: rgb(214, 214, 214);
        }
        .submit:hover{
background-color: #88bbf5;
        }
        .main-content-header{
border-top: 3px solid black;
        }
        h2{
            margin-top: 0px;
            margin-bottom: 25px;
            margin-left: 260px;
            }
        .table1{
margin-left: 200px;
margin-top: 5px;
        }
        }
        span{
padding-left: 30px;
        }

```

UpdateMarks.CSS

```

*{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
}

```

```
body{
    font-size: 30px;
    overflow-x: hidden;
    color: black;
    font-family: 'Flamenco', cursive;
}

header{
    margin:0 auto;
}

.main-nav{
    float: right;
    margin-top: 30px;
}

.main-nav li{
display: inline-block;
    list-style: none;
    margin-left: 40px;
}

.main-nav li a{
    padding: 5px 2px;
    color:#000;
    text-shadow: #000
}

.table1{
    margin-left: 400px;
}

.table2{
    margin-left: 250px;
    font-size: 30px;
    margin-top:50px;
    border-top:3px solid black;
}

.student_class2{
    border: 3px solid black;
    padding-left: 10px;
    padding-right: 10px;
}

/*border line*/
.student_id{
    border-left: 3px solid black;
    color: black;
    border-bottom: 3px solid black;
}

.student_edit{
    border-right: 3px solid black;
    color: black;
```

```
border-bottom: 3px solid black;

}
```

UserMessage.CSS

```

    *{
        margin:0px;
        padding:0px;
        box-sizing: border-box;
    }
    body{
        font-size: 30px;
        overflow-x: hidden;
        color: white;
        font-family: 'Flamenco', cursive;
    }
    header{
        background-image:linear-
gradient(rgba(0,0,0,0),rgba(0,0,0,0)),url(../image/red.jpg);
        height:800px;
        background-size: cover;
        background-repeat: no-repeat;
    }
    .clearfix:after{
        content: " ";
        visibility:"" ;
        display: block;
        height: 9px;
        clear: both;
    }
    .row{
        max-width: 1180px;
        margin:0 auto;
    }
    .main-nav{
        float: right;
    }
    .message_h1{
        font-size: 1.5rem;
        padding-left: 15px;
        font-size: 20px;
    }
    .id_h{
```

```

        color: black;
        font-size: 1.5rem;
        padding-left: 10px;
        border-right: 3px solid black;
        padding-right: 15px;
    }
    .name_h{
        color: black;
        font-size: 1.5rem;
        padding-left: 15px;
        border-right: 3px solid black;
        padding-right: 35px;
    }
    .email_h{
        color: black;
        font-size: 1.5rem;
        padding-left: 55px;
        border-right: 3px solid black;
        padding-right: 35px;
    }
    .contact_h{
        color: black;
        font-size: 1.5rem;
        padding-left: 55px;
        border-right: 3px solid black;
        padding-right: 35px;
    }
}

```

SQL

Admin.sql

```

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

-- -----
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;

```

```

        /*!40101 SET NAMES utf8mb4 */;

        --
        -- Database: `id8550800_sms`
        --

        --
        -- Table structure for table `admin`
        --

        CREATE TABLE `admin` (
          `id` int(11) NOT NULL,
          `username` text COLLATE utf8_unicode_ci NOT NULL,
          `password` text COLLATE utf8_unicode_ci NOT NULL
        ) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

        --
        -- Dumping data for table `admin`
        --

        INSERT INTO `admin` (`id`, `username`, `password`) VALUES
          (1, 'sshitech', 'sshitech');

        --
        -- Indexes for dumped tables
        --

        --
        -- Indexes for table `admin`
        --
        ALTER TABLE `admin`
        ADD PRIMARY KEY (`id`);

```

Student Data.sql

```

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;

```

```

        /*!40101 SET NAMES utf8mb4 */;

        --
        -- Database: `id8550800_sms`
        --

        -----

        --
        -- Table structure for table `student_data`
        --

        CREATE TABLE `student_data` (
          `id` int(11) NOT NULL,
          `u_name` text COLLATE utf8_unicode_ci NOT NULL,
          `u_class` text COLLATE utf8_unicode_ci NOT NULL,
          `u_rollno` text COLLATE utf8_unicode_ci NOT NULL,
          `u_father` text COLLATE utf8_unicode_ci NOT NULL,
          `u_mother` text COLLATE utf8_unicode_ci NOT NULL,
          `u_mobile` text COLLATE utf8_unicode_ci NOT NULL,
          `u_village` text COLLATE utf8_unicode_ci NOT NULL,
          `u_image` text COLLATE utf8_unicode_ci NOT NULL
        ) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

        --
        -- Indexes for dumped tables
        --

        --

```

UserMarks.sql

```

        SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
        SET AUTOCOMMIT = 0;
        START TRANSACTION;
        SET time_zone = "+00:00";

        /*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
        /*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
        /*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
        /*!40101 SET NAMES utf8mb4 */;

        --
        -- Database: `id8550800_sms`

```

```

--
-- -----
--
-- Table structure for table `user_mark`
--

CREATE TABLE `user_mark` (
  `id` int(11) NOT NULL,
  `u_rollno` int(2) NOT NULL,
  `u_class` int(2) NOT NULL,
  `u_hindi1` int(2) NOT NULL,
  `u_english1` int(2) NOT NULL,
  `u_math1` int(2) NOT NULL,
  `u_physics1` int(2) NOT NULL,
  `u_chemistry1` int(2) NOT NULL,
  `u_hindi2` int(2) NOT NULL,
  `u_english2` int(2) NOT NULL,
  `u_math2` int(2) NOT NULL,
  `u_physics2` int(2) NOT NULL,
  `u_chemistry` int(2) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

--
-- Indexes for dumped tables
--

--
-- Indexes for table `user_mark`
--
ALTER TABLE `user_mark`
ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables

```

User Message.sql

```

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

```

```

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `id8550800_sms`
--

--
-- Table structure for table `user_message`
--

CREATE TABLE `user_message` (
  `id` int(11) NOT NULL,
  `u_name` text COLLATE utf8_unicode_ci NOT NULL,
  `u_email` text COLLATE utf8_unicode_ci NOT NULL,
  `u_contact` text COLLATE utf8_unicode_ci NOT NULL,
  `u_message` text COLLATE utf8_unicode_ci NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

--
-- Indexes for dumped tables
--

--
-- Indexes for table `user_message`
--
ALTER TABLE `user_message`
  ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `user_message`
--
ALTER TABLE `user_message`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

```


DataBase Connect to php

Dbconnect.php

```
<?php
$con=mysqli_connect('localhost','root','','sms');
?>
```

Index.php

```
<html>
<head>
    <title>Student Result Management System</title>
    <link rel="stylesheet" href="csss/style.css" type="text/css">
    <link href="https://fonts.googleapis.com/css?family=Flamenco" rel="stylesheet">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.css">

</head>
<body>
<header>
    <nav>
        <div class="row clearfix">
            <ul class="main-nav" animate slideInDown>
                <li><a href="index.php">HOME</a></li>
                <li><a href="admin/aboutus.php">ABOUT</a></li>
                <li><a href="admin/contactus.php">CONTACT</a></li>
                <li><a href="login.php">ADMIN LOGIN</a></li>
            </ul>
        </div>
    </nav>

    <div class="main-content-header">
        <form method="post" action="result.php">
            <table class="table">
```

Login.php

```
<?php
session_start();
if(isset($_SESSION['uid']))
{
```

```

        header('location:admin/admindash.php');
    }
    ?>
    <html>
    <head>
        <title>Login here</title>

        <link rel="stylesheet" href="csss/login.css" type="text/css">
        <link href="https://fonts.googleapis.com/css?family=Flamenco" rel="stylesheet">
        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.7.0/animate.min.css">

    </head>
    <body>
    <header>
        <nav>
            <div class="row clearfix">
                <ul class="main-nav" animate slideInDown>
                    <li><a href="index.php">HOME</a></li>
                    <li><a href="admin/aboutus.php">ABOUT</a></li>
                    <li><a href="admin/contactus.php">CONTACT</a></li>

                </ul>
            </div>
        </nav>

        <div class="login-content-header">
            <form action="login.php" method="post">
            <h1 class="login_heading">Admin Login</h1>
            <table class="form1">
                <tr>
                    <th>Username </th>
                    <td class="table"><input type="text" name="username" placeholder="Enter Username"
                        class="field1"/></td>
                </tr>
                <tr >
                    <th>Password </th>
                    <td class="table"><input type="password" name="password" placeholder="Enter
                        Password" class="field1"/></td>
                </tr>
                <tr>
                    <td align="center" colspan="2"><input type="submit" name="submit" value="SUBMIT"
                        class="submit"/></td>
                </tr>
            </table>
            </form>
        </div>
    </header>
    </body>
    </html>
    <?php

```

```

        if(isset($_POST['submit']))
        {
            include('dbcon.php');
            $username=$_POST['username'];
            $password=$_POST['password'];
            $qry="SELECT * FROM `admin` WHERE `username`='$username' AND
                `password`='$password'";
            $run=mysqli_query($con,$qry);
            $row=mysqli_num_rows($run);
            if($row<1)
            {
                ?>
                <script>
                alert('Username or Password Not Match');
                window.open('login.php','_self');
                </script>
                <?php
                }
            else
            {
                $data=mysqli_fetch_assoc($run);
                $id=$data['id'];
                $_SESSION['uid']=$id;
                header('location:admin/admindash.php');
            }
        }
        ?>

```

Result.php

```

        <?php
        if(isset($_POST['submit']))
        {

            include('dbcon.php');

            $standerd=$_POST['std'];
            $rollno =$_POST['rollno'];
            $sql="SELECT * FROM `student_data` WHERE `u_class`='$standerd' AND
                `u_rollno`='$rollno'";
            $sql2="SELECT * FROM `user_mark` WHERE `u_class`='$standerd' AND
                `u_rollno`='$rollno'";
            $run=mysqli_query($con,$sql);
            $run2=mysqli_query($con,$sql2);
            $row=mysqli_num_rows($run2);
            $data2=mysqli_fetch_assoc($run2);

```


CHAPTER 6

Test Cases

6.1 Test Cases for Home page:

- Verify that home page is displayed after login or not.
- Verify that User name is displayed on homepage or not.
- Verify that Search functionality is present on home page or not.
- Verify the home page of application on different browsers.
- Verify the alignment on the home page.
- Verify that products displayed on home page are clickable or not.
- Verify that Products displayed on home page are categorized or not.

6.2 Test Cases for Product Search Functionality:

- Verify that the search field accepts alphabets numbers or symbols.
- Verify that after entering search text and clicking on search icon, the search should work.
- Verify that the search results should be as per the search query.
- Verify that user should be able to search based on product name, brand name or product specification.
- Verify that filter should be present for filtering the search results bases on Brand, Price, reviews or ratings.
- Verify that sorting options should be present on search results page.

6.3 Test Cases for Product Details page:

- Verify that the images of product are displayed correctly or not.
- Verify that the price of product is displayed or not.
- Verify that product reviews are mentioned or not.

Test Cases for Cart page:

- Verify that when user clicks on Add to Cart, then the product should be moved to cart.
- Verify that user is able to continue shopping after adding items to cart.
- Verify that the quantity of item should be incremented if user adds same item in cart again.
- Verify that the items in cart should be present if user logs out and logs in again.

Bibliography

<https://www.youtube.com/watch?v=1dWCqjhvF58>
<https://www.youtube.com/watch?v=WmFHreVid-k>
<https://www.youtube.com/watch?v=3xeY130aUTU>
<https://www.youtube.com/watch?v=kvej6cYgVs4>
https://www.youtube.com/watch?v=Kdz9J5vC4_o
<https://www.youtube.com/watch?v=QE5oQh63gGE>
https://www.youtube.com/watch?v=6mbwJ2xhgzM&list=PLu0W_9lII9agiCUZYRsvtGTXdxkzPyItg