

INTRODUCTION TO HONEYPOTS

Aim:-

To study the concept and working of honeypots in network security

Algorithm:-

1. Set up a honeypot system in network
2. Configure it to mimic vulnerable services
3. Allow attackers to interact with the system
4. Monitor and record attacker activities
5. Analyze the collected data for threats

Questions

1. Create a file and then log back in, is the file still there

Yes

2. How many passwords include the word "password" or some other variation of it e.g. "pa\$\$word"?

15

3. What is arguably the most common tool for brute-forcing SSH?

hydra

4. What intrusion prevention software framework

is commonly used to mitigate SSH brute-force attacks

fail2Ban

5. What's the full model name of CPU does the honeypot "use"?

Intel(R) Core(TM) i9-11900KB CPU
@ 3.30GHz

6. Does the honeypot return the correct values when `uname -a` is run?
(Yay/Way)

Nay

7. What the flag must be set to pipe wget output into bash?

-O

8. How would you disable bash history using `unset`?

Unset HISTFILE

9. What brand of device is the bot in the first sample searching for?

Mikrotik

10. What are commands in the second language?

root password

11. What is the name of the group that runs the botnet in third sample?

Outlaw

12. What application is being targeted in the first sample?

WordPress

13. Is the URL in the second sample malicious?

Yes

RESULT:-

Honeypots are security systems designed to attract and trap attackers.

~~P.T.~~
~~4/4/26~~