

INTRUSION DETECTION

Aim :-

To study the working of an intrusion Detection System (IDS) for detecting unauthorized activities in a network

Algorithm :-

1. Install and configure the IDS
2. Monitor network traffic continuously
3. Compare traffic with attack signatures
4. Detect suspicious activities
5. Generate alerts for possible intrusions

7

Questions

8

1. What IDS detection methodology relies on rule sets?

Signature-based detection

2. What widely implemented protocol has an adverse effect on reliability of NIDS?

9

TLS

3. What scale is used to measure alert severity in Suricata?

10

1-3

4. How many services is nmap to fully recognise

11

When the service scan (-sv) is performed?

8

5. Nikto, should find an interesting path when the first scan is performed

/login

6. What value is used to toggle denial of services vectors when using scan tuning (-r) in nikto?

6

7. What version of Grafana is the server running?

8.2.5

8. If this server was publicly available, what site might have information on its services

Shodan

9. What is the ID of the server CVE that affects the version of Grafana

CVE-2021-4379

10. What is the password of the grafana-admin account

GraphingTheWorld3?

11. Is it possible to gain direct access to the server

now that grafon-admin password is known
Yay

12. What is the attached IDS able to detect a threat?
Suricata

13. What category does wazuh place HTTP400 error logs?
Web

14. What tool does linPEAS detect & is having a potential escalation vector?
docker

15. Is an alert triggered by WAZUH linPEAS (as added to the system, if so what its severity?
5

16. Perform the privilege escalation & grab the flag in /root/

ONEAK-ATTACK-CRITICAL

RESULT :-

Intrusion detection was successfully performed.
Suspicious activities in the network were identified & alerts were generated.