## Maciej Wielgosz, Marcin Pietroń

# Programming in Python – Exercises

## INPUT/OUTPUT

Hello World  Write a script that displays the greeting (e.g. "Hello World") with and without shebang (running it with the standard interpreter command - python3)  Inputting data  Write a script that asks for your first name, last name and year of birth (should be on one line)  Write a script that implements the code lock function. It asks for the code and then checks if it matches the previously entered code	,	
birth (should be on one line)  Write a script that implements the code lock function. It asks for the code and then checks if it matches the previously entered	Hello World	with and without shebang (running it with the standard inter-
for the code and then checks if it matches the previously entered	Inputting data	
	Data saving	for the code and then checks if it matches the previously entered

## Working with files

Files count	Write a script that counts the number of files in the /dev directory, use the standard library - os
Directory's structure	Write a recursive transition of the directory tree and list the files that are in the structure being explored
Extensions converting	Write the script to convert the file extensions from *.jpg to *.png (first create a set of 4 files with the extension *.jpg)

#### **TEXT**

#### Words removal

Write a delete script from the input text string (select some files from the Text repository) the following words: sie, i, oraz, nigdy, dlaczego

#### Words replacement

Write the change script in the provided input string (select some files from the Text repository) the following words: *i, oraz, nigdy, dlaczego* with the following set: *oraz, i, prawie nigdy, czemu*. The recommended structure is a dictionary.

## CALCULATIONS AND ALGORITHMS

Write a script that calculates the roots of the quadratic equation in the form : $y=ax^2+bx+c$ . The script input values are: $a,b,c$
Write a script to sort numbers in descending order. Randomly generate 50 numbers - use the standard randomization function. Use the built-in sorting function only to verify the results
Write a script that calculates the value of the product of two vectors: $a=[1,2,12,4], b=[2,4,2,8]$ , the so-called scalar product of vectors
Write a script summing two matrices of 128x128 size. Use a random number generator to generate a matrix
Write a script that performs the multiplication of two 8x8 matrices
Write a script that calculates the determinant of a randomly generated matrix

## CLASSES

Complex numbers	Define a class representing complex numbers (along with functions acting on them, e.g. addition, subtraction, etc.)
Calculator	Use the class above to create a simple calculator that parses and executes the equation given by the user

#### WORKING WITH DATA

XML

CSV/JSON

Parse the prepared XML (with SAX and DOM parser) and modify it, e.g. change the value of a tag and save it to a new file

Write a program that asks the user for data containing several fields (it can be, for example, a list of tasks with a description and due dates, or a database of movie reviews) and saves the given data to a file in a selected format (CSV/JSON). Each time the program is started, the program should read and display the previously entered data, make it possible to delete them (one entry each) and add new records.

## Parallelization of calculations

Histogram	Implement a multi-threaded histogram count (monitor the execution in htop)
Five philosophers	Implement a simple five philosopher problem (with deadlock), then remove deadlock.