

RIBBiTR Database


Updated: 2022-11-09

```
# rib <- here("ribbitr.png")
# htmltools::img(src = knitr::image_uri(rib),
#               alt = 'logo',
#               style = 'position:absolute; top:0; right:0; padding:10px; width: 110px; height: 128px')

# - \usepackage{graphicx}
# - \usepackage{fancyhdr}
# - \pagestyle{fancy}
# - \fancyhead[R]{\includegraphics[width=3cm]{ribbitr.png}}
# - \fancyhead[R]{\includegraphics[width=3cm]{nsf_logo.png}}
# - \renewcommand{\headrulewidth}{0.4pt}
# - \renewcommand{\footrulewidth}{0.4pt}
```

Data Acquisition Protocol

- Select variables of interest from the data tables within schemas
- Contact data owners within RIBBiTR for approved use of data; CC data manager
 - Per [RIBBiTR data sharing agreement](#)
 - Data owners
 - * Panama Survey Data: [Jamie Voyles](#)
 - * SERDP Survey Data: [Cori Richards-Zawacki](#)
 - * Pennsylvania Survey Data: [Cori Richards-Zawacki](#)
 - * Sierra Nevada Survey Data: [Roland Knapp](#)
 - * Brazil Legacy Survey Data: [Gui Becker](#)
 - * AMP: [Louise Rollins-Smith](#)
 - * Microbiome: [Doug Woodhams](#)
 - * Genetic: [Bree Rosenblum](#)
 - * Antibody: [Louise Rollins-Smith](#)
 - * Bacterial: [Doug Woodhams](#)
 - * Mucosome: [Doug Woodhams](#)
- Contact data manager to develop query for variables of interest
- *Note:* If you are requesting data from a processed swab table, then you must also contact the team that collected the swab and the team that processed the swab.




Schema: “survey_data”

The data found within the “survey_data” schema is comprised of RIBBiTR researcher legacy data and new NSF funded RIBBiTR data from Brazil, Panama, Sierra Nevada’s (CA), Pennsylvania, Tennessee, Vermont, New Mexico, and Louisiana. Data for select sites in The Sierra Nevada’s begins in 1995 with the majority of the data ranging between 2012-present. The most coarse resolution of data begins in the “location” table; Panama, Brazil, or USA, with the finest resolution of data to the individual level in the “capture” table. Each RIBBiTR site, Pennsylvania, Panama, Brazil, and Sierra Nevada’s, has their own unique survey table (IE “penn_survey”) to distinguish between region specific metadata. Within the “capture” table, there is individual level characteristics as well as columns indicating the various swabs and samples collected from the organism (IE “bd_swab_id”). Tables displayed to the right of the “capture” table contain processed swab data for various swabs and samples (IE “sierra_nevada_bd”).


Swab Data Nomenclature

- **bd_swab_id**: dry swab used for Bd detection
- **genetic_id**: sample used for genetic processing (buccal, toe clip, tissue)
- **bacterial_swab_id**: swab used for culturing bacteria
- **mucosome_id**: sample used for identifying all micro organisms
- **microbiome_swab_id**: swab used for sequencing bacteria
- **crispr_swab_id**: swab used for crispr Bd detection
- **amp_id**: sample used for anti-microbial peptide processing
- **antibody_id**:



Schema: “hobo”

Currently, the data found with in the “hobo” schema contains environmental data for select legacy RIBBiTR sites from the SERDP surveys. Four hobo loggers where deployed per selected sites; shade, soil, sun, and water which indicate environmental location of the logger at the site. Data points were collected every 30 minutes per hobo logo. The shade hobo logger contains measurements for temperature, relative humidity, and dew point. The sun hobo logger contains measurements for temperature and light intensity. The soil hobo logger contains measurements for soil temperature. The water hobo logger contains measurements for water temperature and light intensity.



Schema: “antifungal_isolate

add text about isolate ref table

antifungal_isolate_ref

ABC sample_id
ABC fasta_id
ABC isolate_id
ABC country
ABC location_name
ABC wild_captive
ABC latitude
ABC longitude
ABC host_individual_id
ABC host_species
ABC life_stage
123 year_sampled
ABC assay_method
ABC assay_temperature
ABC method_notes
ABC bd_genotype
ABC fungi_tested
ABC tested_against_bd
ABC tested_against_bsal
ABC tested_against_other_fungi
ABC proportional_growth_bd
123 proportional_growth_bsal
ABC bd_inhibition
ABC bsal_inhibition
ABC anti_fungal_function
ABC sequencing_p_rime_rs
ABC reference
ABC researchers
ABC study_tab
ABC current_update
ABC id
ABC seq
ABC gen_bank_accession
☒ x34