



Using the fx-CG50 for statistics

- 1 This frequency table shows the star rating received by a restaurant over its opening weekend. What was the mean star rating (to the nearest star)?

Star rating	Frequency
1	8
2	19
3	11
4	38
5	45

- 2 This frequency table shows the star rating received by a restaurant over its opening weekend. What was the median star rating?

Star rating	Frequency
1	8
2	19
3	11
4	38
5	45



- 3 This frequency table shows the star rating received by a restaurant over its opening weekend. Calculate the interquartile range.

Star rating	Frequency
1	8
2	19
3	11
4	38
5	45

- 4 The time it takes for a sample of pupils to travel to school is collected in this grouped frequency table. What is the estimated mean travel time (to the nearest minute)?

Time taken to travel to school (in minutes)	Frequency (f)
$0 < t \leq 4$	26
$4 < t \leq 10$	25
$10 < t \leq 16$	66
$16 < t \leq 26$	56
$26 < t \leq 40$	35
$40 < t \leq 60$	8

- 5 The time it takes for a sample of pupils to travel to school is collected in this grouped frequency table. In what time interval is the median? (Tick **1** correct answer)

Time taken to travel to school (in minutes)	Frequency (f)
$0 < t \leq 4$	26
$4 < t \leq 10$	25
$10 < t \leq 16$	66
$16 < t \leq 26$	56
$26 < t \leq 40$	35
$40 < t \leq 60$	8

- ☐ $0 < t \leq 4$
☐ $4 < t \leq 10$
☐ $10 < t \leq 16$
☐ $16 < t \leq 26$
☐ $26 < t \leq 40$



- 6 The time it takes for a sample of pupils to travel to school is collected in this grouped frequency table. Calculate the estimated interquartile range.

Time taken to travel to school (in minutes)	Frequency (f)
$0 < t \leq 4$	26
$4 < t \leq 10$	25
$10 < t \leq 16$	66
$16 < t \leq 26$	56
$26 < t \leq 40$	35
$40 < t \leq 60$	8

