



Checking and securing converting improper fractions to mixed numbers

Task A: Proper and improper fractions

1) Insert the inequalities = , > and < to make the statement true

a) $\frac{4}{5} < 1$

c) $(11 \div 5) > 1$


b) $\frac{8}{3} > 1$

d) $\frac{6 \times 2}{3 \times 4} = 1$

2) Identify if the following are true or false

Statement	True	False
The value of a proper fraction is always less than 1	✓	
The value of an improper fraction is always greater than 1		✓ <i>It can equal 1</i>
A fraction in the form a/b where $a > b$ is an improper fraction	✓	
$789 \div 788$ will give a number greater than 1	✓	

3) Without calculating the answer,



which letter corresponds to the calculation

a) $5677 \div 5678$ is letter *D*

b) $5678 \div 5678$ is letter *A*

c) $5679 \div 5678$ is letter *C*

d) $5678 \div 2880$ is letter *B*

4) Here is a section of a number line



- a) Which whole number is the arrow pointing to? $\frac{25}{5} = 5$
- b) Approximately mark another two whole numbers on the number line. What are these whole numbers? $\frac{20}{5} = 4$ $\frac{30}{5} = 6$
- c) How would your answers change if the denominator was 6?

The answer for part a) would be $\frac{24}{6} = 4$

The answers for part b) would be $\frac{18}{6} = 3$ and $\frac{30}{6} = 5$

- d) What could the denominator be if there were no whole numbers between the two fractions?

Any integer which does not have one of its multiples between 21 and 26.

E.g. It could be 7 because the first fraction would be a whole number but there are no more before the second fraction.

E.g. It couldn't be 8 as 24 is a multiple of 8, so 3 would lie between the two fractions.

E.g. It could be 9 because there are no multiples of 9 between 21 and 26.

2 is before the first fraction and 3 is after the second fraction.

Task B: Changing improper fractions to mixed numbers

1) Write the **mixed number** of the following **improper fractions**.

a) $\frac{13}{3} = 4\frac{1}{3}$

b) $\frac{20}{7} = 2\frac{6}{7}$

c) $\frac{104}{5} = 20\frac{4}{5}$

d) $\frac{50}{3} = 16\frac{2}{3}$



2) Fill in the blanks.

a) $\frac{15}{6} = 2\frac{1}{2}$

b) $\frac{91}{6} = 15\frac{1}{6}$

c) $\frac{142}{4} = \frac{71}{2} = 35\frac{1}{2}$

d) $\frac{134}{8} = \frac{67}{4} = 16\frac{3}{4}$

3) Put the following numbers in ascending order, smallest to largest. Converting to a **mixed number** may help.

a) $1\frac{2}{3}$ $\frac{9}{11}$ $4\frac{1}{5}$ $\frac{17}{2}$ $\frac{9}{2}$
 $8\frac{1}{2}$ $4\frac{1}{2}$

$\frac{9}{11}$ $1\frac{2}{3}$ $4\frac{1}{5}$ $\frac{9}{2}$ $\frac{17}{2}$

b) $\frac{7}{2}$ $\frac{2}{3}$ $\frac{4}{5}$ $\frac{19}{3}$ $\frac{211}{50}$
 $3\frac{1}{2}$ $6\frac{1}{3}$ $4\frac{11}{50}$

$\frac{2}{3}$ $\frac{4}{5}$ $\frac{7}{2}$ $\frac{211}{50}$ $\frac{19}{3}$

