



Changing the subject to suit the context

- 1 You can divide both sides of the formula $s \times t = d$ by t to make s the _____. Tick **1** correct answer

- ☐ divisor
- ☐ equation
- ☐ subject
- ☐ substitution

- 2 $s = \frac{d}{t}$ can be rearranged as $s \times t = d$ and $t = \frac{d}{s}$. Which arrangement is the most useful if you know time and speed and wish to calculate distance? Tick **1** correct answer

- ☐ $s = \frac{d}{t}$
- ☐ $s \times t = d$
- ☐ $t = \frac{d}{s}$

- 3 Which of these arrangements of the formula for area of a circle is most useful if you know the area and wish to find the radius? Tick **1** correct answer

- ☐ $A = \pi r^2$
- ☐ $\frac{A}{\pi} = r^2$
- ☐ $\sqrt{\frac{A}{\pi}} = r$
- ☐ $\frac{A}{r^2} = \pi$



- 4 Which rearrangement of the linear equation $6x + 7y = 126$ should you use if you know the x coordinate and wish to find the y coordinate? Tick **1** correct answer

☐ $6x + 7y = 126$

☐ $x = \frac{126 - 7y}{6}$

☐ $y = \frac{126 - 6x}{7}$

☐ $7y = 126 - 6x$

- 5 What is the gradient of the straight line with the linear equation $5y - 2x = 30$? Tick **1** correct answer

☐ -2

☐ $\frac{2}{5}$

☐ 2

☐ $\frac{5}{2}$

☐ 5

- 6 The gradient of a straight line is $-\frac{5}{3}$ and the y -intercept is $(0, 20)$. Give the equation of the line in the form $ax + by = c$. Tick **1** correct answer

☐ $5x + 3y = 20$

☐ $3x + 5y = 20$

☐ $5x + 3y = 60$

☐ $5x - 3y = 60$

☐ $3x + 5y = 60$

