





Rate of change from a coordinate pair

- 1 Work out the gradient of the line which passes through (6,20) and (7,25). Fill in the blank



5

- 2 Calculate the gradient of this line which goes through the origin. Fill in the blank



7



- 3 A line with negative gradient is drawn through $(-4, 5)$ and one of these coordinates. Which coordinate could it be? Tick **1** correct answer


☐ $(-8, 2)$

☐ $(-2, 7)$

☒ $(-1, 3)$

☐ $(2, 8)$

- 4 Work out the gradient of the line joining the coordinates $(-5, 11)$ and $(-2, 2)$. Tick **1** correct answer



☐ $-\frac{1}{3}$

☐ $-\frac{9}{7}$

☒ -3

☐ $-\frac{11}{3}$

☐ $-\frac{11}{2}$



5 Match the two coordinate pairs to the gradient of the line passing through them. Write the correct letter in each box

a	(5,6) and (6,8)
b	(5,6) and (8, 15)
c	(5,6) and (-3,2)
d	(5,6) and (7,3)
e	(5,6) and (-4, 15)

e	- 1
c	$\frac{1}{2}$
b	3
d	$-\frac{3}{2}$
a	2

6 Which set of 3 coordinates lie on a straight line? Tick 2 correct answers

- ☒ (-2,-1), (0,7) and (1,11)
- ☐ (-5,-3), (-3,3) and (2,13)
- ☒ (1,12), (5,10) and (7,9)

