




Studying local climate change

1 _____ is the process of estimating unknown values that are outside the range of existing data. (Tick 1 correct answer)

- ☐ Averaging
- ☐ Extrapolation
- ☐ Interpolation
- ☐ Substitution


2 The scatter graph shows that as the minimum temperature increases, the maximum temperature generally... (Tick 1 correct answer)



- ☐ decreases
- ☐ increases
- ☐ stays the same




3 Which line has a negative gradient? (Tick **1** correct answer)




- ☐ A
- ☐ B
- ☐ C
- ☐ D

4 Which statement is true, based on the data shown in the scatter graph? (Tick **1** correct answer)



- ☐ Town A generally tends to be warmer than Town B.
- ☐ Town B generally tends to be warmer than Town A.
- ☐ Town A and Town B generally tend to be the same temperature.


5 The scatter graph shows data about the number of hours spent revising by a sample of pupils and their marks in a subsequent test. Which statement is true, based on this data? (Tick **1** correct answer)



- ☐ Pupils who revised more tended to get a higher mark in the test.
- ☐ Pupils who revised more tended to get a lower mark in the test.
- ☐ The data shows no association between revision time and test marks.



- 6 A new data point is recorded and has a minimum temperature of 10°C . Based on the scatter graph, which range of values would be a suitable estimate for its maximum temperature? (Tick **1** correct answer)



- ☐ 4°C to 7°C
- ☐ 8°C to 11°C
- ☐ 14°C to 17°C
- ☐ 5°C to 20°C

