





Analysing different statistical representations

- 1 Which of these statements is valid when comparing the height of Alex in year 6 to the "average" height of other year 6s at his primary school? Tick **3** correct answers



- ☒ Alex is taller than average because he is taller than the modal height.
- ☐ Alex is taller than average because he is taller than the mean height.
- ☒ Alex is shorter than average because he is shorter than the median height.
- ☒ Alex is around average height because his height is close to frequent heights.
- ☐ Alex is shorter than average because the maximum height is 150 cm


- 2 Select the data sets which match the following statistical summary: a range of 14 Tick **2** correct answers



- ☒ dataset A
- ☒ dataset B
- ☐ dataset C
- ☐ dataset D




- 3 Which of these is a representative median of the data set that has following statistical summary: a mode at 54, a range of 14, a mean of approximately 50? Tick **1** correct answer




- ☐ 44
- ☒ 51
- ☐ 54
- ☐ 58


- 4 Sam asks 55 people how many times per month they visit the supermarket. Sam loses some of the data, but represents the rest on a bar chart. How many people's data did Sam lose? 11 people Fill in the blank



- 5 Here is an incomplete bar chart for a data set. The range of the data set is 12 days. What is the maximum number of days per month that the people surveyed visited the supermarket? 13 days Fill in the blank



- 6 This bar chart has missing bars. 50 people were surveyed. The range is 7. The frequency of 11 days is 3 greater than the frequency of 10 days. Work out the frequency for 10 days. Fill in the blank



5

