



Using lists to display outcomes for more than two events

- 1 An outcome is a result of a trial (e.g. getting heads when flipping a coin once or getting two heads when flipping a coin twice). Fill in the blank
- 2 Select the spinners which would have the same list of possible outcomes when spun four times. Tick **3** correct answers



- 3 The missing outcome in this systematic list is 4ZH. Fill in the blank

The possible outcomes of the **dice** are {1, 2, 3, 4, 5, 6}.
 The possible outcomes of the **spinner** are {X, Y, Z}.
 The possible outcomes of the **coin** are {H, T}.

1XH, 2XH, 3XH, 4XH, 5XH, 6XH
 1YH, 2YH, 3YH, 4YH, 5YH, 6YH
 1ZH, 2ZH, 3ZH, , 5ZH, 6ZH
 1XT, 2XT, 3XT, 4XT, 5XT, 6XT
 1YT, 2YT, 3YT, 4YT, 5YT, 6YT
 1ZT, 2ZT, 3ZT, 4ZT, 5ZT, 6ZT

- 4 The missing outcome on the spinner is lime. Fill in the blank



Event A = {apple, mango, grape}
 Event B = {mango, grape, fig}
 Event C = {mango, grape, lime, apple}



5 Select the outcomes that are in event A, event B and event C. Tick 2 correct answers



Event A = {5 letter words}
 Event B = {contain the letter g}
 Event C = {end in a vowel}

- ☐ apple
- ☒ mango
- ☐ fig
- ☐ cherry
- ☒ grape

6 Jun would like a party hat that doesn't have a string, does have a topper and isn't stripy. Jun should choose hat C or hat H. Fill in the blank

