




Using lists to display outcomes for two events


- 1 These two spinner are spun. Which of the lists of outcomes have been completed systematically? (Tick 2 correct answers)



A1, A2, A3, A1, A3, B3, B2, A3, B3, A1, B1, A2,
B1, B2, B3 B2, B1, A2 A1, B1, A2 B2, A3, B3

☐☐☐☐


- 2 The list of outcomes from the two spinners has been composed non-systematically. The outcome _____ has been omitted.



A1, C2, A2, D3, B2, B1, D1, B3, C2, C3, D2, A3



- 3 The outcomes of the two spinners can be systematically listed like this H1, H2, H3, H4, ... and so on. Finish the list by putting the outcomes in the correct order. (Use numbers to show the correct order)




	T3
	H5
	T1
	T2
	T4
	T5

- 4 A standard fair six-sided dice is going to be rolled. Event A = {prime number} and event B = {multiple of 3}. Which of these outcomes are in both event A and event B? (Tick 1 correct answer)

- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5
- ☐ 6



- 5 This spinner is to be spun. Event A = {5 letter words} and event B = {words with consecutive double letters}. How many outcomes are in both event A and event B? (Tick **1** correct answer)



- ☐ 0
- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

- 6 A standard fair six-sided dice is going to be rolled. Event A = {odd number} and event B = {4, 6}. Match the outcomes to the correct event. (Write the correct letter in each box)

a	event A
b	event B
c	event A or event B
d	event A and event B
e	not event A nor event B

	{2}
	$\emptyset$
	{1, 3, 4, 5, 6}
	{1, 3, 5}
	{4, 6}

