



Using lists to display outcomes for two events


- 1 5, 15, 20, 35, 750 are all multiples of 5. (Fill in the blank)
- 2 Which of these numbers is not on a standard fair six-sided dice? (Tick **1** correct answer)

☒ 0☐ 1☐ 2☐ 3☐ 4

- 3 How many possible outcomes are there on this spinner? (Tick **1** correct answer)

☐ 1☒ 2☐ 3☐ 4☐ 5

4 Match the spinner to the possible outcomes. (Write the correct letter in each box)



a	Spinner a
b	Spinner b
c	Spinner c
d	Spinner d

d	{apple, carrot, melon}
b	{apple, bread, carrot, melon}
c	{apple, banana, carrot}
a	{apple, bread, carrot}

5 When rolling a standard fair six-sided dice, which of these events would be equally likely to occur? (Tick 3 correct answers)

- ☐ 'rolling a 6' and 'not rolling a 6'
- ☒ 'rolling an odd number' and 'rolling an even number'
- ☐ 'rolling a square number' and 'not rolling a square number'
- ☒ 'rolling a prime number' and 'not rolling a prime number'
- ☒ 'rolling a square number' and 'rolling a multiple of 3'

6 Laura correctly describes an event as having an unlikely chance of happening. According to the likelihood scale, which of these statements is true about the event? (Tick 1 correct answer)

- ☐ It has 50% chance of happening
- ☐ It has more than 50% chance of happening, but less than 100%
- ☐ It has more than 50% chance of happening
- ☒ It has less than 50% chance of happening, but more than 0%
- ☐ It has less than 50% chance of happening



