



Using lists to display outcomes for two events


- 1 5, 15, 20, 35, 750 are all multiples of _____. (Fill in the blank)
- 2 Which of these numbers is not on a standard fair six-sided dice? (Tick **1** correct answer)
- ☐ 0
- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4
- 3 How many possible outcomes are there on this spinner? (Tick **1** correct answer)



- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5



4 Match the spinner to the possible outcomes. (Write the correct letter in each box)



a	Spinner a
b	Spinner b
c	Spinner c
d	Spinner d

	{apple, carrot, melon}
	{apple, bread, carrot, melon}
	{apple, banana, carrot}
	{apple, bread, carrot}

5 When rolling a standard fair six-sided dice, which of these events would be equally likely to occur? (Tick **3** correct answers)

- ☐ 'rolling a 6' and 'not rolling a 6'
- ☐ 'rolling an odd number' and 'rolling an even number'
- ☐ 'rolling a square number' and 'not rolling a square number'
- ☐ 'rolling a prime number' and 'not rolling a prime number'
- ☐ 'rolling a square number' and 'rolling a multiple of 3'

6 Laura correctly describes an event as having an unlikely chance of happening. According to the likelihood scale, which of these statements is true about the event? (Tick **1** correct answer)

- ☐ It has 50% chance of happening
- ☐ It has more than 50% chance of happening, but less than 100%
- ☐ It has more than 50% chance of happening
- ☐ It has less than 50% chance of happening, but more than 0%
- ☐ It has less than 50% chance of happening



