Neovim Cheat Sheet: Essential Tricks and Shortcuts

Yingqi Jing

July 21, 2025

Contents

0.1	Installation	;
0.2	Navigation & Movements	3
0.3	Bookmarks (with Telescope)	3
0.4	Deleting Text	3
0.5	Joining Lines	Ĺ
0.6	Increment Numbers	Ĺ
0.7	Word Count	Ĺ
0.8	Selection (Visual Mode)	Ĺ
0.9	Multi-line Insert & Append	Ĺ
0.10	Editing Text)
0.11	Yank & Paste)
0.12	Substitution)
0.13	Repeating & Undoing)
0.14	Quit & Save)
0.15	Key Mapping & Help)
	0.15.1 Special Keys)
	0.15.2 Check Mappings)
	0.15.3 Help)
0.16	Terminal Tricks)
0.17	$TermVifm + Zoxide \dots \dots$)
0.18	Search	,
	Buffers	7
0.20	Window Management	,
0.21	Git with LazyGit	,
0.22	Linting & Formatting	7
0.23	Registers & Special Characters	2

0.24 Cmdline Modes	
List of Figures	
List of Tables	

0.1 Installation

• Clone the dotfiles and copy the Neovim config into your ~/.config directory:

```
git clone https://github.com/JakeJing/dotfiles.git
mv dotfiles/.config/nvim -P ~/.config/
```

- Open plugins.lua and type: w to launch the auto-installation.
- Use :checkhealth to verify that all dependencies are properly set up.

0.2 Navigation & Movements

- hjkl: move left, down, up, right
- Ctrl+d/u: scroll down/up one page
- Ctrl+n/p: next/previous file in window
- i/I: insert before cursor / at line start
- a/A: append after cursor / at line end
- 0 / ^: go to line start
- \$: go to line end
- o/0: new line below/above
- %: jump between matching brackets
- b/e/w: word navigation (back, end, next)
- $f\{x\} / F\{x\}$: move to char $\{x\}$ forward/back
- $t\{x\} / T\{x\}$: move before char $\{x\}$ forward/back
- '' or g:: go back to previous position
- o (in visual mode): toggle selection endpoint

0.3 Bookmarks (with Telescope)

- mm: toggle bookmark
- Shift+n: next bookmark
- Shift+b: previous bookmark
- ma: view all bookmarks
- :Telescope vim_bookmarks all: list all bookmarks
- :Telescope vim_bookmarks current_file: list for current file

0.4 Deleting Text

- dd: delete line
- 3dd: delete 3 lines

- D or d\$: delete to line end
- d0: delete to line start
- x: delete character under cursor
- dw, diw, daw: delete word (various scopes)
- dip: delete paragraph
- di": delete inside quotes
- :%d: delete entire file content
- ci" / ci(: delete and insert inside quotes/brackets

0.5 Joining Lines

- J: join lines with space
- gJ: join lines without space

0.6 Increment Numbers

• Select numbers with Ctrl+v, then g Ctrl+a to increment

0.7 Word Count

- : WordCount: custom word count (requires user-defined function)
- <leader>wc: shortcut for word count

0.8 Selection (Visual Mode)

- v, V, Ctrl+v: character, line, and block selection
- viw, vaw: inside/around word
- vi{: inside block (like function)
- f{char} in visual mode: fast selection

0.9 Multi-line Insert & Append

Note: Only works in **visual block mode** (Ctrl+v).

- Insert start: Ctrl+v, select, Shift+i, type, then Esc
- Append end: Ctrl+v, select, Shift+a, type, then Esc
- Change text: select block, press c, type, then Esc

0.10 Editing Text

- ci(: change inside parentheses
- cip: change inside paragraph
- cw: change word

0.11 Yank & Paste

- yy, yiw, ya(, y2w: yank lines, words, brackets
- Use neoclip for yank history:
 - <C-c> to yank
 - <C-p> to paste from history

0.12 Substitution

- S: start substitution (:%s//g via remap)
- cgn: change next match, repeat with .
- Regex substitution:

- R: overwrite text
- :'<,'>s/old/new/g: substitute in selection
- :cdo s/old/new/g: substitute across quickfix list

0.13 Repeating & Undoing

- .: repeat last change
- u / U: undo / undo line
- Ctrl+r: redo
- Ctrl+s: open terminal in vertical split
- :vs | :term: open vertical terminal

0.14 Quit & Save

- ZZ: save and quit
- ZQ: quit without saving

0.15 Key Mapping & Help

0.15.1 Special Keys

```
<Tab>, <CR>, <Esc>, <Space>, <A-j>, <C-s>, <Up>, <F1>...<F12>, etc.
```

0.15.2 Check Mappings

```
:imap <A-j>
:verbose imap <Tab>
```

0.15.3 Help

- :h {key} or :help ctrl-w_<
- :h telescope.command, :h regex
- fh or <leader>fh: floating help

0.16 Terminal Tricks

- Ctrl+s: toggle floating terminal
- :r !ls: insert output of shell command

0.17 TermVifm + Zoxide

- Bind vf to launch vifm
- Use zoxide with <leader>Z to jump to dirs
 - Install with brew install zoxide
 - Add to config.fish:

```
zoxide init fish | source
```

0.18 Search

- ff: find file
- fa: find all in buffer
- fw: find word
- 'Search: exact match
- :set hlsearch / :nohlsearch: toggle highlights

0.19 Buffers

- :bfirst, :blast, :bnext, :bprevious
- :1s: list buffers
- :bd [num]: close buffer
- :b <TAB>: autocomplete open buffers
- Ctrl+^: toggle last buffer

0.20 Window Management

- Ctrl+w w: switch windows
- Ctrl+w h/l: left/right
- Ctrl+w _: maximize
- Ctrl+w =: equalize
- Ctrl+w R: reverse splits
- Ctrl+w t Ctrl+w K: horizontal \rightarrow vertical
- Ctrl+w t Ctrl+w H: $vertical \rightarrow horizontal$
- Ctrl+Cmd+F or fn+F: full screen

0.21 Git with LazyGit

- Ctrl+g: open LazyGit
- c: commit
- Shift+p: push
- ?: help
- gl: git logs

0.22 Linting & Formatting

- :NullLsInfo: see current null-ls status
- :echo executable("eslint"): check if installed
- :LspStop: stop diagnostics

0.23 Registers & Special Characters

```
"%": current file
"#": alternate file
"*", "+": system clipboard
"/": last search
":": last command
"-": last small delete
".": last insert
"=": expression register
```

0.24 Cmdline Modes

```
: Normal command
> Debug mode
/ Forward search
? Backward search
= Expression
@ Input()
- Insert/append text
```

• q:: show command history