

Overview of common GC3Pie use cases

Sergio Maffioletti <sergio.maffioletti@uzh.ch>

S3IT: Services and Support for Science IT

University of Zurich

What is GC3Pie?

GC3Pie is ...

- 1. An *opinionated* Python framework for defining and running computational workflows;
- 2. A rapid development toolkit for running user applications on clusters and IaaS cloud resources;
- 3. The worst name ever given to a middleware piece...

As developers, you're mostly interested in this part.

Uses of GC3Pie: parameter sweep

You have a simulation code that is dependent on a number of parameters.

Run the code for all possible combinations of parameters.

Then collect all the outputs and post-process to get a statistical overview.

Uses of GC3Pie: model calibration

You have a simulation code that is dependent on a number of parameters.

Run the code for all possible combinations of parameters, and find the ones that "best" approximate a given experimental result.

Uses of GC3Pie: parallel processing

Run the same program over and over again, feeding it different input files each time.

Then collect all the outputs and post-process to get a statistical overview.


Uses of GC3Pie: parallel processing

(At times, you chop a large input file into pieces and process each one separately instead.)

"For example, say we want to simulate the price evolution of a given asset using a Matlab Monte-Carlo simulation using a large parameter space - say $10^{\circ}000$ - for the initial conditions. If we run 1 Monte-Carlo Matlab simulation and loop over all initial parameter configurations it could take along as $(2.4\text{hours}*10^{\circ}000) = 24^{\circ}000$ cpu/hours (so you get your results in $1^{\circ}000$ days...). However, if we split this job into individual parameters evaluation and ran 100 jobs in "parallel" on a cluster, our run-time is reduced to only 240 hours."

Uses of GC3Pie: workflows

Orchestrate execution of several applications: some steps may run in parallel, some might need to be sequenced.



University of Zurich, S3IT

A typical high-throughput script structure

- 1. Initialize computational resources
- 2. Prepare programs and inputs for submission
- 3. Submit tasks
- 4. Monitor task status (loop)
- 5. Retrieve results
- 6. Postprocess and display

What GC3Pie handles for you

- Resource allocation (e.g. starting new instances on ScienceCloud)
- 2. Selection of resources for each application in the session
- 3. Data transfer (e.g. copying input files in the new instances)
- 4. Remote execution of the application
- 5. Retrieval of results (e.g. copying output files from the running instance)
- 6. De-allocation of resources