



CHEMOTHERAPY ORDERS

Bautista, MARIA

5-17-19 67

DR Lesley STEAD

Patient Label

TO BE COMPLETED BY PHYSICIAN:

Date Written: 10-29-19

Patient Name: BAUTISTA, MARIA DOB: 5-17-1967

Diagnosis: Breast Cancer (50.011)

Date of Administration: with next chemotherapy

Protocol / Regimen ~

TNM Stage:

Zoladex 3.6g subq
every 28 days

Cycle 1 of
Day

Allergies: ☒ NKDA

11/4/19

Venous Access: ☐ Peripheral ☐ Central

Height

Weight

☒ Actual

☐ Ideal

☐ Adjusted

☐ Dosing

Body Surface
Area (m²)

Emetic Level

☐ Minimal

☐ Moderate

☐ High

5' 0" in

72.3 kg

Lab Orders:

CBC/DIFF

BMP

Magnesium

UA See other orders for labs

Hold Parameters:

ANC less than:

WBC less than:

PLT less than:

Hgb/Hct less than:

SCr greater than:

Non-chemotherapy orders:

☐ IV Fluids: NS @ KVO (20 mL/hr)

RPh Initials / Nurse Initials

Solution, volume and infusion rate are per manufacturer/hospital guidelines unless otherwise specified. Chemotherapeutic agents will be rounded down to nearest vial size if within 5% of calculated dose. Biological agents will be rounded down to the nearest vial size if within 10% of calculated dose. Please administer chemotherapy in sequence listed below.

Chemotherapy	Dose per Unit (m ² , kg, AUC)	Dose Reduction* (mg/m ² , mg/kg, AUC)	Calculated Dose	Dose Dispensed (Rounding to be completed by RPh)	Route	Infusion Rate	RPh / Nurse Initials
Zoladex			3.6mg		Subq		

*If using a dose reduction, please provide rationale:

MD Name (Print) Lesley STEAD

MD Signature

Lesley A. Head, MD

Date/Time 10/30/19 11:12 AM

RN Name (Print)

RN Signature

Date/Time

RPh Name (Print)

RPh Signature

Date/Time



CHEMOTHERAPY ORDERS

Bautista, Maria
5-17-1967
Dr Lesley STEAD

TO BE COMPLETED BY PHYSICIAN:

Date Written: 10-29-19

Patient Name: BAUTISTA, MARIA

Patient Label

Diagnosis: Breast Cancer (50.011)

Date of Administration:

Protocol / Regimen -

TNM Stage:

Zoladex 3.6g subq
every 28 days

Cycle 1 of
Day

Allergies: ☒ NKDA

Venous Access: ☐ Peripheral ☐ Central

Height

Weight

☒ Actual
☐ Ideal
☐ Adjusted
☐ Dosing

Body Surface
Area (m²)

Emetic Level
☐ Minimal
☐ Moderate
☐ High

5 ft 0 in

72.3 kg

Lab Orders: ☒ CBC/DIFF

☒ CMP

☒ Magnesium

UA

Hold Parameters:

ANC less than:

WBC less than:

PLT less than:

Hgb/Hct less than:

SCR greater than:

Non-chemotherapy orders:

☐ IV Fluids: NS @ KVO (20 mL/hr)

RPh Initials / Nurse Initials

Solution, volume and infusion rate are per manufacturer/hospital guidelines unless otherwise specified. Chemotherapeutic agents will be rounded down to nearest vial size if within 5% of calculated dose. Biological agents will be rounded down to the nearest vial size if within 10% of calculated dose. Please administer chemotherapy in sequence listed below.

Chemotherapy	Dose per Unit (m ² , kg, AUC)	Dose Reduction* (mg/m ² , mg/kg, AUC)	Calculated Dose	Dose Dispensed (Rounding to be completed by RPh)	Route	Infusion Rate	RPh / Nurse Initials
Zoladex			3.6mg		Subq		

*If using a dose reduction, please provide rationale:

MD Name (Print): Lesley STEAD

MD Signature

Lesley A. Head MD

Date/Time

10/30/19 11:12 AM

RN Name (Print):

RN Signature

Date/Time

RPh Name (Print):

RPh Signature

Date/Time

Bautista, Maria

MRN: 816005051

Stead, Lesley A, MD

Progress Notes

Encounter Date: 9/25/2019

Physician

Signed

Hematology

10/8/2019

Maria Bautista

816005051

5/17/1967

HISTORY OF PRESENT ILLNESS: 52 y.o. female with h/o stage IIB R breast cancer here for follow up. Mammogram/US 11/4/13 revealed a spiculated mass in the R breast at 12 o'clock and fine pleomorphic calcifications with a clustered distribution in the right breast at nine o'clock. She underwent ultrasound-guided biopsy of the R breast mass at 12 o'clock which revealed invasive poorly differentiated ductal carcinoma with suspicion for lymphovascular invasion and stereotactic needle biopsy the cluster of calcifications which was benign. On 1/7/14, she underwent bilateral mastectomy/SLNB and limited R ax LN dissection. Path report revealed stage IIB T2N1a moderately differentiated IDC, 2.3 cm, grade 8/9. One sentinel node was positive for metastatic well-differentiated adenocarcinoma as multiple separated glands - greater than 200 tumor cells. Negative for LVI or extranodal extension. Negative surgical margins. ER/PR+/HER2 neg. KI-67 5% positive.

She has now completed 4 cycles of adjuvant chemorx with TC and is on Tamoxifen.

LMP Feb 18, 2014.

Reports chronic bone pain and myalgias due to Tamoxifen. Takes Tylenol and ibuprofen for the pain.

Myriad myRisk genetic testing was negative.

C/o chills. Blister broke out on her lip.

Seen in ED 9/12/19 with c/o abd bloating, R sided abd pain, N/V. CT a/p with IV contrast was performed and showed incidental finding of 4.1 cm AAA. No acute process.

Past Medical History:**Past Medical History:****Diagnosis**

- BRCA negative
- Breast cancer (HCC)
- Depression
- Diabetes (HCC)
- Hyperlipidemia
- Hypertension
- Loss of appetite
- Mucositis
- Thrush
- URI (upper respiratory infection)
- Weight loss

Date

7/7/2014

9/24/2014

9/24/2014

9/24/2014

9/24/2014

Past Surgical History:

Past Surgical History:

Procedure

Laterality
BilateralDate
1993

- BREAST SURGERY PROCEDURE UNLISTED

TDE for bloody discharge

- HX BREAST BIOPSY

Right

11/4/13

stereotactic at Orange

- HX CESAREAN SECTION

2000

- HX CHOLECYSTECTOMY

11/14

- HX GI

cholecystectomy

11/20/14

- HX OTHER SURGICAL

TDE for blood discharge

1993

- HX TUBAL LIGATION

2000

FAMILY HISTORY:

Family History

Problem

Relation

Age of Onset

- Breast Cancer

Sister

36

mastectomy, chemo and radiation

- Headache

Sister

- Uterine Cancer

Paternal Grandmother

- Ovarian Cancer

Neg Hx

SOCIAL HISTORY:

Social History

Socioeconomic History

- Marital status: MARRIED

Spouse Not on file

name:

- Number of children:

Not on file

- Years of education:

Not on file

- Highest education level:

Not on file

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

- Highest education level:

Social History Narrative

** Merged History Encounter **

CURRENT MEDICATIONS:

Current Outpatient Medications

Medication	Sig	Dispense	Refill
• insulin detemir U-100 (LEVEMIR FLEXTOUCH) 100 unit/mL (3 mL) inpn	by SubCUTaneous route.		
• tamoxifen (NOLVADEX) 20 mg tablet	TAKE ONE TABLET BY MOUTH EVERY DAY	90 Tab	1
• insulin detemir (LEVEMIR FLEXPEN) 100 unit/mL (3 mL) inpn	by SubCUTaneous route.		
• vaginal lubricant (REPLENS) gel	Insert 1 Dose into vagina Every Mon, Wed and Sat.	1 Tube	3
• cholecalciferol (VITAMIN D3) 1,000 unit tablet	Take by mouth daily.		
• enalapril (VASOTEC) 5 mg tablet	Take 1 Tab by mouth daily.	30 Tab	0
• omeprazole (PRILOSEC) 20 mg capsule	Take 20 mg by mouth daily.		
• venlafaxine-SR (EFFEXOR-XR) 75 mg capsule	Take 1 Cap by mouth daily.	30 Cap	3
• SUMatriptan (IMITREX) 60 mg tablet	Take 1 Tab by mouth once as needed for Migraine. If a satisfactory response has not been obtained at 2 hours, a second dose may be administered.	30 Tab	0
• glipizide (GLUCOTROL) 10 mg tablet	Take 10 mg by mouth two (2) times a day.		
• metFORMIN (GLUCOPHAGE) 1,000 mg tablet	Take 1,000 mg by mouth two (2) times daily (with meals).		

ALLERGIES: Patient has no known allergies.**REVIEW OF SYSTEMS:** A detailed 10 organ review of systems is obtained with pertinent positives as listed in the History of Present Illness and Past Medical History. All others are negative.**PHYSICAL EXAM:**

height is 5' (1.524 m) and weight is 153 lb (69.4 kg). Her blood pressure is 124/72 and her pulse is 77. Her oxygen saturation is 98%.

No acute distress.

HEENT: NO/AT, PERRLA, oropharynx clear

Neck: supple, no lymphadenopathy, no JVD, nontender, no thyromegaly

Lungs: CTA bilaterally, no rhonchi, no wheezes, no rales

CV: RRR, no murmurs, rubs or gallops

Abd: soft, nontender, nondistended, normoactive bowel sounds, no masses, no hepatosplenomegaly

Ext: no cyanosis, clubbing or edema

Breasts: s/p bilateral mastectomy, no masses or axillary lymphadenopathy bilaterally, flaps of redundant fatty tissue laterally

LABS:

Results for orders placed or performed during the hospital encounter of 08/30/16

METABOLIC PANEL, COMPREHENSIVE

Result	Value	Ref Range
Sodium	135 (L)	135 - 145 mmol/L
Potassium	3.7	3.5 - 5.1 mmol/L
Chloride	95 (L)	96 - 107 mmol/L
CO2	29	21 - 32 mmol/L
Anion gap	12	8 - 20 mmol/L
Glucose	387 (H)	74 - 106 mg/dL
BUN	8	7 - 18 mg/dL
Creatinine	0.8	0.6 - 1.3 mg/dL
GFR est AA	>60	>60 ml/min/1.73 m2
GFR est non-AA	>60	>60 ml/min/1.73 m2
Calcium	9.0	8.5 - 10.1 mg/dL
Bilirubin, total	0.3	0.2 - 1.0 mg/dL
ALT (SGPT)	72	12 - 78 U/L
AST (SGOT)	73 (H)	15 - 37 U/L
Alk. phosphatase	284 (H)	48 - 116 U/L
Protein, total	8.5 (H)	6.4 - 8.2 g/dL
Albumin	3.7	3.4 - 5.0 g/dL
Globulin	4.8	2.6 - 5.0 g/dL
A-G Ratio	0.8 (L)	1.0 - 1.5

ASSESSMENT AND PLAN:

Stage IIB T2N1a ER+/PR+/Her2 1+ by IHC R breast ca s/p bilateral mastectomy/limited R ax LN dissection. S/p adjuvant TC x 4 cycles. Cont hormonal therapy with Tamoxifen. Will cont to monitor CBC diff, CMP, CEA, CA 15-3, CA 27.29.

Osteopenia - cont calcium and Vit D supplementation.

Myalgias - likely secondary to tamoxifen. Cont NSAIDs PRN for pain. Referred to rheumatology.

Abd pain/chills - r/o UTI

AAA - referred to Dr. Gorti. Needs surveillance.

Orders Placed This Encounter

- CULTURE, URINE
- URINALYSIS W/MICROSCOPIC

		ICD-10-CM	ICD-9-CM
1.	Malignant neoplasm of right breast in female, estrogen receptor positive, unspecified site of breast (HCC)	C50.911	174.9
2.	Type 2 diabetes mellitus without complication, without long-term current use of insulin (HCC)	Z17.0 E11.9	V86.0 250.00
3.	Hyperlipidemia, unspecified hyperlipidemia type	E78.5	272.4
4.	Osteopenia, unspecified location	M85.80	733.90
5.	Myalgia	M79.10	729.1
6.	Gross hematuria	R31.0	599.71
			URINALYSIS W/MICROSCOPIC CULTURE, URINE

Lesley A Stead, MD

Electronically signed by Stead, Lesley A, MD at 10/06/19 2204

Note Details

Author	Stead, Lesley A, MD	File Time	10/06/19 2204
Author Type	Physician	Status	Signed
Last Editor	Stead, Lesley A, MD	Specialty	Medical Oncology

Office Visit
on
9/25/2019