

ORANGE REGIONAL MEDICAL CENTER
Physician Order FormJoachim, Himmeler
6/21/57

DO NOT USE ABBREVIATIONS

U MS SC QOD QD 1g
IU MSO MgSO SQ SL

Patient Label

Date/Time

Dr. E83-42

Hypomagnesemia

1/21/2020

Magnesium 3gm IV

Medications will be dispensed in accordance with the hospital formulary system

Prescriber Signature

Print Name

Jeffrey Stewart

Date/Time

1/21/2020

Nurse Signature

Print Name

Date/Time

☐ T.O. REV

Fax to Pharmacy

☐

Time Faxed

Crystal Run Healthcare Physicians LLP

Joachim, Himmeler
113 Rolling Meadows Road
Middletown, NY, 10940
Person #: 579330

Order Date: 01/20/2020

Sex: M
DOB: 06/21/1957

Ordering: Stewart MD, Jeffrey

Location: Middletown 185 Rykowsk Lane

Tests Ordered: Magnesium (Mg), CBC With Auto Diff (CBCA), Complete Metabolic Profile (CMP), CMP, CBCA XT (CBCA XT)

Magnesium (Collection Date: 01/20/2020 09:13, Status: Final)

Component	Result	Units	Flag	Range	Comment
Magnesium	1.0	mg/dL		1.6-2.3	

CBCA XT (Collection Date: 01/20/2020 09:13, Status: Final)

Component	Result	Units	Flag	Range	Comment
XT Baso%	0.04	Ka/L		0.00-0.20	
XT Baso%	0.4	%		0.0-1.5	
XT Eo%	0.53	Ka/L		0.00-1.10	
XT Eo%	5.8	%		1.0-10.0	
XT Hct	32.0	%		40.0-52.0	
XT HGB	10.0	g/dL		13.3-17.7	
XT Hgb	0.01	Ka/L		<0.10	
XT Hgb	0.1	%		<1.0	
XT Lymph%	29.8	Ka/L		0.50-4.00	
XT Lymph%	32.9	%		15.0-45.0	
XT MCH	29.8	pg		26.0-33.0	
XT MCHC	31.3	g/dL		32.0-36.0	
XT MCV	95.2	fL		80.0-97.0	
XT Mon%	0.9	Ka/L		0.1-1.2	
XT Mon%	10.0	%		1.5-9.8	
XT MPV	9.0	fL		7.0-11.0	
XT Neut%	4.6	Ka/L		1.6-8.1	
XT Neut%	56.8	%		41.0-74.0	
XT PLT	209	Ka/L		140-440	
XT RBC	3.36	m/ML		4.40-5.90	
XT WBC	9.1	Ka/L		3.9-10.6	

Patient: Joachim, Himmeler, DOB: 6/21/1957



155 Crystal Run Road
Middletown, NY 10940

845-783-8988
www.crystalrunhealthcare.com

Patient: Himmeler Joachim
Date of Birth: 06/21/1957
Date: 01/07/2020 1:30 PM
Encounter Type: Chemotherapy
Historian: self

This 62 year old male presents for CRC.

History of Present Illness:

1. CRC

62 yo with colon cancer returns for follow-up. At this time notes discomfort on his hands. Was taking Xeloda and the pain has increased. There is no cough no shortness of breath no chest pain or back pain or bone pain or nausea no diarrhea. Overall he is clinically improved except for that one small issue.

PROBLEM LIST: Problem List reviewed

Colon Cancer - 01/27/2018 N

Allergies:

VALSARTAN

Diovan

Reviewed, no changes.

Review of Systems

Constitutional	Negative	Fever, Night sweats and Weight loss
Eyes	Negative	Vision changes
Cardio	Negative	Chest pain, Edema and Irregular heartbeat/palpitations
Neuro	Negative	Extremity weakness, Headache and Numbness in extremity

Joachim Himmeler 000000546611 06/21/1957 01/07/2020 01:30 PM 1/6

Physical Exam: Negative. Any other symptoms? No.
 MS: Negative. Back pain, Joint pain and Muscle weakness.

Medical/Surgical/Interim History

Reviewed, no change.

Last detailed document date 07/18/2019.

Family History

Reviewed, no changes. Last detailed document date 10/07/2019.

Social History

Reviewed, no changes. Last detailed document date 01/07/2020.

Medications (active prior to today)

Bystolic 5 mg tablet take 1 tablet by oral route //
 every day.

ondansetron HCl 8 mg tablet take 1 tablet by ORAL route 03/18/2019 03/18/2019 N
 every 8 hours PRN nausea

prochlorperazine maleate 10 mg tablet take 1 tablet by oral route 07/18/2019 N
 4 times every day as needed

Adapalene 0.1 % topical cream apply by topical route every day to the affected area(s) at bedtime 08/27/2019 N

lidocaine-prilocaine 2.5 % 2.5 % topical cream apply 1 teaspoon to mediport 30-60 min prior to chemotherapy 11/05/2019 11/05/2019 N

Ureacin-20 20 % topical cream Apply topically to affected area as needed twice daily 12/17/2019 N

Medication Reconciliation

Medications reconciled today.

Vital Signs

Joachim, Himmeler 090000546611 06/21/1957 01/07/2020 01:30 PM 2/5

Will hold Xeloda with cycle tomorrow. If resolved, will then consider Xeloda 500 mg po bid due to toxicity (Previously 1000 mg bid and before that, 1500 mg), taking 1000 bid Xeloda and will reduce to 500 mg po bid.

2. Assessment: Dehydration (E86.0)

3. Assessment: Hypertension, essential (I10)

4. Assessment: Anemia, unspecified type (D64.9)

5. Assessment: Hydronephrosis of left kidney (N13.30)

6. Assessment: Hand foot syndrome (L27.1)

Provider Plan: Decrease dose of Xeloda

Medications (added, continued, or stopped today):

08/27/2019	adapalene 0.1 % topical cream	apply by topical route every day to the affected area(s) at bedtime	
	Bystolic 5 mg tablet	take 1 tablet by oral route every day	
06/08/2018	Colace 100 mg capsule	take 1 capsule by oral route every day at bedtime as needed	
08/27/2019	Cortivate 0.05 % topical cream	apply a thin layer to the affected area(s) every morning; rub in gently and completely	
08/26/2019	doxycycline monohydrate 100 mg tablet	take 1 tablet by oral route 2 times every day	
11/05/2019	lidocaine-prilocaine 2.5%-2.5 % topical cream	apply 1 teaspoon to medport 20-60 min prior to chemotherapy	
07/18/2019	ondansetron 8 mg disintegrating tablet	place 1 tablet by translingual route every 8 hours on top of the tongue where it will dissolve then swallow as needed	Zofran- as needed for nausea and vomiting
03/18/2019	ondansetron HCl 8 mg tablet	take 1 tablet by ORAL route every 8 hours PRN nausea	
07/18/2019	prochlorperazine maleate 10 mg tablet	take 1 tablet by oral route 4 times every day as needed	Compazine- as needed for nausea and vomiting
12/17/2019	Ureacin 20.26 % topical cream	Apply topically to affected area as needed twice daily	
11/05/2019	Xeloda 500 mg tablet	take 2 capsule by oral route BID on Days 1-7 of 14-day cycle	DX, C19.85A.1.9 Transfer from

On case to fill for
next cycle

Counseling / Educational Factors

Counseling / educational factors reviewed


Provider

Stewart MD, Jeffrey 01/07/2020 5:06 PM

Document generated by Jeffrey Stewart MD 01/07/2020 05:05 PM

Crystal Run Healthcare, LLP

Electronically signed by Jeffrey Stewart MD on 01/07/2020 05:06 PM



155 Crystal Run Road
Middletown, NY 10941

845-763-6999
www.crystalrunhealthcare.com

Patient: Himmler, Joachim
Date of Birth: 06/21/1957
Date: 01/07/2020 1:30 PM
Encounter Type: Chemotherapy
Historian: self

This 62 year old male presents for CRC

History of Present Illness:

1. CRC

62 yo with colon cancer returns for follow-up. At this time notes discomfort on his hands. Was taking Xeloda and the pain has increased. There is no cough no shortness of breath no chest pain or back pain or bone pain or nausea or diarrhea. Overall he is clinically improved except for that one small issue.

PROBLEM LIST: Problem List reviewed

Colon cancer 01/22/2018 N

Allergies

VALSARTAN

Diovan

Reviewed, no changes

Review of Systems

Constitutional	Negative	Fever, Night sweats and Weight loss
Eyes	Negative	Vision changes
Cardio	Negative	Chest pain, Edema and Irregular heartbeat/palpitations
Neuro	Negative	Extremity weakness, Headache and Numbness in extremity

Joachim Himmler 00000546611 06/21/1957 01/07/2020 01:30 PM 1/6

MS Negative Back pain, joint pain and Muscle weakness

Medical/Surgical/Intern History

Reviewed, no change

Last detailed document date 07/18/2019

Family History

Reviewed, no changes Last detailed document date 10/07/2019

Social History

Reviewed, no changes Last detailed document date 01/07/2020

Medications (active prior to today)

Bystolic 5 mg tablet take 1 tablet by oral route // every day

ondansetron HCl 8 mg tablet take 1 tablet by ORAL route 03/18/2019 every 8 hours PRN nausea

prochlorperazine maleate 10 mg tablet take 1 tablet by oral route 4 07/18/2019 times every day as needed

adapalene 0.1 % topical cream apply by topical route every 08/27/2019 day to the affected areas at bedtime

lidocaine-prilocaine 2.5 %-2.5 % topical cream apply 1 teaspoon to mediport 30-60 min. prior to chemotherapy 11/05/2019

Ureacin 20-20 % topical cream Apply topically to affected area as needed twice daily 12/17/2019

Medication Reconciliation

Medications reconciled today

Vital Signs

Joachim Hamner 00000546611 06/21/1957 01/07/2020 01:30 PM 2/6

Measured by

2:01 PM Samantha Gilson

Physical Exam:

Constitutional	Normal	Well developed
Eyes	Normal	Conjunctiva - Right Normal, Left Normal. Pupil - Right Normal, Left Normal
Nasopharynx	Normal	Lips/teeth/gums - Normal. Tonsils - Normal. Oropharynx - Normal
Neck Exam	Normal	Inspection - Normal. Palpation - Normal
Lymph Detail	Normal	No palpable cervical, supraclavicular, axillary, or inguinal adenopathy
Respiratory	Normal	Inspection - Normal. Auscultation - Normal. Effort - Normal
Cardiovascular	Normal	Regular rate and rhythm. No murmurs, gallops, or rubs
Vascular	Normal	Pulses - Dorsalis pedis Normal. Capillary refill - Less than 2 seconds
Abdomen	Normal	Inspection - Normal. No abdominal tenderness. No hepatic enlargement No splenic enlargement
Musculoskeletal	Comments	Positive discomfort in his hands with some cords consistent with hand-foot syndrome
Musculoskeletal	Normal	Visual overview of all four extremities is normal
Extremity	Normal	No edema
Neurological	Normal	Memory - Normal. Cranial nerves - Cranial nerves II through XII grossly intact. DTRs - Normal
Psychiatric	Normal	Orientation - Oriented to time, place, person & situation. Appropriate mood and affect. Normal insight

Assessment/Plan

1	Assessment	Colorectal cancer stage IV (C19)
---	------------	----------------------------------

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

2. Once the problem is identified, the next step is to define the objectives and goals of the project. This helps to clarify what needs to be achieved and provides a clear direction for the work.

3. The third step is to develop a plan or strategy to address the problem. This involves identifying the resources needed, the tasks to be completed, and the timeline for the project.

4. After the plan is developed, the next step is to implement the plan. This involves carrying out the tasks and activities that have been identified in the plan.

5. Finally, the last step is to evaluate the results of the project. This involves assessing the progress made, the quality of the work, and the overall impact of the project.

For treatment of the patient with the following:

1. Metastatic disease of the colon.

2. Metastatic disease of the liver.

3. Metastatic disease of the lung.

4. Metastatic disease of the bone.

5. Metastatic disease of the brain.

6. Metastatic disease of the skin.

7. Metastatic disease of the soft tissue.

8. Metastatic disease of the lymph nodes.

9. Metastatic disease of the adrenal gland.

10. Metastatic disease of the pancreas.

11. Metastatic disease of the thyroid gland.

12. Metastatic disease of the parathyroid gland.

13. Metastatic disease of the testis.

14. Metastatic disease of the ovary.

15. Metastatic disease of the uterus.

16. Metastatic disease of the vagina.

17. Metastatic disease of the cervix.

18. Metastatic disease of the fallopian tube.

19. Metastatic disease of the endometrium.

20. Metastatic disease of the peritoneum.

Provider Plan: XELTRI/Vectibix
 Monitor CEA
 monitor toxic side effects XELTRI/VECTIBIX
 restage 11/2019

Will hold Xeloda with cycle tomorrow. If resolved, will then consider Xeloda 500 mg po bid. Due to toxicity (Previously 1000 mg bid and before that, 1200 mg), taking 1000 bid Xeloda and will reduce to 500 mg po bid.

2. Assessment Dehydration (E86.0)
3. Assessment Hypertension, essential (I10)
4. Assessment Anemia, unspecified type (D64.9)
5. Assessment Hydronephrosis of left kidney (N13.30)
6. Assessment Hand foot syndrome (L27.1)

Provider Plan Decrease dose of Xeloda

Medications (added, continued, or stopped today)

08/27/2019	adapalene 0.1 % topical cream	apply by topical route, every day to the affected area(s) at bedtime	
	Bystolic 5 mg tablet	take 1 tablet by oral route every day	
06/08/2018	Colace 100 mg capsule	take 1 capsule by oral route every day at bedtime as needed	
08/27/2019	Cutivate 0.05 % topical cream	apply a thin layer to the affected area(s) every morning rub in gently and completely	
08/26/2019	doxycycline monohydrate 100 mg tablet	take 1 tablet by oral route 2 times every day	
11/05/2019	lidocaine-prilocaine 2.5 %-2.5 % topical cream	apply 1 teaspoon to mediop 30-60 min prior to chemotherapy	
07/18/2019	ondansetron 4 mg disintegrating tablet	place 1 tablet by translingual route every 8 hours on top of the tongue where it will dissolve, then swallow as needed	Zofran as needed for nausea and vomiting
03/18/2019	ondansetron HCl 8 mg tablet	take 1 tablet by ORAL route every 8 hours PRN nausea	
07/18/2019	prochlorperazine maleate 10 mg tablet	take 1 tablet by oral route 4 times every day as needed	Compazine as needed for nausea and vomiting
12/17/2019	Ureacin-20 20 % topical cream	Apply topically to affected area as needed twice daily	
11/05/2019	Xeloda 500 mg tablet	take 2 capsule by oral route BID qd Days 1-7 of 14 day cycle	DX C19.85A.1.9- Transfer from

Joachim Hummer: 00000546611 06/21/1957 01/07/2020 01:30 PM 5/6

Onco360 is in for
next cycle

Counseling / Educational Factors:
Counseling / educational factors reviewed

Provider:

Stewart MD, Jeffrey 01/07/2020 5:06 PM

Document generated by: Jeffrey Stewart MD 01/07/2020 05:05 PM

Crystal Run Healthcare, LLP

Electronically signed by Jeffrey Stewart MD on 01/07/2020 05:06 PM