
a
Representative hypothesis
H5 class; 24 species
Genome size
0.72
Cell area
0.58
Nuclear area
0.36
Body length
Arrows assume genome-first ordering.
Width and labels show standardized coefficients.
b
Conditional associations
Separate checks; 24 species
Genome → cell + body length
0.55
Cell → nucleus + genome, body length
0.65
Genome → nucleus + cell, body length
0.05
-0.5
0.0
0.5
1.0
Standardized coefficient (95% CI)
+ indicates included covariates.
Intervals condition on fitted phylogenetic λ.
c
Support across eight candidate classes
Structure
All 24 species
22 species*
H5 Cell–body link
0.524
0.283
H7 Genome–body link
0.384
0.295
H1 Cell bridge + body
0.065
0.025
H8 Body disconnected
0.024
0.387
H3 Genome fork + body
0.002
<0.001
H2 Nucleus bridge + body
0.002
0.002
H6 Nucleus–cell–body
<0.001
0.006
H4 Body only
<0.001
0.001
0
0.25
0.50
Relative model weight
Weights compare candidates within each species set; they do not identify causal direction.
*Excludes D. aeneus and D. wrighti. G = genome, C = cell, N = nucleus, B = body.
d
Equivalent directions within H5
All four orientations imply the same conditional independences.
Genome first
Cell first
Nucleus first
Body first
These arrows are schematic; the data do not select one orientation.