Jacob Huebner

ITMD 411-02

Lab 04

5/9/19



HuebDesk Helpdesk - Final Project Report

#### **Description**

HuebDesk is a helpdesk application written in Java. The application was built with JavaFX, Gluon Mobile Plugin, Gluon Glisten API, and Java JDBC. The application connects to a MySQL database, and includes fully functional prepared statements for all database operations.

The application includes other features such as SHA256 password hashing, relational table designs, desktop support, mobile support (android and ios), mobile-first design, material design scheme, responsive GUI design, exception handling, inheritance modeling, and full documentation (UML, use cases, etc.). Link to video demonstration here.

## **Document Contents**

This document is divided into 6 sections.

- 1. Instructions
- 2. Requirements
- 3. Deliverables
- 4. Snapshots of Requirements
- 5. Snapshots of Deliverables
- 6. Snapshots of Extra Credit


#### **Instructions**

#### How to run HuebDesk

1. First, extract the "final project beta 1App" .tar or .zip file and open it's contents.



2. Next, open the "bin" directory.



3. Finally, double click "Final Project Beta 1App.bat.

#### Requirements

- 1. Create database table: Must create database tables (2 minimum)
- 2. Create Java files for interactivity: At least 1 class for login window and ticket window for both end user and admin. Must feature a rich GUI.
- 3. Create a java file for database connectivity / CRUD implementations: Create files for Java JDBC implementation. The class should perform inserting, updating, deleting, viewing, and closing of desired tickets.
- 4. Run your app and snapshot the following runtime work for credit:
  - a. Insert at least 5 tickets into the DB table. *Include a record with your name into the table*.
  - b. Update your record by changing your ticket description.
  - c. Show a view of your updated ticket.
  - d. Delete your ticket form the DB.
  - e. Close two existing tickets.
  - f. Lastly, show a table view of all of your tickets.
- 5. Include the following for credit into Blackboard:
  - A doc file of snapshots labeled appropriately. (please provide any login credentials for admin and regular users.
  - b. Include a program description
  - c. Include a working .jar file of your app
  - d. Include a demonstration of your running app.


## **Deliverables**


- 1. CompletedJava application (Archived in a .zip file)
- 2. Documentation
  - a. UML diagram
  - b. Use case model
  - c. ER model
  - d. Relational database model
- 3. Link to video demonstration
- 4. .jav file of the java application

## **Snapshots of Requirements**

## Snapshot 1 – Insert 5 tickets into the database


#### 1.a Create initial ticket








#### 1.b Create five more







## 1.c Screenshot of database


+ Options												
←T→	~	ticket_id	tseverity	tcreation_date	tmodified_date	tsubject	tdescription	trequester_id	ttechnician_id	tdue_date	tstatus	ttype
_	Delete	1	Urgent	2019-04-22 00:00:00	2019-04-22 00:00:00	Website is down	The company website is down. Please put it back up	2	1	2019-04-22 00:00:00	open	Web Developm
☐ Ø Edit 👫 Copy	Delete	2	Low priority	2019-04-28 00:00:00	2019-04-28 00:00:00	Refill toner	I need more toner for my printer.	3	1	2019-04-30 00:00:00	open	Executive
☐ 🥜 Edit 👫 Copy	Delete	3	Low priority	2019-04-28 00:00:00	2019-04-28 00:00:00	Refill toner	I need more toner for my printer.	3	1	2019-04-30 00:00:00	closed	Executive
☐ 🖉 Edit 👫 Copy	Delete	4	low	2019-05-06 19:04:02	2019-05-01 19:04:02	I am testing the ticket system	This is only a test	2	4	2019-05-06 19:04:02	closed	software
<i>⊘</i> Edit <b>}</b> Copy	Delete	12	important	2019-05-03 16:34:07		Important broken laptop needs repair fast	I havr a really important sppech to give tomorrow,	2	4	2019-05-04 16:34:07	closed	hardware
☐ 🖉 Edit 🚰 Copy	Delete	13	normal	2019-05-04 16:26:17	2019-05-04 16:26:17	Help I broke my pc again	Hi Jacob, it's me again. I broke my PC. Can you st	2	6	2019-05-07 16:26:17	open	hardware
☐ 🥜 Edit 👫 Copy	Delete	14	normal	2019-05-04 16:27:21	2019-05-04 16:27:21	Broke #2 PC	I broke my backup pc. Help!	2	6	2019-05-07 16:27:22	open	hardware
☐ Ø Edit ♣ Copy	Delete	15	low	2019-05-04 16:27:41	2019-05-04 16:27:41	Broke PC #3	I broke my backup backup. Help!	2	4	2019-05-09 16:27:42	open	software
☐ 🖉 Edit 👫 Copy		16	low	2019-05-04 16:28:09	2019-05-04 16:28:09	Broke PC #4	I broke my backup backup backup	2	6	2019-05-09 16:28:09	open	software
☐ Ø Edit ≩ Copy	Delete	17	critical	2019-05-04 16:28:29	2019-05-04 16:28:29	Broke PC #5	l broke all my backups. HELP!	2	1	2019-05-04 20:28:30	open	hardware

## Snapshot 2 – Update your record by changing your ticket description.


## 2.a Updating ticket (creates note and adds it to ticket)







#### 2.b Creating note and viewing new note



#### Snapshot 3 – Delete your ticket form the DB.

Deleting tickets from a database does not follow best practices. Ideally, all tickets should be retained. But there is functionality to delete a ticket, but the button has been left out of the build.

#### 3.a Code to delete ticket


```
/*
    removeDbTicket removes a ticket from the database

*    @param employee_id the employee removing the ticket

*    @param ticket_id the ticket to be removed


*    //
public void removeDbTicket(int ticket_id) {
        try {
            String sql = "DELETE FROM j_hueb_tickets WHERE ticket_id=?";
            PreparedStatement preparedStatement = conn.connect().prepareStatement(sql);
            preparedStatement.setInt(1, ticket_id);
            preparedStatement.executeUpdate();
            conn.connect().close();
        } catch (SQLException e) {
            e.printStackTrace();
            System.out.println("removeDbTicket failed");
        }
}
```


#### 3.b Result on execution




#### Snapshot 4 – Close two existing tickets

### 4.a – Closing two tickets








## Snapshot 5 – Show a table view of all of your tickets.


## 1.a – Normal User view (only user tickets)

User credentials (case-sensitive)

*Username*: jschmoe

Password: password







## 1.b - Admin view (All user tickets)

User credentials (case-sensitive)

*Username*: jhuebner


Password: ILoveBears





## **Snapshots of Deliverables**


## Snapshot 1 – Completed java application (Archived in a .zip file)




## **Snapshot 2 – Documentation**

## 2.a – UML diagram

The image is too big for this document. To see the full image, open the "UML Map.jpg" included in this submission. The UML map is also located in the java archive file under ".../Doc1/UML Map"




## 2.b – Use case model



2.c - ER model

Only half of this ER model is implemented in current build.



#### 2.d - Relational database model

#### Database structure

#### j\_hueb\_companies

Company ID	C Name	CEO_ID	C Location

#### j\_hueb\_companydepartments

Company ID	Department ID

#### j\_hueb\_departments

Department ID	D Name	D Manager_ID	D Location

#### $j\_hueb\_department employees$

Department ID	Employee ID

#### J\_hueb\_employeemanagers

nager ID

#### j\_hueb\_employees

#### J\_hueb\_employeeassets

#### j\_hueb\_assets

Asset ID	A Order date	A Invoice ID	А Туре	A Value	A Vendor	A Model	
----------	--------------	--------------	--------	---------	----------	---------	--

#### j\_hueb\_tickets

<u>Ticket</u>	T Severity	T Creation	T Modified	T Subject	T Description	T Requester Employee_ID	T Assigned Admin ID
<u>ID</u>	Severity	date	date	Subject	Description		<u>Admin ID</u>

Duo data	Т	Т	Т
Due date	Status	Type	Level

#### j\_hueb\_ticketnotes



#### j\_hueb\_notes


Noto	Note	Note			N	
<u>Note</u>	Creation	Modified	N Email CC	N Email BCC	Body	N Author Employee ID
<u>ID</u>	date	date			ьошу	

#### User privileges

#### j\_hueb\_userroles



#### j\_hueb\_roles



#### Constraints & Assumptions

- All Employees must have a one role.
- All Employees can only be assigned to one department, and to one manager.
- Company, Department, and Manager can be null.
- A company exists, a department exists, and a CEO employee exists.
- If no tech is specified, a technician will automatically be assigned.
- The requestor is set as the person who created the ticket
- At least one CC email is automatically entered, and it is the original user assigned.

## **Snapshot 3 – Link to video demonstration**

Link the video below:

https://youtu.be/AX1QnLYC o0

## Snapshot 4 – .Jar file for java application

This application is stored as a .zip/.tar file because it has multiple .jar files. Both files have been included in this submission.

- Finap Project Beta 1App.tar
- Finap Project Beta 1App.zip

#### **Snapshots of Extra Credit**

#### Extra Credit 1 – JavaFX

The app is completely built in JavaFX.

#### Extra Credit 2 – Prepared Statements

All SQL statements are made using prepared statements

#### Extra Credit 3 – Relational Table Designs


(See Devilerable Snapshot 2.d)

#### Extra Credit 4 – Entity, UML, Use cases

(See Devilerable Snapshot 2.a, 2.b, 2.c)

## Extra Credit 5 – Inheritance modeling

Inheritance can be seen in the Employee class. There are two types of users, "users" and "admins". Both inherit the employee class. Admins and employees share some functions like logging in.



#### Extra Credit 6 – Password hashing (My favorite)

I did not store plain text passwords. Instead, I salted and hashed the passwords with SHA256.

First, I converted the plaintext password to a byte array

Next, I generated "salt" using Java SecureRandom

After that, I added the salt to the password.

Finally, I used Java MessageDigest (specifying "SHA256") to hash the password.

Here is what the result looks like in the database:

This is the datatype of the password and salt. As you can see, the password is 32 bytes (or 256

bits. Hence "SHA256"). I could have generated any size salt so I went with 16 bytes.



epassword	esalt
0xd133c011eaf613993e2d36a85c6f90b35669c75c756d30b8	0x9e6509476af5c6972b5fa451b8be519c

Here is the code I used. It goes

- 1. getHash()
- 2. makeSafeSalt()

#### getHash()

```
3.
4. /*
5. * getHash returns a hashed version of any password given
6. * the password string and a salt
7. *
8. * @param password the password to be hashed
9. *
10. * @param salt the salt to be added to the hash
```

```
11.
12.
           * @return hashresult the resulting SHA-256 hash
13.
           */
14.
          public byte[] getHash(String password, byte[] salt) {
15.
                 byte[] hashresult = null;
16.
17.
                 // Attempt to hash password
18.
19.
                 try {
20.
                       // Create SHA-256 message digest
21.
                       MessageDigest md = MessageDigest.getInstance("SHA-256");
22.
                       // Pass the salt to the digest for computation
23.
24.
                       md.update(salt);
25.
26.
                       // Generate the hash for the salted password
27.
                       hashresult =
   md.digest(password.getBytes(StandardCharsets.UTF_8));
28.
29.
                 } catch (NoSuchAlgorithmException e) {
                       System.out.println("getHash failed");
30.
31.
                       e.printStackTrace();
32.
                 }
33.
34.
                 return hashresult;
35.
          }
36.
```

#### makeSafeSalt()

```
37.
           * makeSafeSalt return a new secure random salt
38.
39.
40.
           * @return salt the new salt
41.
42.
          public byte[] makeSafeSalt() {
43.
                 byte[] salt = null;
44.
45.
                 // Generate random salt
46.
                 try {
                 SecureRandom random = new SecureRandom();
47.
48.
                 salt = new byte[16];
49.
                 random.nextBytes(salt);
50.
51.
                 catch(Exception e) {
                        System.out.println("makeSafeSalt failed");
52.
53.
                        e.printStackTrace();
54.
                 }
55.
                 return salt;
56.
```

#### Extra Credit 7 – HuebDesk Brand Resources


By using the HuebDesk trademark, you agree to follow these Guidelines as well as our Terms of Service and all other rules and policies:

- Primary color must be #006cc1
- The 'H' and 'D' in HuebDesk must be capitalized
- All advertising must feature Bears (excluding scenic landscapes)

I <u>WILL</u> find you if I find any "advertisements without bears" and yes this <u>IS</u> a written threat.

#### **Official Branding**







## HuebDesk

Natures Helpdesk



JavaFX™ more like lots of regrets™ HuebDesk 2019™ © Huebner Hardware™ All rights reserved

# HuebDesk

Natures Helpdesk

JavaFX™ more like lots of regrets™ HuebDesk 2019™ © Huebner Hardware™ All rights reserved

