Comparitive Performance Report for 1st-Oct-3way-balanced-baseline vs 27th-Sep-ec-direct-reads-3way

Table of contents

- Comparison summary for 1st-Oct-3way-balanced-baseline vs 27th-Sep-ec-direct-reads-3way
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml files
 - results
 - results

Comparison summary for 1st-Oct-3way-balanced-baseline vs 27th-Sep-ec-direct-reads-3way

Sequential Read	1st_Oct_3way_balanc	e2 <u>17tbasSkipe_ec_direct_</u>	rea ds<u>h</u>amge ythroughput	%change latency
4K	138070 IOps@0.7ms	220836 IOps@1.7ms	60%	143%
8K	125045 IOps@0.8ms	210231 IOps@1.8ms	68%	125%
16K	111570 IOps@2.6ms	191084 IOps@1.5ms	71%	-42%
32K	91239 IOps@2.8ms	147245 IOps@1.3ms	61%	-54%
64K	4871 MB/s@5.2ms	7625 MB/s@2.2ms	57%	-58%
256K	12045 MB/s@16.7ms	11156 MB/s@12.0ms	-7%	-28%
512K	12733 MB/s@15.8 ms	11982 MB/s@11.2ms	-6%	-29%
1024K	12089 MB/s@8.3ms	12551 MB/s@5.3ms	4%	-36%

Sequential Write	1st_Oct_3way_balance27tbasSkipe_ec_direct_rea7sh2sugaythroughput			%change latency
4K	492507 IOps@3.1ms	496157 IOps@3.1ms	1%	0%
8K	328957 IOps@4.7ms	$328509 \; IOps@4.7ms$	-0%	0%
16K	181650 IOps@5.6ms	181537 IOps@5.6ms	-0%	0%
32K	101798 IOps@7.5ms	99713 IOps@7.7ms	-2%	3%
64K	3483 MB/s@9.6ms	3422 MB/s@9.8 ms	-2%	2%
256K	3924 MB/s@17.0 ms	3853 MB/s@17.3 ms	-2%	2%
512K	4009 MB/s@4.0 ms	3982 MB/s@8.2ms	-1%	105%
1024K	4015 MB/s@41.2 ms	4071 MB/s@32.4ms	1%	-21%


Random Read	1st_Oct_3way_balance 2 7tbasSkipe_ec_direct_readsh3wgqythroughput			%change latency
4K	185438 IOps@4.1ms	204999 IOps@3.7ms	11%	-10%
8K	178815 IOps@4.3ms	196145 IOps@3.9ms	10%	-9%
16K	164000 IOps@3.6ms	180473 IOps@3.3ms	10%	-8%
32K	134280 IOps@2.9ms	152053 IOps@3.4ms	13%	17%
64K	6881 MB/s@3.7ms	7786 MB/s@3.2ms	13%	-14%
256K	12833 MB/s@5.2 ms	11532 MB/s@2.9 ms	-10%	-44%
512K	12833 MB/s@3.9ms	11996 MB/s@2.8 ms	-7%	-28%
1024K	12053 MB/s@5.6ms	12190 MB/s@2.7ms	1%	-52%

Random Write	1st_Oct_3way_balance 2 7tbasSkipe_ec_direct_rea 3sh3mga ythroughput			%change latency
4K	49783 IOps@5.1ms	49410 IOps@5.2ms	-1%	2%
8K	47446 IOps@5.4ms	46732 IOps@8.2ms	-2%	52%
16K	46475 IOps@8.2ms	44616 IOps@8.6ms	-4%	5%
32K	43324 IOps@8.8ms	41611 IOps@9.2ms	-4%	5%
64K	$2370 \; MB/s@10.6ms$	2242 MB/s@11.2ms	-5%	6%
256K	4054 MB/s@16.4 ms	3910 MB/s@6.3ms	-4%	-62%
512K	4531 MB/s@7.1 ms	4384 MB/s@7.4ms	-3%	4%
1024K	4142 MB/s@5.6ms	4123 MB/s@7.7 ms	-0%	38%


Random Read/Write	1st_Oct_3way_balance	<u>a_7tbas€kipe_ec_direct_re</u>	ea ds<u>h</u>ange ythroughput	%change latency
4K_70/30	98855 IOps@2.6ms	90173 IOps@2.8ms	-9%	8%
$16K_{20}/30$	89858 IOps@2.8ms	85207 IOps@3.0ms	-5%	7%
$64K_30/70$	2960 MB/s@5.6ms	2745 MB/s@6.1ms	-7%	9%
$64 \text{K}_{-}70/30$	$4284~\mathrm{MB/s@3.9ms}$	$4204~\mathrm{MB/s@4.0ms}$	-2%	3%

Response Curves


Sequential Read




Response Curves Sequential Write



Sequential Write




Response Curves Random Read




Random Read


Response Curves Random Read




Response Curves Random Write




Random Write



Response Curves Random Read/Write





Random Read/Write



Response Curves

Random Read/Write





Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 608333
  volumes_per_client:
  - 16
  workloads:
    128krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 131072
      total_iodepth:
      - 4
      - 8
      - 12
      - 16
      - 32
      - 48
      - 64
      - 128
      - 256
      - 384
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
```

16krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 16384 total_iodepth: - 4 - 8 - 12 - 16 - 24 - 48 - 64 - 128 - 256 - 384 - 588 16krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 16384 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 1Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 - 48 - 64 - 96 - 128 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs:

```
- 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
 total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
 - 96
 - 128
  - 192
  - 256
1Mseqwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
 - 96
 - 128
 - 160
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
```

- 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 2Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 2097152 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 96 2Msegread: jobname: seqread mode: read numjobs: - 1 op_size: 2097152 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96

```
2Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
 - 384
  - 512
384krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 393216
  total_iodepth:
  - 4
```

- 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 4Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4194304 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 96 4Mseqread: jobname: seqread mode: read numjobs: - 1 op_size: 4194304 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 4Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4194304 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1

- 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread:jobname: randread mode: randread numjobs: - 1 op_size: 4096 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 512krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 524288 total_iodepth: - 2 - 3 - 4 - 8 - 16 - 24

- 40 - 48 - 64 - 96 - 128 - 192 - 256 ${\tt 512krandomwrite:}\\$ jobname: randwrite mode: randwrite numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 192 - 256 - 384 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32

- 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64 krandomread:jobname: randread mode: randread numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64krandomwrite: jobname: randwrite mode: randwrite

```
numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
 - 128
  - 192
  - 256
  - 384
64kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
768krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 786432
 total_iodepth:
  - 4
  - 8
  - 12
  - 16
```

- 32 - 48 - 64 - 128 - 192 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 time: 600 total_iodepth: - 16 seq128kread: jobname: seqread mode: read numjobs: - 1 op_size: 131072 total_iodepth: - 1 - 2 - 4

- 16 - 32 - 64 - 128 - 256 - 512 seq128kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 131072 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 256 - 384 seq16kread: jobname: seqread mode: read numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384

```
- 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 512
  - 768
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
  - 256
seq32kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
```

```
{\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq384kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 393216
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 192
seq384kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
  - 1
  op_size: 393216
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
  - 96
  - 128
  - 256
  - 512
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
```

- 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 - 1280 - 1536 seq768kread: jobname: seqread mode: read numjobs: - 1 op_size: 786432 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 192 - 256 - 384 seq768kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 786432 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48

```
- 64
        - 96
        - 128
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
```

```
mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64, noatime, logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
    norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    ramp: 30
    rbdname: cbt-librbdfio
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 608333
    volumes_per_client:
    - 16
    workloads:
      128krandomread:
        jobname: randread
        mode: randread
        numjobs:
        - 1
        op_size: 131072
        total_iodepth:
        - 4
        - 8
        - 12
        - 16
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
      16k7030:
        jobname: randmix
        mode: randrw
        numjobs:
```

```
- 1
  op_size: 16384
 rwmixread: 70
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
16krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 16384
 total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 48
  - 64
  - 128
 - 256
  - 384
  - 588
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
```

- 8 - 12 - 16 - 20 - 24 - 28 - 32 - 48 - 64 - 96 - 128 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 1Mseqread: jobname: seqread mode: read numjobs: - 1 op_size: 1048576 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 192 - 256 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32

- 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 2Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 2097152 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 96 2Mseqread: jobname: seqread mode: read numjobs:

```
- 1
  op_size: 2097152
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  - 96
  - 128
2Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 2097152
 total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
  - 384
  - 512
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
```

- 16 - 32 - 64 - 128 - 256 - 384 - 512 384 krandomread:jobname: randread mode: randread numjobs: - 1 op_size: 393216 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 4Mrandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4194304 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 96 4Mseqread: jobname: seqread mode: read numjobs: - 1 op_size: 4194304 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 4Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4194304 total_iodepth: - 1

- 2 - 4 - 6 - 8 - 16 - 32 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 4krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 4096 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512

512krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 40 - 48 - 64 - 96 - 128 - 192 - 256 512krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 192 - 256

```
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
 - 48
 - 64
  - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
  rwmixread: 30
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
```

- 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 - 384 64kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64

- 128 - 256 - 384 - 512 768krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 786432 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 192 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1

```
op_size: 65536
  time: 600
 total_iodepth:
  - 16
seq128kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 131072
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
seq128kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 131072
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
 - 96
 - 128
  - 256
  - 384
{\tt seq16kread:}
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
 - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
```

mode: write

```
numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
 - 384
 - 512
 - 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
  - 768
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
```

- 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 256 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 512 - 768 seq384kread: jobname: seqread mode: read numjobs: - 1 op_size: 393216 total_iodepth: - 1 - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 192 seq384kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 393216 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 256 - 512

seq4kread:

1st-Oct-3way-balanced-baseline vs 27th-Sep-ec-direct-read £23way

```
jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
  - 288
  - 384
seq4kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
 - 512
  - 768
 - 1024
  - 1280
  - 1536
{\tt seq768kread:}
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 786432
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 48
  - 64
  - 96
  - 128
  - 192
  - 256
  - 384
```

```
seq768kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 786432
        total_iodepth:
        - 1
        - 2
        - 4
        - 6
        - 8
        - 16
        - 32
        - 48
        - 64
        - 96
        - 128
      seq8kread:
        jobname: seqread
        mode: read
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
```

```
ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
 mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```

results

```
librbdfio:
  cmd_path: /usr/local/bin/fio2
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 608333
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
 - 24
  - 32
  - 48
1Mseqread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
```

- 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 192 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16

- 32 - 64 - 96 - 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 32768 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 - 512 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 32768 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 4096 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128

```
- 384
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
```

- 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 256 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8

- 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 70 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 65536 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread:

```
jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
 - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 8192
  {\tt total\_iodepth:}
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
 - 384
 - 588
 - 768
8krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 8192
 total_iodepth:
  - 2
  - 4
```

- 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false numjobs: - 1 op_size: 65536 time: 600 total_iodepth: - 16 seq16kread: jobname: seqread mode: read numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 seq16kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 16384 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq256kread: jobname: seqread mode: read numjobs: - 1

```
op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 512
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
{\tt seq32kread:}
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
```

- 512 - 768 seq4kread: jobname: seqread mode: read numjobs: - 1 op_size: 4096 total_iodepth: - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 - 288 - 384 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 4096 total_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 - 1280 - 1536 seq8kread: jobname: seqread mode: read numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192

```
- 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
   --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
   --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio2
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
```

```
log_iops: true
log_lat: true
norandommap: true
osd_ra:
- 4096
poolname: rbd_replicated
prefill:
  blocksize: 64k
  numjobs: 1
procs_per_volume:
- 1
ramp: 30
rbdname: cbt-librbdfio
time: 90
time_based: true
use_existing_volumes: true
vol_size: 608333
volumes_per_client:
- 16
workloads:
  16k7030:
    jobname: randmix
    mode: randrw
    numjobs:
    - 1
    op_size: 16384
    rwmixread: 70
    total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
  16krandomread:
    jobname: randread
    mode: randread
    numjobs:
    - 1
    op_size: 16384
    total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 24
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
  16krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
    - 1
```

op_size: 16384

```
total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
```

- 32 - 48 - 64 - 96 - 128 - 192 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 1048576 total_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 ${\tt 256krandomwrite:}$ jobname: randwrite mode: randwrite numjobs: - 1 op_size: 262144 total_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64 - 96 - 128 - 256 32 krandomread:

jobname: randread

```
mode: randread
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 128
 - 256
  - 384
  - 512
32 krandom write:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
 - 256
  - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 4096
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
  - 384
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
```

```
total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
```

- 16 - 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 48 - 64 - 96 - 128 - 256 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op_size: 524288 total_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op_size: 65536 rwmixread: 30 total_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256

64k7030:

```
jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
 - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
 - 128
 - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
```

- 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op_size: 65536 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op_size: 8192 total_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 588 - 768 8krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op_size: 8192 total_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256

```
- 512
  - 768
precondition:
 jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
  time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  {\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
 - 64
 - 128
  - 256
  - 384
  - 512
 - 768
  - 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
```

```
- 32
  - 64
  - 128
  - 256
  - 512
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
{\tt seq32kwrite:}
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
```

```
op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
 - 24
  - 32
  - 64
  - 96
  - 128
 - 192
  - 288
  - 384
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
  - 512
 - 768
 - 1024
  - 1280
  - 1536
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 8192
 total_iodepth:
  - 2
  - 4
 - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
 - 128
  - 192
  - 288
  - 384
seq8kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 8192
```

```
total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```