

# Performance Report for 10th-Oct-Clay-4+2+5-OSD-down

# Table of contents


- Summary of results for 10th-Oct-Clay-4+2+5-OSD-down
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml


# Summary of results for 10th-Oct-Clay-4+2+5-OSD-down

Workload Name	Maximum Throughput	Latency (ms)
4096_read	77823 IOps	4.9
8192_read	64407 IOps	6.0
16384_read	50059 IOps	5.7
32768_read	43847 IOps	4.4
65536_read	2198 MB/s	3.8
262144_read	5293 MB/s	25.4
524288_read	5971 MB/s	22.5
1048576_read	6579 MB/s	40.8
4096_write	141456 IOps	10.9
8192_write	135906 IOps	11.3
16384_write	106849 IOps	9.6
32768_write	62200 IOps	12.3
65536_write	2265 MB/s	14.8
262144_write	2964 MB/s	22.5
524288_write	3131 MB/s	21.2
1048576_write	4006 MB/s	41.4
4096_randread	52005 IOps	14.8
8192_randread	54067 IOps	14.2
16384_randread	53659 IOps	11.0
32768_randread	47593 IOps	10.8
65536_randread	2548 MB/s	9.9
262144_randread	5313 MB/s	6.3
524288_randread	6562 MB/s	40.9
1048576_randread	6848 MB/s	39.2
4096_randwrite	14501 IOps	8.8
8192_randwrite	13427 IOps	57.2
16384_randwrite	17030 IOps	30.0
32768_randwrite	16577 IOps	23.1
65536_randwrite	1070 MB/s	23.5
262144_randwrite	2996 MB/s	22.3
524288_randwrite	3433 MB/s	9.5
1048576_randwrite	3860 MB/s	12.6
4096_70_30_randrw	24728 IOps	15.5
16384_70_30_randrw	26630 IOps	4.8
65536_30_70_randrw	1161 MB/s	14.4
65536_70_30_randrw	1538 MB/s	4.1


# Response Curves


## Sequential Read







## Sequential Write






## Random Read







Random Write








## Random Read/Write





# Configuration yaml

```

librbd fio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
  norandommap: true
  osd_ra:
    - 4096
  poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
    - 1
  ramp: 30
  rbdname: cbt-librbd fio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1204500
  volumes_per_client:
    - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
        - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
        - 1
        - 2
        - 3
        - 4
        - 8
        - 16
        - 24
        - 32
        - 64
        - 128
        - 256
    16k randomread:
      jobname: randread
      mode: randread
      numjobs:
        - 1
      op_size: 16384
      total_iodepth:

```

```

- 4
- 8
- 12
- 16
- 24
- 48
- 64
- 128
- 256
- 384
- 588
16krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
1Mrandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
1Mrandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32

```

```

- 48
1Mseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 48
    - 64
    - 96
    - 128
    - 192
    - 256
1Mseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 1048576
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
    - 160
256krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
256krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1

```

```

    op_size: 262144
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 5
      - 8
      - 16
      - 32
      - 64
      - 96
      - 128
      - 256
32krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
32krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
4k7030:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1
  op_size: 4096
  rwmixread: 70
  total_iodepth:
    - 1
    - 2

```

```

- 3
- 4
- 8
- 16
- 24
- 32
- 64
- 128
- 256
- 384
4krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256

```

```

- 512
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 3
    - 4
    - 5
    - 6
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
512kseqread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 48
    - 64
    - 96
    - 128
    - 256
512kseqwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 524288
  total_iodepth:
    - 1
    - 2
    - 4
    - 6
    - 8
    - 16
    - 32
    - 48
    - 64
    - 96
    - 128
64k3070:
  jobname: randmix
  mode: randrw
  numjobs:
    - 1

```



```

    op_size: 65536
    rwmixread: 30
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
      - 96
      - 128
      - 256
  64k7030:
    jobname: randmix
    mode: randrw
    numjobs:
      - 1
    op_size: 65536
    rwmixread: 70
    total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 32
      - 64
      - 96
      - 128
      - 256
  64krandomread:
    jobname: randread
    mode: randread
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 2
      - 4
      - 6
      - 8
      - 12
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
      - 384
  64krandomwrite:
    jobname: randwrite
    mode: randwrite
    numjobs:
      - 1
    op_size: 65536
    total_iodepth:
      - 2
      - 4
      - 6
      - 8

```

```

- 16
- 24
- 32
- 64
- 128
- 256
- 384
64kseqread:
  jobname: read
  mode: read
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 2
    - 4
    - 6
    - 8
    - 16
    - 24
    - 32
    - 64
    - 128
    - 192
    - 256
64kseqwrite:
  jobname: write
  mode: write
  numjobs:
    - 1
  op_size: 65536
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
8krandomread:
  jobname: randread
  mode: randread
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 4
    - 8
    - 12
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 588
    - 768
8krandomwrite:

```

```

  jobname: randwrite
  mode: randwrite
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
precondition:
  jobname: precond1rw
  mode: randwrite
  monitor: false
  numjobs:
    - 1
  op_size: 65536
  time: 600
  total_iodepth:
    - 16
seq16kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
seq16kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 16384
  total_iodepth:
    - 2
    - 4
    - 8
    - 16
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384

```

```

- 512
- 768
- 1024
seq256kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 32
    - 64
    - 128
    - 256
    - 512
seq256kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 262144
  total_iodepth:
    - 1
    - 2
    - 4
    - 8
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 256
seq32kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
seq32kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 32768
  total_iodepth:

```

```

- 2
- 4
- 8
- 16
- 32
- 64
- 128
- 256
- 512
- 768
seq4kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 4
    - 8
    - 12
    - 16
    - 24
    - 32
    - 64
    - 96
    - 128
    - 192
    - 288
    - 384
seq4kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 4096
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
seq8kread:
  jobname: seqread
  mode: read
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 4
    - 8
    - 12

```

```

- 16
- 24
- 32
- 64
- 96
- 128
- 192
- 288
- 384
seq8kwrite:
  jobname: seqwrite
  mode: write
  numjobs:
    - 1
  op_size: 8192
  total_iodepth:
    - 2
    - 8
    - 16
    - 24
    - 32
    - 48
    - 64
    - 128
    - 256
    - 384
    - 512
    - 768
    - 1024
    - 1280
    - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph_mgr_cmd: /usr/bin/ceph-mgr
  ceph_mon_cmd: /usr/bin/ceph-mon
  ceph_osd_cmd: /usr/bin/ceph-osd
  ceph_run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
    - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
      a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
    - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
  monitoring_profiles:

```

```
collect1:  
  args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collect1_dir}
```