Comparitive Performance Report for 05-09-2025-big-jerasure-osd-down vs 07-09-2025-osd-down-clay

## Table of contents

- Comparison summary for 05-09-2025-big-jerasure-osd-down vs 07-09-2025-osd-down-clay
- Response Curves
  - Sequential Read
  - Sequential Write
  - Random Read
  - Random Write
  - Random Read/Write
- Configuration yaml files
  - results

# Comparison summary for 05-09-2025-big-jerasure-osd-down vs 07-09-2025-osd-down-clay

Sequential Read	05-09-2025- big_jerasure_osd_down	07-09-2025- osd_down_clay	%change throughput	%change latency
4.0K	65009 IOps@2.9ms	62578 IOps@3.1ms	-4%	7%
8.0K	38624  IOps@5.0ms	37177  IOps@5.2ms	-4%	4%
16.0K	22778  IOps@8.4ms	21883  IOps@8.8ms	-4%	5%
32.0 K	19055  IOps@10.1ms	17754  IOps@10.8ms	-7%	7%
64.0K	1093  MB/s@15.3 ms	1031  MB/s@16.3ms	-6%	7%
256.0K	1582  MB/s@10.6ms	1563  MB/s@10.7ms	-1%	1%
512.0 K	1587  MB/s@10.6ms	1579  MB/s@10.6ms	-1%	0%
1024.0 K	1593  MB/s@13.2 ms	1593  MB/s@13.2 ms	0%	0%

Sequential Write	05-09-2025- big_jerasure_osd_down	07-09-2025- osd_down_clay	%change throughput	%change latency
4.0K	23450 IOps@43.7ms	17579 IOps@58.2ms	-25%	33%
8.0K	24356  IOps@52.6ms	19847  IOps@64.5ms	-19%	23%
16.0K	11478  IOps@44.6ms	11015  IOps@46.5ms	-4%	4%
32.0 K	12575  IOps@61.0ms	11999  IOps@64.0ms	-5%	5%
64.0K	253  MB/s@132.9 ms	250  MB/s@134.5 ms	-1%	1%
256.0K	600  MB/s@111.7 ms	577  MB/s@116.2 ms	-4%	4%
512.0K	304  MB/s@221.0 ms	308  MB/s@218.0 ms	1%	-1%
$1024.0\mathrm{K}$	362  MB/s@464.8 ms	337  MB/s@499.0 ms	-7%	7%

Random Read	05-09-2025- big_jerasure_osd_down	07-09-2025- osd_down_clay	%change throughput	%change latency
4.0K	68041 IOps@5.6ms	64425 IOps@6.0ms	-5%	7%
8.0K	44860  IOps@5.7ms	43638  IOps@5.9ms	-3%	4%
16.0K	32095  IOps@8.0ms	30223  IOps@12.7ms	-6%	59%
32.0 K	28901  IOps@8.8ms	26199  IOps@9.8ms	-9%	11%
64.0K	1443  MB/s@5.8ms	1385  MB/s@6.0 ms	-4%	3%
256.0K	1632  MB/s@20.6ms	1680  MB/s@10.0 ms	3%	-51%
512.0K	1794  MB/s@14.0 ms	1785  MB/s@9.4ms	-1%	-33%
1024.0 K	$1797~\mathrm{MB/s@16.3ms}$	1793  MB/s@16.4ms	-0%	1%


	05-09-2025-	07-09-2025-		
Random Write	$big\_jerasure\_osd\_down$	$osd\_down\_clay$	%change throughput	%change latency
4.0K	6659 IOps@57.7ms	3691 IOps@210.1ms	-45%	${264\%}$
$8.0 \mathrm{K}$	6551  IOps@78.1ms	$3218~\mathrm{IOps@239.0ms}$	-51%	206%
16.0 K	6436  IOps@79.5 ms	5997  IOps@85.6ms	-7%	8%
32.0 K	$4818 \; \mathrm{IOps@106.2ms}$	$4551 \; \mathrm{IOps@112.4ms}$	-6%	6%
64.0K	242  MB/s@103.9 ms	$235~\mathrm{MB/s@107.0ms}$	-3%	3%

Random Write	05-09-2025- big_jerasure_osd_down	07-09-2025- osd_down_clay	%change throughput	%change latency
256.0K	338 MB/s@198.6ms	334 MB/s@201.0ms	-1%	1%
512.0K	302  MB/s@110.7 ms	298 MB/s@112.4ms	-1%	2%
1024.0 K	$319~\mathrm{MB/s@157.1ms}$	$321~\mathrm{MB/s@156.3ms}$	1%	-1%


Random Read/Write	05-09-2025- big_jerasure_osd_down	07-09-2025- osd_down_clay	%change throughput	%change latency
4.0K_70/30	$11146~\mathrm{IOps@23.0ms}$	8041 IOps@31.9ms	-28%	39%
$16.0 \mathrm{K}_{-}70/30$	6406  IOps@40.0ms	5814  IOps@44.0ms	-9%	10%
$64.0 \mathrm{K}_{-}70/30$	195  MB/s@86.2ms	209  MB/s@40.2ms	7%	-53%
$64.0 \mathrm{K}_{30} / 70$	187  MB/s@89.7 ms	$205~\mathrm{MB/s@81.8ms}$	10%	-9%


## Response Curves

### Sequential Read




Response Curves Sequential Write





### Sequential Write




IOps

12000


lOps


25000

Response Curves Random Read




#### Random Read






Response Curves Random Write





#### Random Write

Response Curves Random Write




Response Curves Random Read/Write





### Random Read/Write



## Configuration yaml files

Only yaml files that differ by more than 20 lines from the yaml file for the baseline directory will be added here in addition to the baseline yaml

#### results

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
  log_iops: true
  log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
 prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 52500
  volumes_per_client:
  - 8
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
      - 8
      - 12
      - 16
      - 24
      - 48
      - 64
      - 128
      - 256
      - 384
```

```
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
 - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
```

- 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 1048576 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160 256krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 262144 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 24 - 32 - 64 - 128 256krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 262144  ${\tt total\_iodepth:}$ - 1 - 2 - 3 - 4 - 5 - 8 - 16 - 32 - 64

- 128 - 256 32krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 32768 total\_iodepth: - 4 - 6 - 8 - 12 - 16 - 24 - 32 - 64 - 128 - 256 32krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 32768 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 4096 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 4krandomread: jobname: randread mode: randread numjobs:

```
op_size: 4096
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
4krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 4096
  {\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
  mode: randread
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
  mode: randwrite
  numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
```

- 24 - 32 - 48 - 64 512kseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 12 - 16 - 20 - 24 - 32 512kseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 524288 total\_iodepth: - 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op\_size: 65536 rwmixread: 30 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs:

```
- 1
  op_size: 65536
 rwmixread: 70
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
 op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
```

- 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op\_size: 65536 total\_iodepth: - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 8192 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384  ${\tt 8krandomwrite:}$ jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 8192 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 - 768 precondition: jobname: precond1rw mode: randwrite monitor: false

```
numjobs:
 op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
  mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
 - 128
  - 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 512
seq256kread:
 jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
```

mode: write

```
numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 4
  - 8
  - 16
  - 32
 - 64
  - 128
  - 256
  - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
```

- 32 - 64 - 96 - 128 - 192 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq8kread: jobname: seqread mode: read numjobs: - 1 op\_size: 8192 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq8kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 8192 total\_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768

```
- 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64, noatime, logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -l%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: root
monitoring_profiles:
  collectl:
    args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
  librbdfio:
    cmd_path: /usr/local/bin/fio
    fio_out_format: json
    log_avg_msec: 100
    log_bw: true
    log_iops: true
    log_lat: true
   norandommap: true
    osd_ra:
    - 4096
    poolname: rbd_replicated
    prefill:
      blocksize: 64k
      numjobs: 1
    procs_per_volume:
    - 1
    ramp: 30
    rbdname: cbt-librbdfio
    time: 90
    time_based: true
    use_existing_volumes: true
    vol_size: 52500
    volumes_per_client:
    - 8
    workloads:
      16k7030:
        jobname: randmix
```

```
mode: randrw
 numjobs:
  - 1
 op_size: 16384
 rwmixread: 70
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
16krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 24
  - 48
 - 64
  - 128
  - 256
  - 384
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 384
  - 512
{\tt 1Mrandomread:}
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 1048576
 total_iodepth:
  - 1
  - 2
  - 3
```

- 4 - 8 - 12 - 16 - 20 - 24 - 28 - 32 1Mrandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 16 - 24 - 32 - 48 1Mseqread: jobname: seqread mode: read numjobs: - 1 op\_size: 1048576 total\_iodepth: - 1 - 2 - 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 20 1Mseqwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 1048576 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 - 160

256krandomread:

05-09-2025-big-jerasure-osd-down vs07-09-2025-osd-down25lay

```
jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 128
 - 256
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
 - 1
  - 2
```

- 3 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384 - 512 4k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 4096 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 24 - 32 - 64 - 128 - 256 4krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 4096 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 4krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 384

```
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
  - 48
  - 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
 - 20
 - 24
  - 32
512kseqwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
```

- 1 - 2 - 4 - 6 - 8 - 16 - 32 - 48 - 64 - 96 - 128 64k3070: jobname: randmix mode: randrw numjobs: - 1 op\_size: 65536 rwmixread: 30 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64k7030: jobname: randmix mode: randrw numjobs: - 1 op\_size: 65536 rwmixread: 70 total\_iodepth: - 1 - 2 - 3 - 4 - 8 - 16 - 32 - 64 - 96 - 128 - 256 64krandomread: jobname: randread mode: randread numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 12 - 16 - 24

- 32 - 64 - 128 - 256 64krandomwrite: jobname: randwrite mode: randwrite numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 256 - 384 64kseqread: jobname: read mode: read numjobs: - 1 op\_size: 65536 total\_iodepth: - 2 - 4 - 6 - 8 - 16 - 24 - 32 - 64 - 128 - 192 - 256 64kseqwrite: jobname: write mode: write numjobs: - 1 op\_size: 65536 total\_iodepth: - 4 - 8 - 12 - 16 - 32 - 48 - 64 - 128 - 256 - 384 - 512 8krandomread: jobname: randread mode: randread numjobs:

```
op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
 - 48
  - 64
  - 128
  - 256
  - 384
8krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 8192
  {\tt total\_iodepth:}
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 time: 600
 total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
 - 32
  - 64
  - 96
  - 128
  - 192
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
```

```
op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
 - 48
  - 64
  - 128
  - 256
  - 384
  - 512
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
seq256kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 262144
 total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 256
{\tt seq32kread:}
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
```

- 64 - 96 - 128 - 192 seq32kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 32768 total\_iodepth: - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 256 - 512 - 768 seq4kread: jobname: seqread mode: read numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 4 - 8 - 12 - 16 - 24 - 32 - 64 - 96 - 128 - 192 seq4kwrite: jobname: seqwrite mode: write numjobs: - 1 op\_size: 4096 total\_iodepth: - 2 - 8 - 16 - 24 - 32 - 48 - 64 - 128 - 256 - 384 - 512 - 768 - 1024 seq8kread: jobname: seqread mode: read numjobs:

```
- 1
        op size: 8192
        total_iodepth:
        - 2
        - 4
        - 8
        - 12
        - 16
        - 24
        - 32
        - 64
        - 96
        - 128
        - 192
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
     a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64, noatime, logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 6
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
```

```
tmp_dir: /tmp/cbt
use_existing: true
user: root
monitoring_profiles:
collectl:
   args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}
```