Performance Report for 22-Sep-Clay-4+2+5

Table of contents


- Summary of results for 22-Sep-Clay-4+2+5
- Response Curves
 - Sequential Read
 - Sequential Write
 - Random Read
 - Random Write
 - Random Read/Write
- Configuration yaml

Summary of results for 22-Sep-Clay-4+2+5


Workload Name	Maximum Throughput	Latency (ms)
4096_read	86696 IOps	4.4
8192_read	71965 IOps	5.3
16384_read	54982 IOps	5.2
32768_read	51900 IOps	3.7
65536_read	$3085~\mathrm{MB/s}$	5.4
262144_read	6117 MB/s	2.7
524288_read	6341 MB/s	2.6
1048576_read	5889 MB/s	3.6
4096_write	140615 IOps	10.9
8192_write	132610 IOps	11.6
16384_write	101186 IOps	10.1
32768_write	59356 IOps	12.9
65536_write	$2130 \mathrm{\ MB/s}$	15.7
262144_write	$2850~\mathrm{MB/s}$	23.4
524288_write	2984 MB/s	22.3
1048576_write	3809 MB/s	43.6
4096_randread	56295 IOps	13.6
8192_randread	57135 IOps	13.4
16384_randread	57050 IOps	10.3
32768_randread	52412 IOps	7.3
65536 _randread	2983 MB/s	5.6
262144_randread	6199 MB/s	5.4
524288_randread	7296 MB/s	4.6
1048576 _randread	$7277 \; \mathrm{MB/s}$	4.6
4096_randwrite	14390 IOps	8.9
8192_randwrite	13155 IOps	58.4
16384_randwrite	15509 IOps	33.0
32768_randwrite	15438 IOps	33.1
65536_randwrite	$1079 \; \mathrm{MB/s}$	15.5
262144_randwrite	2645 MB/s	25.2
524288_randwrite	3211 MB/s	10.2
1048576_randwrite	3596 MB/s	13.5
4096_70_30_randrw	24081 IOps	15.9
16384_70_30_randrw	25335 IOps	5.0
65536_30_70_randrw	1149 MB/s	7.3
65536_70_30_randrw	1644 MB/s	10.2


Response Curves

Sequential Read





Response Curves Sequential Write







Sequential Write












Response Curves Random Read




Random Read






Response Curves Random Write




Random Write

Response Curves Random Write




Response Curves Random Read/Write




0 800 1000 Bandwidth (MB/s)

1400



600 Bandwidth (MB/s)

Random Read/Write



Configuration yaml

```
librbdfio:
  cmd_path: /usr/local/bin/fio
  fio_out_format: json
  log_avg_msec: 100
  log_bw: true
 log_iops: true
 log_lat: true
 norandommap: true
  osd_ra:
  - 4096
 poolname: rbd_replicated
  prefill:
    blocksize: 64k
    numjobs: 1
  procs_per_volume:
  - 1
  ramp: 30
  rbdname: cbt-librbdfio
  time: 90
  time_based: true
  use_existing_volumes: true
  vol_size: 1204500
  volumes_per_client:
  - 16
  workloads:
    16k7030:
      jobname: randmix
      mode: randrw
      numjobs:
      - 1
      op_size: 16384
      rwmixread: 70
      total_iodepth:
      - 1
      - 2
      - 3
      - 4
      - 8
      - 16
      - 24
      - 32
      - 64
      - 128
      - 256
    16krandomread:
      jobname: randread
      mode: randread
      numjobs:
      - 1
      op_size: 16384
      total_iodepth:
```

```
- 4
  - 8
  - 12
  - 16
  - 24
  - 48
 - 64
 - 128
  - 256
  - 384
  - 588
16krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 16384
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
1Mrandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 1048576
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 12
  - 16
  - 20
  - 24
  - 28
  - 32
1Mrandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
```

- 16

```
- 24
  - 32
  - 48
1Mseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 10
  - 12
  - 14
  - 16
  - 20
1Mseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 1048576
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
  - 64
 - 96
 - 128
  - 160
256krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
 - 1
  - 2
  - 3
  - 4
  - 5
  - 8
  - 16
 - 24
  - 32
  - 64
  - 128
256krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 262144
```

```
total_iodepth:
  - 3
  - 4
  - 5
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
32krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
  - 512
32krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
  op_size: 32768
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
4k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 4096
 rwmixread: 70
 total_iodepth:
  - 1
  - 2
  - 3
```

```
- 4
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
 - 256
  - 384
4krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 4096
 total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 588
  - 768
4krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 4096
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
  - 384
  - 512
  - 768
512krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 24
  - 32
  - 40
```

- 48

```
- 64
512krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 2
  - 3
  - 4
  - 5
  - 6
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
512kseqread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 6
  - 8
  - 12
  - 16
  - 20
  - 24
  - 32
512kseqwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 524288
  total_iodepth:
  - 1
  - 2
  - 4
  - 6
  - 8
  - 16
  - 32
  - 48
 - 64
 - 96
  - 128
64k3070:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
  op_size: 65536
 rwmixread: 30
```

```
total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64k7030:
  jobname: randmix
 mode: randrw
 numjobs:
  - 1
 op_size: 65536
 rwmixread: 70
 total_iodepth:
  - 1
  - 2
  - 3
  - 4
  - 8
  - 16
  - 32
  - 64
  - 96
  - 128
  - 256
64krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 12
  - 16
  - 24
  - 32
 - 64
  - 128
  - 256
  - 384
64krandomwrite:
  jobname: randwrite
 mode: randwrite
 numjobs:
  - 1
 op_size: 65536
 total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
```

```
- 32
  - 64
  - 128
  - 256
  - 384
64kseqread:
  jobname: read
 mode: read
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 2
  - 4
  - 6
  - 8
  - 16
  - 24
  - 32
  - 64
  - 128
  - 192
  - 256
64kseqwrite:
  jobname: write
 mode: write
 numjobs:
  - 1
  op_size: 65536
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
 - 256
  - 384
  - 512
8krandomread:
  jobname: randread
 mode: randread
 numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 4
  - 8
  - 12
  - 16
  - 32
  - 48
  - 64
  - 128
  - 256
  - 384
  - 588
  - 768
8krandomwrite:
  jobname: randwrite
 mode: randwrite
```

```
numjobs:
  - 1
  op_size: 8192
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 64
  - 128
  - 256
 - 384
  - 512
  - 768
precondition:
  jobname: precond1rw
 mode: randwrite
 monitor: false
 numjobs:
  - 1
 op_size: 65536
 time: 600
  total_iodepth:
  - 16
seq16kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
 - 128
  - 192
  - 288
seq16kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 16384
  total_iodepth:
  - 2
  - 4
  - 8
  - 16
  - 32
  - 48
 - 64
  - 128
  - 256
  - 384
  - 512
```

- 768

```
- 1024
seq256kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 262144
  total_iodepth:
  - 2
  - 3
  - 4
  - 5
  - 8
 - 16
 - 24
  - 32
  - 48
  - 64
seq256kwrite:
 jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 262144
  total_iodepth:
  - 1
  - 2
  - 4
  - 8
  - 16
  - 24
  - 32
  - 64
 - 96
  - 128
  - 256
seq32kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 32768
 total_iodepth:
  - 2
  - 4
 - 8
  - 12
  - 16
  - 24
  - 32
 - 64
 - 96
 - 128
  - 192
seq32kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
 op_size: 32768
  total_iodepth:
```

```
- 4
  - 8
  - 16
  - 32
  - 64
 - 128
 - 256
 - 512
  - 768
seq4kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
  op_size: 4096
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
  - 24
  - 32
  - 64
  - 96
  - 128
  - 192
  - 288
  - 384
seq4kwrite:
  jobname: seqwrite
 mode: write
 numjobs:
  - 1
  op_size: 4096
  total_iodepth:
  - 2
  - 8
  - 16
  - 24
  - 32
  - 48
  - 64
  - 128
  - 256
 - 384
 - 512
  - 768
  - 1024
  - 1280
  - 1536
seq8kread:
  jobname: seqread
 mode: read
 numjobs:
  - 1
 op_size: 8192
 total_iodepth:
  - 2
  - 4
  - 8
  - 12
  - 16
```

```
- 24
        - 32
        - 64
        - 96
        - 128
        - 192
        - 288
        - 384
      seq8kwrite:
        jobname: seqwrite
        mode: write
        numjobs:
        - 1
        op_size: 8192
        total_iodepth:
        - 2
        - 8
        - 16
        - 24
        - 32
        - 48
        - 64
        - 128
        - 256
        - 384
        - 512
        - 768
        - 1024
        - 1280
        - 1536
cluster:
  archive_dir: /tmp/cbt
  ceph-mgr_cmd: /usr/bin/ceph-mgr
  ceph-mon_cmd: /usr/bin/ceph-mon
  ceph-osd_cmd: /usr/bin/ceph-osd
  ceph-run_cmd: /usr/bin/ceph-run
  ceph_cmd: /usr/bin/ceph
  clients:
  - --- server1 ---
  clusterid: ceph
  conf_file: /cbt/ceph.conf.4x1x1.fs
  fs: xfs
  head: --- server1 ---
  iterations: 1
  mgrs:
    --- server1 ---:
      a: null
  mkfs_opts: -f -i size=2048
  mons:
    --- server1 ---:
     a: --- IP Address --:6789
  mount_opts: -o inode64,noatime,logbsize=256k
  osds:
  - --- server1 ---
  osds_per_node: 8
  pdsh_ssh_args: -a -x -1%u %h
  rados_cmd: /usr/bin/rados
  rbd_cmd: /usr/bin/rbd
  tmp_dir: /tmp/cbt
  use_existing: true
  user: ljsanders
monitoring_profiles:
  collectl:
```

args: -c 18 -sCD -i 10 -P -oz -F0 --rawtoo --sep ";" -f {collectl_dir}