```
  Scenario: A visitor can cancel a squirrel they have not finished entering            # features/squirrel.feature:25
    Given I open the url "http://localhost:8000"                                       # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/actions_re.py:60 0.024s
    When I click on the element "#add-button"                                          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/actions.py:21 0.053s
    And I set "Temporary Squirrel" to the inputfield "#squirrel-name-input"            # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/actions.py:41 0.095s
    And I set "small" to the inputfield "#squirrel-size-input"                         # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/actions.py:41 0.064s
    And I click on the element "#cancel-button"                                        # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/actions.py:21 0.052s
    Then I expect that element "#squirrel-dialog" is not visible                       # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/expectations.py:14 0.017s
    When I click on the element "#add-button"                                          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/actions.py:21 0.045s
    Then I expect that the attribute "value" from element "#squirrel-name-input" is "" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/expectations.py:171 0.013s
    And I expect that the attribute "value" from element "#squirrel-size-input" is ""  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_we
bdriver/steps/expectations.py:171 0.012s

  Scenario: A new squirrel can join and then leave the town                            # features/squirrel.feature:35
    Given I open the url "http://localhost:8000"                                       # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions_re.py:60 0.028s
    When I click on the element "#add-button"                                          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions.py:21 0.050s
    And I set "Sir Nutsalot" to the inputfield "#squirrel-name-input"                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions.py:41 0.066s
    And I set "very large" to the inputfield "#squirrel-size-input"                    # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions.py:41 0.065s
    And I click on the element "#save-button"                                          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions.py:21 0.056s
    Then I wait on element "//li[div='Sir Nutsalot']" to exist                         # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/expectations.py:312 0.533s
    And I expect that element "#squirrels-list" contains the text "Sir Nutsalot"      # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/expectations.py:121 0.039s
    When I click on the element "//li[div='Sir Nutsalot']//button[contains(@class,'fa-trash')]"  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions.py:21 0.081s
    Then I expect that a confirmbox contains the text "Are you sure you want to delete Sir Nutsalot?" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/expectations.py:303 0.003s
    When I accept the confirmbox                                                       # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/actions_re.py:36 0.007s
    Then I wait on element "//li[div='Sir Nutsalot']" to not exist                     # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-pac
kages/behave_webdriver/steps/expectations.py:312 0.523s
```

```
  Scenario: Dismissing a squirrel's removal confirmation keeps it in town                  # features/squirrel.feature:47
    Given I open the url "http://localhost:8000"                                           # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions_re.py:60 0.031s
    When I click on the element "#add-button"                                              # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions.py:21 0.078s
    And I set "Plot Armor" to the inputfield "#squirrel-name-input"                        # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions.py:41 0.086s
    And I set "tiny" to the inputfield "#squirrel-size-input"                              # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions.py:41 0.071s
    And I click on the element "#save-button"                                              # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions.py:21 0.050s
    Then I wait on element "//li[div='Plot Armor']" to exist                               # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/expectations.py:312 0.523s
    When I click on the element "//li[div='Plot Armor']//button[contains(@class,'fa-trash')]" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions.py:21 0.093s
    And I dismiss the confirmbox                                                           # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions_re.py:41 0.008s
    Then I expect that element "#squirrels-list" contains the text "Plot Armor"            # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/expectations.py:121 0.036s
    When I click on the element "//li[div='Plot Armor']//button[contains(@class,'fa-trash')]" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions.py:21 0.068s
    And I accept the confirmbox                                                            # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/actions_re.py:36 0.007s
    Then I wait on element "//li[div='Plot Armor']" to not exist                           # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/be
have_webdriver/steps/expectations.py:312 0.522s

  Scenario: The town remembers a squirrel's size                                           # features/squirrel.feature:60
    Given I open the url "http://localhost:8000"                                           # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions_re.py:60 0.031s
    When I click on the element "#add-button"                                              # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions.py:21 0.078s
    And I set "Big Boy" to the inputfield "#squirrel-name-input"                           # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions.py:41 0.085s
    And I set "gigantic" to the inputfield "#squirrel-size-input"                          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions.py:41 0.103s
    And I click on the element "#save-button"                                              # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions.py:21 0.062s
    Then I wait on element "//li[div='Big Boy']" to exist                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/expectations.py:312 0.521s
    And I expect that element "//li[div='Big Boy']/div[@class='size']" contains the text "gigantic" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/expectations.py:121 0.035s
    When I click on the element "//li[div='Big Boy']//button[contains(@class,'fa-trash')]" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions.py:21 0.086s
    And I accept the confirmbox                                                            # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/actions_re.py:36 0.007s
    Then I wait on element "//li[div='Big Boy']" to not exist                              # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packa
ges/behave_webdriver/steps/expectations.py:312 0.520s
```

```
  Scenario: The edit form remembers a squirrel's current details                                  # features/squirrel.feature:71
    Given I open the url "http://localhost:8000"                                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions_re.py:60 0.026s
    When I click on the element "#add-button"                                                     # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:21 0.065s
    And I set "Chonky Norris" to the inputfield "#squirrel-name-input"                            # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:41 0.080s
    And I set "legendary" to the inputfield "#squirrel-size-input"                                # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:41 0.073s
    And I click on the element "#save-button"                                                     # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:21 0.050s
    Then I wait on element "//li[div='Chonky Norris']" to exist                                   # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/expectations.py:312 0.524s
    When I click on the element "//li[div='Chonky Norris']//button[contains(@class,'fa-pencil')]"  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:21 0.083s
    Then I expect that element "#dialog-title" contains the text "Edit Squirrel"                 # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/expectations.py:121 0.023s
    And I expect that the attribute "value" from element "#squirrel-name-input" is "Chonky Norris" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/expectations.py:171 0.016s
    And I expect that the attribute "value" from element "#squirrel-size-input" is "legendary"    # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/expectations.py:171 0.016s
    When I click on the element "#cancel-button"                                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:21 0.058s
    And I click on the element "//li[div='Chonky Norris']//button[contains(@class,'fa-trash')]"   # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions.py:21 0.061s
    And I accept the confirmbox                                                                   # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/actions_re.py:36 0.005s
    Then I wait on element "//li[div='Chonky Norris']" to not exist                               # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packag
es/behave_webdriver/steps/expectations.py:312 0.518s
```

```
  Scenario: A squirrel can change its name and keep its place in town                          # features/squirrel.feature:86
    Given I open the url "http://localhost:8000"                                               # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions_re.py:60 0.034s
    When I click on the element "#add-button"                                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:21 0.061s
    And I set "Gary" to the inputfield "#squirrel-name-input"                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:41 0.071s
    And I set "medium" to the inputfield "#squirrel-size-input"                                # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:41 0.075s
    And I click on the element "#save-button"                                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:21 0.053s
    Then I wait on element "//li[div='Gary']" to exist                                         # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/expectations.py:312 0.522s
    When I click on the element "//li[div='Gary']//button[contains(@class,'fa-pencil')]"      # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:21 0.090s
    And I set "Gary but evil" to the inputfield "#squirrel-name-input"                         # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:41 0.115s
    And I click on the element "#save-button"                                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:21 0.068s
    Then I wait on element "//li[div='Gary but evil']" to exist                                # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/expectations.py:312 0.529s
    And I wait on element "//li[div='Gary']" to not exist                                      # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/expectations.py:312 0.013s
    When I click on the element "//li[div='Gary but evil']//button[contains(@class,'fa-trash')]" # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions.py:21 0.082s
    And I accept the confirmbox                                                                # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/actions_re.py:36 0.006s
    Then I wait on element "//li[div='Gary but evil']" to not exist                            # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages
/behave_webdriver/steps/expectations.py:312 0.529s

  Scenario: An untouched squirrel form can be opened and abandoned safely                      # features/squirrel.feature:101
    Given I open the url "http://localhost:8000"                                               # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/actions_re.py:60 0.036s
    When I click on the element "#add-button"                                                  # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/actions.py:21 0.085s
    Then I expect that element "#squirrel-dialog" is visible                                   # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:14 0.026s
    And I expect that the attribute "value" from element "#squirrel-name-input" is ""          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:171 0.018s
    And I expect that the attribute "value" from element "#squirrel-size-input" is ""          # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:171 0.018s
    When I click on the element "#cancel-button"                                               # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/actions.py:21 0.070s
    Then I expect that element "#squirrel-dialog" is not visible                               # ../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:14 0.022s

1 feature passed, 0 failed, 0 skipped
10 scenarios passed, 0 failed, 0 skipped
90 steps passed, 0 failed, 0 skipped, 0 undefined
Took 0m9.510s
```

```
Took 0m3.757s
d00521440@BAT-PUTER:/mnt/c/Users/jkbbl/OneDrive/Documents/Fall 2026 UT/3150/TestingBehaviors/swag_labs_test$ python3 -m behave
Feature: Shopping on Swag Labs # features/swag_labs.feature:1
  As a customer with a shopping list
  I want to visit Swag Labs
  So that I can see what the shop has in store
  Scenario: A new customer finds the shop and a clean login form  # features/swag_labs.feature:6
    Given I open Swag Labs                                        # features/steps/swag_labs_steps.py:15 0.369s
    Then the Swag Labs page title should be "Swag Labs"           # features/steps/swag_labs_steps.py:64 0.011s
    And the Swag Labs login form should be ready                  # features/steps/swag_labs_steps.py:69 0.075s
    And the Swag Labs login fields should be empty                # features/steps/swag_labs_steps.py:77 0.035s
    And the Swag Labs login button should be enabled              # features/steps/swag_labs_steps.py:104 0.018s

  Scenario: The sign-in form labels both details a customer needs  # features/swag_labs.feature:13
    Given I open Swag Labs                                         # features/steps/swag_labs_steps.py:15 0.080s
    Then the Swag Labs username field should prompt "Username"      # features/steps/swag_labs_steps.py:84 0.017s
    And the Swag Labs password field should prompt "Password"       # features/steps/swag_labs_steps.py:91 0.016s
    And the Swag Labs login fields should be empty                 # features/steps/swag_labs_steps.py:77 0.034s
    And the Swag Labs login form should be ready                   # features/steps/swag_labs_steps.py:69 0.061s

  Scenario: A customer can check the sign-in controls before starting  # features/swag_labs.feature:20
    Given I open Swag Labs                                             # features/steps/swag_labs_steps.py:15 0.058s
    Then the Swag Labs login form should be ready                      # features/steps/swag_labs_steps.py:69 0.058s
    And the Swag Labs page title should be "Swag Labs"                 # features/steps/swag_labs_steps.py:64 0.006s
    And the Swag Labs login button should be enabled                   # features/steps/swag_labs_steps.py:104 0.015s
    And the Swag Labs password field should mask what I type           # features/steps/swag_labs_steps.py:98 0.015s

  Scenario: Refreshing the sign-in page leaves it ready for another attempt  # features/swag_labs.feature:27
    Given I open Swag Labs                                                   # features/steps/swag_labs_steps.py:15 0.055s
    When I refresh the Swag Labs login page                                  # features/steps/swag_labs_steps.py:23 0.072s
    Then the Swag Labs login form should be ready                            # features/steps/swag_labs_steps.py:69 0.058s
    And the Swag Labs login fields should be empty                           # features/steps/swag_labs_steps.py:77 0.033s
    And the Swag Labs login button should be enabled                         # features/steps/swag_labs_steps.py:104 0.014s

  Scenario: A first-time customer sees empty fields with clear prompts  # features/swag_labs.feature:34
    Given I open Swag Labs                                              # features/steps/swag_labs_steps.py:15 0.060s
    Then the Swag Labs login fields should be empty                     # features/steps/swag_labs_steps.py:77 0.034s
    And the Swag Labs username field should prompt "Username"           # features/steps/swag_labs_steps.py:84 0.015s
    And the Swag Labs password field should prompt "Password"           # features/steps/swag_labs_steps.py:91 0.018s
    And the Swag Labs password field should mask what I type            # features/steps/swag_labs_steps.py:98 0.020s

  Scenario: The username hint appears before a customer enters any details  # features/swag_labs.feature:41
    Given I open Swag Labs                                                  # features/steps/swag_labs_steps.py:15 0.064s
    Then the Swag Labs username field should prompt "Username"              # features/steps/swag_labs_steps.py:84 0.017s
    And the Swag Labs login fields should be empty                          # features/steps/swag_labs_steps.py:77 0.031s
    And the Swag Labs login form should be ready                            # features/steps/swag_labs_steps.py:69 0.060s
    And the Swag Labs login button should be enabled                        # features/steps/swag_labs_steps.py:104 0.016s
```

```
Scenario: The login page is ready without exposing password entry  # features/swag_labs.feature:48
  Given I open Swag Labs                                           # features/steps/swag_labs_steps.py:15 0.057s
  Then the Swag Labs page title should be "Swag Labs"              # features/steps/swag_labs_steps.py:64 0.006s
  And the Swag Labs login form should be ready                     # features/steps/swag_labs_steps.py:69 0.055s
  And the Swag Labs login fields should be empty                   # features/steps/swag_labs_steps.py:77 0.032s
  And the Swag Labs password field should mask what I type         # features/steps/swag_labs_steps.py:98 0.016s

Scenario: The login fields guide a customer without giving away details  # features/swag_labs.feature:55
  Given I open Swag Labs                                                 # features/steps/swag_labs_steps.py:15 0.097s
  Then the Swag Labs login form should be ready                          # features/steps/swag_labs_steps.py:69 0.056s
  And the Swag Labs login fields should be empty                         # features/steps/swag_labs_steps.py:77 0.031s
  And the Swag Labs username field should prompt "Username"              # features/steps/swag_labs_steps.py:84 0.015s
  And the Swag Labs password field should prompt "Password"              # features/steps/swag_labs_steps.py:91 0.017s

Scenario: The blank login form still lets a customer try  # features/swag_labs.feature:62
  Given I open Swag Labs                                  # features/steps/swag_labs_steps.py:15 0.066s
  Then the Swag Labs page title should be "Swag Labs"     # features/steps/swag_labs_steps.py:64 0.008s
  And the Swag Labs login form should be ready            # features/steps/swag_labs_steps.py:69 0.060s
  And the Swag Labs login fields should be empty          # features/steps/swag_labs_steps.py:77 0.033s
  And the Swag Labs login button should be enabled        # features/steps/swag_labs_steps.py:104 0.016s

Scenario: Entering a username leaves the password field alone      # features/swag_labs.feature:69
  Given I open Swag Labs                                           # features/steps/swag_labs_steps.py:15 0.060s
  When I enter "standard_user" as my Swag Labs username            # features/steps/swag_labs_steps.py:31 0.113s
  Then the Swag Labs username field should contain "standard_user" # features/steps/swag_labs_steps.py:109 0.018s
  And the Swag Labs password field should still be empty           # features/steps/swag_labs_steps.py:128 0.016s
  And the Swag Labs login button should be enabled                 # features/steps/swag_labs_steps.py:104 0.016s

Scenario: Submitting a blank sign-in asks for a username                        # features/swag_labs.feature:76
  Given I open Swag Labs                                                        # features/steps/swag_labs_steps.py:15 0.063s
  When I submit the Swag Labs login form                                        # features/steps/swag_labs_steps.py:41 0.094s
  Then the Swag Labs login message should say "Epic sadface: Username is required" # features/steps/swag_labs_steps.py:134 0.042s
  And the Swag Labs login page should remain open                               # features/steps/swag_labs_steps.py:147 0.027s
  And the Swag Labs login fields should be empty                                # features/steps/swag_labs_steps.py:77 0.032s

Scenario: A username without a password receives a specific prompt              # features/swag_labs.feature:83
  Given I open Swag Labs                                                        # features/steps/swag_labs_steps.py:15 0.058s
  When I enter "standard_user" as my Swag Labs username                         # features/steps/swag_labs_steps.py:31 0.071s
  And I submit the Swag Labs login form                                         # features/steps/swag_labs_steps.py:41 0.073s
  Then the Swag Labs login message should say "Epic sadface: Password is required" # features/steps/swag_labs_steps.py:134 0.028s
  And the Swag Labs username field should contain "standard_user"               # features/steps/swag_labs_steps.py:109 0.016s
  And the Swag Labs password field should be empty                              # features/steps/swag_labs_steps.py:128 0.015s

Scenario: A password without a username asks for the missing username           # features/swag_labs.feature:91
  Given I open Swag Labs                                                        # features/steps/swag_labs_steps.py:15 0.058s
  When I enter "not_the_demo_password_2026" as my Swag Labs password            # features/steps/swag_labs_steps.py:36 0.086s
  And I submit the Swag Labs login form                                         # features/steps/swag_labs_steps.py:41 0.071s
  Then the Swag Labs login message should say "Epic sadface: Username is required" # features/steps/swag_labs_steps.py:134 0.029s
  And the Swag Labs username field should be empty                               # features/steps/swag_labs_steps.py:123 0.015s
  And the Swag Labs password field should contain "not_the_demo_password_2026"  # features/steps/swag_labs_steps.py:116 0.015s
```

```
  Scenario: Unknown customer details are rejected with a clear message                                                  # features/swag_labs.feature:99
    Given I open Swag Labs                                                                                              # features/steps/swag_labs_steps.py:15 0.056s
    When I enter "unknown_customer_2026" as my Swag Labs username                                                       # features/steps/swag_labs_steps.py:31 0.086s
    And I enter "not_the_demo_password_2026" as my Swag Labs password                                                   # features/steps/swag_labs_steps.py:36 0.081s
    And I submit the Swag Labs login form                                                                               # features/steps/swag_labs_steps.py:41 0.077s
    Then the Swag Labs login message should say "Epic sadface: Username and password do not match any user in this service" # features/steps/swag_labs_steps.py:134 0.029s
    And the Swag Labs login page should remain open                                                                     # features/steps/swag_labs_steps.py:147 0.023s

  Scenario: A customer can dismiss a required-field message  # features/swag_labs.feature:107
    Given I open Swag Labs                                   # features/steps/swag_labs_steps.py:15 0.072s
    When I submit the Swag Labs login form                   # features/steps/swag_labs_steps.py:41 0.079s
    And I dismiss the Swag Labs login message                # features/steps/swag_labs_steps.py:51 0.103s
    Then the Swag Labs login message should be dismissed     # features/steps/swag_labs_steps.py:142 0.012s
    And the Swag Labs login form should be ready             # features/steps/swag_labs_steps.py:69 0.054s

  Scenario: Pressing Enter submits the sign-in form                                                                     # features/swag_labs.feature:114
    Given I open Swag Labs                                                                                              # features/steps/swag_labs_steps.py:15 0.065s
    When I enter "unknown_customer_2026" as my Swag Labs username                                                       # features/steps/swag_labs_steps.py:31 0.085s
    And I enter "not_the_demo_password_2026" as my Swag Labs password                                                   # features/steps/swag_labs_steps.py:36 0.094s
    And I submit the Swag Labs login form by pressing Enter                                                             # features/steps/swag_labs_steps.py:46 0.044s
    Then the Swag Labs login message should say "Epic sadface: Username and password do not match any user in this service" # features/steps/swag_labs_steps.py:134 0.030s
    And the Swag Labs login page should remain open                                                                     # features/steps/swag_labs_steps.py:147 0.023s

  Scenario: A customer can correct a username after a rejected attempt                                                  # features/swag_labs.feature:122
    Given I open Swag Labs                                                                                              # features/steps/swag_labs_steps.py:15 0.062s
    When I enter "unknown_customer_2026" as my Swag Labs username                                                       # features/steps/swag_labs_steps.py:31 0.088s
    And I enter "not_the_demo_password_2026" as my Swag Labs password                                                   # features/steps/swag_labs_steps.py:36 0.084s
    And I submit the Swag Labs login form                                                                               # features/steps/swag_labs_steps.py:41 0.070s
    And I dismiss the Swag Labs login message                                                                           # features/steps/swag_labs_steps.py:51 0.135s
    And I clear the Swag Labs username field                                                                            # features/steps/swag_labs_steps.py:59 0.036s
    And I enter "standard_user" as my Swag Labs username                                                                # features/steps/swag_labs_steps.py:31 0.068s
    And I submit the Swag Labs login form                                                                               # features/steps/swag_labs_steps.py:41 0.072s
    Then the Swag Labs login message should say "Epic sadface: Username and password do not match any user in this service" # features/steps/swag_labs_steps.py:134 0.023s
    And the Swag Labs login page should remain open                                                                     # features/steps/swag_labs_steps.py:147 0.018s

1 feature passed, 0 failed, 0 skipped
17 scenarios passed, 0 failed, 0 skipped
94 steps passed, 0 failed, 0 skipped, 0 undefined
Took 0m4.687s
d00521440@BAT-PUTER:/mnt/c/Users/jkbbl/OneDrive/Documents/Fall 2026 UT/3150/TestingBehaviors/swag_labs_test$
```

```
PS C:\Users\jkbbl> wsl
d00521440@BAT-PUTER:/mnt/c/Users/jkbbl$ cd "/mnt/c/Users/jkbbl/OneDrive/Documents/Fall 2026 UT/3150/TestingBehaviors/squirrel_test"
python3 -m behave
Feature: Squirreltown # features/squirrel.feature:1
  As a certified squirrel enjoyer
  I want to manage the squirrels in Squirreltown
  So that every squirrel has a place in town
  Background:   # features/squirrel.feature:6

  Scenario: The town welcomes visitors with its name                          # features/squirrel.feature:9
    Given I open the url "http://localhost:8000"                              # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/
steps/actions_re.py:60 0.169s
    Then I expect that the title is "Squirreltown"                            # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/
steps/expectations.py:25 0.009s
    And I expect that element "h1" contains the text "Welcome to Squirreltown" # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/
steps/expectations.py:121 0.035s

  Scenario: The squirrel form stays out of the way until needed  # features/squirrel.feature:13
    Given I open the url "http://localhost:8000"                 # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/steps/actions_
re.py:60 0.028s
    Then I expect that element "#squirrel-dialog" is not visible # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/steps/expectat
ions.py:14 0.031s
    And I expect that element "#add-button" is visible           # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/steps/expectat
ions.py:14 0.018s
    And I expect that element "#add-button" is enabled           # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_webdriver/steps/expectat
ions.py:43 0.017s

  Scenario: The plus button opens a clean squirrel form                       # features/squirrel.feature:18
    Given I open the url "http://localhost:8000"                              # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/actions_re.py:60 0.026s
    When I click on the element "#add-button"                                 # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/actions.py:21 0.064s
    Then I expect that element "#squirrel-dialog" is visible                  # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:14 0.017s
    And I expect that element "#dialog-title" contains the text "Add Squirrel"  # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:121 0.020s
    And I expect that the attribute "value" from element "#squirrel-name-input" is "" # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:171 0.015s
    And I expect that the attribute "value" from element "#squirrel-size-input" is "" # ../../../../../../../../../../../home/d00521440/.local/lib/python3.13/site-packages/behave_web
driver/steps/expectations.py:171 0.013s
```