# Операционные системы

Продвинутое использование git

Фахми Джакси Гамал Адли

11 февраля 2025

Российский университет дружбы народов, Москва, Россия

Цели и задачи работы \_\_\_\_\_\_\_\_\_\_



Получение навыков правильной работы с репозиториями git.

# Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# Процесс выполнения лабораторной работы

```
jaksigamal@jaksigamal:~$ pnpm setup
Appended new lines to /home/jaksigamal/.bashrc
Next configuration changes were made:
export PNPM HOME="/home/jaksigamal/.local/share/pnpm"
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM HOME:$PATH" ::
To start using pnpm, run:
source /home/jaksigamal/.bashrc
iaksigamal@jaksigamal:~$ source ~/.bashrc
jaksigamal@jaksigamal:~$
```

**Рис. 1:** Node.js

```
naksigamal@iaksigamal:~$
iaksigamal@iaksigamal:~$ pnpm add -g commitizen
                    Update available! 9.13.0 \rightarrow 10.3.0.
                    Run "pnpm self-update" to update.
             Follow @pnpmjs for updates: https://x.com/pnpmjs
Progress: resolved 151, reused 0, downloaded 151, added 151, done
+ commitizen 4.3.1
Done in 3.6s
jaksigamal@jaksigamal:~$
```

Рис. 2: установка commitizen

## standard-changelog

```
jaksigamal@jaksigamal:~$ pnpm add -g standard-changelog
 WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +39
Progress: resolved 190, reused 151, downloaded 39, added 39, done
/home/jaksigamal/.local/share/pnpm/global/5:
  standard-changelog 6.0.0
Done in 3.8s
jaksigamal@jaksigamal:~$
```

Рис. 3: установка standard-changelog

```
package.json
   Открыть
                   \oplus
       "name": "git-extended".
       "version": "1.0.0".
       "description": "Git repo for educational purposes",
       "main": "index.js".
       "repository": "git@github.com:Jaksy-gamal/git-extended.git",
       "author": "Jaksy-gamal",
       "license": "CC-BY-4.0",
       "config": {
           "commitizen": {
11
12
13
14
               "path": "cz-conventional-changelog"
15
```

Рис. 4: package.json

#### Использование commitizen

```
Select the type of change that you're committing: chore: Other changes that don't modify src or test files
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master aa0005b] chore: test
create mode 100644 package.json
Подсчет объектов: 100% (4/4), готово.
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 494 байта | 494.00 КиБ/с, готово.
   7ea076b..aa0005b master -> master
jaksigamal@jaksigamal:~/git-extended$
```

Рис. 5: Отправка

```
iaksigamal@iaksigamal:~/git-extendedS git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/jaksigamal/git-extended/.git/hooks]
iaksigamal@iaksigamal:~/git-extended$ git branch
jaksigamal@jaksigamal:~/git-extended$ git push --all
remote: Create a pull request for 'develop' on GitHub by visiting:
             https://github.com/Jaksy-gamal/git-extended/pull/new/develop
To github.com:Jaksv-gamal/git-extended.git
 * [new branch] develop -> develop
iaksigamal@iaksigamal:~/git-extendeds
```

Рис. 6: Инициализация и загрузка изменений

## git-flow

```
jaksigamal@jaksigamal:~/git-extended
✓ created CHANGELOG.md
v output changes to CHANGELOG.md
```

Рис. 7: Завершение релиза

## Отправим данные на github

```
jaksigamal@jaksigamal:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 563 байта | 563.00 КиБ/с, готово.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To github.com:Jaksy-gamal/git-extended.git
   aa0005b..775ba27 master -> master
jaksigamal@jaksigamal:~/git-extended$ git push --tags
Перечисление объектов: 1. готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 164 байта | 164.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com: Jaksy-gamal/git-extended.git
 * [new tag]
                    1.0.0 -> 1.0.0
iaksigamal@jaksigamal:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/Jaksv-gamal/git-extended/releases/tag/v1.0.0
iaksigamal@iaksigamal:~/git-extended$
```

Рис. 8: Отправка

#### Объединение веток

```
jaksigamal@jaksigamal:~/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:
- A new branch 'feature/feature branch' was created, based on 'develop'
- You are now on branch 'feature/feature branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature branch
iaksigamal@iaksigamal:~/git-extended$ touch test2
jaksigamal@jaksigamal:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была 3f011ac).
Summary of actions:
- The feature branch 'feature/feature branch' was merged into 'develop'
 Feature branch 'feature/feature branch' has been locally deleted

    You are now on branch 'develop'

jaksigamal@jaksigamal:~/git-extended$
```

Рис. 9: Объединение веток

```
Merge made by the 'ort' strategy.
 The release was tagged '1.2.3'
Перечисление объектов: 9, готово.
  775ba27..da63876 master -> master
Подсчет объектов: 100% (1/1), готово.
aksigamal@iaksigamal.~/git-extended
```

Рис. 10: Завершение релиза

### Подготовка рабочего репозитория

```
aksigamal@iaksigamal:~/work/study/2024-2025/Операционные системы/os-intro$ pnpm init
Select the type of change that you're committing: chore: Other changes that don't modify arc or test files
What is the scope of this change (e.g. component or file name): (press enter to skip)
Write a short, imperative tense description of the change (max 93 chars):
Provide a longer description of the change: (press enter to skip)
Are there any breaking changes? No
Does this change affect any open issues? No
create mode 100644 package.ison
iaksigamal@iaksigamal:~/work/study/2024-2025/Операционные системы/os-intros
```

Рис. 11: package.json и коммит

#### Подготовка рабочего репозитория

```
Summary of actions:
 The release was tagged '1.0.0'
 Release tag '1.0.0' has been back-merged into 'develop'
Подсчет объектов: 100% (7/7), готово.
Сжатие объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 631 байт | 631.00 КиБ/с, готово.
   3f120a3..2e0b05d develop -> develop
  3f120a3..c209c2b master -> master
Перечисление объектов: 1. готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 164 байта | 164.00 КиБ/с, готово.
 aksigamal@jaksigamal:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 12: Завершение релиза

Выводы по проделанной работе



Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.